W3WI DS304.1 Applied Machine Learning Fundamentals

Exercise Sheet #8 - Evaluation of Machine Learning Models

Question 1 2020, modified (Confusion matrix and evaluation metrics)

The evaluation of a neural network on a separate test dataset has produced the confusion matrix depicted in table 1:

Conf. mat.		gold					
Com. ma	au.	\mathcal{C}_1	\mathcal{C}_2	\mathcal{C}_3	Σ		
	\mathcal{C}_1	25	4	9	38		
predicted	\mathcal{C}_2	8	31	0	39		
	\mathcal{C}_3	2	3	18	23		
	Σ	35	38	27	100		

Table 1: Confusion matrix produced on a test set.

Please answer the following questions:

- 1. What is the accuracy of the model?
- 2. Compute precision, recall, and the F_1 -score separately for all classes C_k $(1 \le k \le 3)$.
- 3. What is the micro average precision/recall? What do you observe?
- 4. What is the macro average precision/recall?

Question 2 (Micro and macro averages)

When should you use micro average and when macro average?

Question 3 (F_1 -score and the harmonic mean)

The F_1 -score is defined as the harmonic mean of precision and recall. Can you imagine why the harmonic mean is used? (Why not the arithmetic mean?)

Question 4 2023, modified (Confusion matrix and evaluation metrics)

You have to evaluate a binary classifier on a test set. Table 2 lists the predictions of the model along with the correct labels. \oplus represents the positive class, and \ominus the negative class.

Data point	1	2	3	4	5	6	7	8	9	10
Prediction	Θ	\oplus	\oplus	\ominus	\oplus	\oplus	\oplus	\ominus	\oplus	\ominus
True label	\oplus	\oplus	\ominus	\ominus	\oplus	\oplus	\ominus	\oplus	\ominus	\ominus

Table 2: Results on the test dataset.

- 1. Create the confusion matrix.
- 2. Compute precision, recall, and the F_1 -score of your model.

Question 5 2020

Imagine you have trained a classification model to classify skin tissue samples as either cancerous or healthy. The model should avoid false negatives at all costs. Which evaluation metric (precision or recall) would you prefer? (Please explain your answer.)

Question 6 2023 (Drawback of accuracy)

What advantage does the F_1 -score have over accuracy?

Question 7 2021, modified (AUC and ROC)

For ten test instances a logistic regression classifier has output the probabilities (of the positive class \oplus) shown in table 3. Draw the ROC curve (receiver operating characteristic) and compute the AUC (area under the curve). Do not forget to label the axes! How do you rate the performance of the model?

Data point	Gold Label	Probability
1	\oplus	0.95
2	\oplus	0.30
3	\ominus	0.35
4	\ominus	0.10
5	\oplus	0.80
6	\oplus	0.55
7	\ominus	0.25
8	\ominus	0.75
9	\ominus	0.05
10	\oplus	0.20

Table 3: Probabilities output by a logistic regression classifier for ten test instances.

Question 8 2021 (Occam's razor)

What is meant by the term *Occam's razor*?

Question 9 2021 (Bias and variance)

Which statement concerning bias and variance is correct?

- \square Models suffering from high bias tend to overfitting.
- \square A high variance can be mitigated by adding more training examples.
- \square A decision stump has a low bias.
- \square The terms bias and variance are not related to overfitting and underfitting.
- \square None of the above is correct.

Question 10 2021 (Overfitting and underfitting)

Complete figure 1 below using the following terms: Underfitting, Overfitting, good Model, Train Error, Test Error, and Model Complexity.




Figure 1: Complete the figure!

Question 11 2021 (Early stopping)

What is *early stopping*?