

SOEN 6011 : SOFTWARE ENGINEERING PROCESSES SUMMER 2021

SUPER CALCULATOR

PROBLEM - 6

Unit Test Cases

Authors Rokeya Begum Keya Kyle Taylor Lange Sijie Min

Manimaran Palani

 $\rm https://www.overleaf.com/project/610304de4e6b8d24f7c781b6$

Contents

a.)	Description or	n Unit Test	Cases					 								 													2	
JU)	, Description of	I CIII ICS	Cascs	•	•	•	•	 •	•	•	•	 •	•	•	•	 •	•	•	•	•	•	•	•	•	•	•	•	•		

Unit Test Cases Description

PROBLEM 6 - F2: tan(x)

SOEN 6011 - Summer 2021

Rokeya Begum Keya

Software Engineering Processes

40183615

Repository address: https://github.com/Dakatsu/SOEN6011Calculator

Unit Test Case for F2 Function

The unit test cases for tan(x) function is done using **JUnit 4** which are traceable to the requirements in problem-2.

Test Case: F2_UnitTestCase_1

Test Case ID F2_tanZeroCheck_1

Requirement ID F2-R1

Action The user clicks the button "Tan" and gives an input 0 (degree) and

then click result(=) button.

 $\begin{array}{ll} \textbf{Input(s)} & tan(0) \\ \textbf{Expected Output} & 0 \\ \textbf{Actual Output} & 0 \end{array}$

Test Result Success

Test Case: F2_UnitTestCase_2

Test Case ID F2_tanFortyCheck_2

Requirement ID F2-R2

Action The user clicks the button "Tan" and gives an input 40 (degree) and

then click result(=) button.

 $\begin{array}{ll} \textbf{Input(s)} & tan(40) \\ \textbf{Expected Output} & 0.83910101 \\ \textbf{Actual Output} & 0.83910101 \\ \textbf{Test Result} & Success \\ \end{array}$

Test Case ID F2_tanNinetyCheck_3

Requirement ID F2-R3

Action The user clicks the button "Tan" and gives an input 90 (degree) and

then click result(=) button.

 $\begin{array}{ll} \textbf{Input(s)} & tan(90) \\ \textbf{Expected Output} & undefined \\ \textbf{Actual Output} & undefined \\ \textbf{Test Result} & Success \end{array}$

Test Case: F2_UnitTestCase_4

Test Case ID F2_tanNegativeValueCheck_4

Requirement ID F2-R4

Action The user clicks the button "Tan" and gives an input 95 (degree) and

then click result(=) button.

 Input(s)
 tan(95)

 Expected Output
 -11.43005230

 Actual Output
 -11.43005230

 Test Result
 Success

Test Case: F2_UnitTestCase_5

Test Case ID F2_tanNegativeNumberCheck_5

Requirement ID F2-R5

Action The user clicks the button "Tan" and gives an input -10 (degree) and

then click result(=) button.

 $\begin{array}{ll} \textbf{Input(s)} & tan(-10) \\ \textbf{Expected Output} & -0.17723233 \\ \textbf{Actual Output} & -0.17723233 \\ \textbf{Test Result} & Success \end{array}$

Test Case ID F2_tanOneHundredAndEightyCheck_6

Requirement ID F2-R6

Action The user clicks the button "Tan" and gives an input 180 (degree) and

then click result(=) button.

Input(s) tan(180)

Expected Output 0 **Actual Output** 0

Test Result Success

Test Case: F2_UnitTestCase_7

Test Case ID F2_getRadCheck_7

Requirement ID F2-R7

Action To make sure that radian function in tan(x) is working properly,

I had to do the unit test of Rad(x) and gives an input for x = 90 (degree).

 $\begin{array}{lll} \textbf{Input(s)} & Rad(90) \\ \textbf{Expected Output} & 1.57079633 \\ \textbf{Actual Output} & 1.57079633 \\ \textbf{Test Result} & Success \end{array}$

Test Case: F2_UnitTestCase_8

Test Case ID F2_getRadOneHundredAndEightyCheck_8

Requirement ID F2-R8

Action To make sure that radian function in tan(x) is working properly,

I had to do the unit test of Rad(x) and gives an input for x = 180 (degree).

 $\begin{array}{ll} \textbf{Input(s)} & Rad(180) \\ \textbf{Expected Output} & 3.14159 \\ \textbf{Actual Output} & 3.14159 \\ \textbf{Test Result} & Success \\ \end{array}$

Test Case ID F2_getSinZeroCheck_9

Requirement ID F2-R9

Action To make sure that sin(x) function for tan(x) is working properly,

I had to do the unit test of sin(x) function and gives an input for 0 (degree).

 $\begin{array}{ll} \textbf{Input(s)} & sin(0) \\ \textbf{Expected Output} & 0.0 \\ \textbf{Actual Output} & 0.0 \\ \textbf{Test Result} & Success \end{array}$

Test Case: F2_UnitTestCase_10

Test Case ID F2_getSinFortyCheck_10

Requirement ID F2-R10

Action To make sure that sin(x) function for tan(x) is working properly,

I had to do the unit test of sin(x) function and gives an input for 40 (degree).

 $\begin{array}{ll} \textbf{Input(s)} & sin(40) \\ \textbf{Expected Output} & 0.642788 \\ \textbf{Actual Output} & 0.642788 \\ \textbf{Test Result} & \text{Success} \end{array}$

Test Case: F2_UnitTestCase_11

Test Case ID F2_getCosZeroCheck_11

Requirement ID F2-R11

Action To make sure that cos(x) function for tan(x) is working properly,

I had to do the unit test of cos(x) function and gives an input for 0 (degree).

 $\begin{array}{ll} \textbf{Input(s)} & cos(0) \\ \textbf{Expected Output} & 1 \\ \textbf{Actual Output} & 1 \end{array}$

Test Result Success

Test Case ID F2_getCosFortyCheck_12

Requirement ID F2-R12

Action To make sure that cos(x) function for tan(x) is working properly,

I had to do the unit test of cos(x) function and gives an input for 40 (degree).

 Input(s)
 cos(40)

 Expected Output
 0.76604305

 Actual Output
 0.76604305

 Test Result
 Success




Figure: Unit Testing results for tangent function (tan(x))

PROBLEM 6 - F3: Hyperbolic Sine, sinh(x)

SOEN 6011 - Summer 2021

Kyle Taylor Lange 27627696

Software Engineering Processes

Repository address: https://github.com/Dakatsu/SOEN6011Calculator

A variety of JUnit 5 tests were created in SinhLibrariesTest.java to test the quality of the sinh function. These were made as atomically as possible per guidelines on writing unit tests. For example, one unit test ensures that sinh(0) returns 0, while another ensures that sinh(1) returns 1.175. Despite it not being explicitly required, the subordinate functions also have unit tests. This is valuable since the sinh function largely depends on them for its level of accuracy, and it may allow an incorrect result for sinh to be immediately traced to a change in a subordinate function.

There were two requirements, which quickly summarized are that the function returns accurate values according to the equation in problem 1, and that the function may return the result within three seconds. Only this former requirement has unit tests since it is inadvisable to make unit tests to ensure something happens within a specific period of time. Tests that do so could randomly fail or differ between machines, which goes against the purpose and guidelines for writing unit tests.

PROBLEM 6 - F5

SOEN 6011 - Summer 2021 Sijie Min Software Engineering Processes 40152234

 $Repository\ address: https://github.com/Dakatsu/SOEN6011Calculator$

Unit Test Case for F5 Function

The unit test cases for ab^x function is done using related functions of **JUnit 4**

Test Case: F5_UnitTestCase_1

Test Case ID F5testF5
Requirement ID F5-R1

Action Test ab^x . a is set to 0, check the output result; x input is 0, check the output result

Input(s) a=0,b=19,x=2; a=2,b=10,x=0

Expected Output 0; 2 (there are 2 sets of inputs so 2 sets of outputs,0 and 2) **Actual Output** 0; 2 (there are 2 sets of inputs so 2 sets of outputs,0 and 2)

Test Result Success

Test Case: F5_UnitTestCase_2

Test Case ID F5testF5PositiveX

Requirement ID F5-R2

Action Test ab^x the input of x is a positive number, check the output result

Input(s) a=1.0,b=3.4,x=5.6

Expected Output 946.8516393 Actual Output 946.8516393 Test Result Success

 $Test\ Case:\ F5_UnitTestCase_3$

Test Case ID F5testF5NegativeX

Requirement ID F5-R3

Action Test ab^x the input of x is a negative number, check the output result

Input(s) a=1.0,b=3.4,x=-5.6

Expected Output0.0021122Actual Output0.0021122Test ResultSuccess

Test Case ID F5testF5NegativeX

Requirement ID F5-R4

Action Test power(double,int) function

 Input(s)
 power(1.6,7)

 Expected Output
 26.8435456

 Actual Output
 26.8435456

 Test Result
 Success

Test Case: F5_UnitTestCase_4

Test Case ID F5testF5NegativeX

Requirement ID F5-R5

Action Test power(double,int) function

 Input(s)
 power(1.6,7)

 Expected Output
 26.8435456

 Actual Output
 26.8435456

 Test Result
 Success

Test Case: F5_UnitTestCase_5

Test Case ID F5testDecimalPower

Requirement ID F5-R6

Action Test power(double,double) function

 Input(s)
 power(5.6, 7.5)

 Expected Output
 408705.2369134

 Actual Output
 408705.2369134

Test Result Success




Figure 1: Figure: Unit Testing results for function ab^x

PROBLEM 6 - F7: x^y

SOEN 6011 - Summer 2021

Manimaran Palani 40167543

Software Engineering Processes

Repository address: https://github.com/Dakatsu/SOEN6011Calculator

Problem 6 - Unit Test Case Description

This section presents the unit test cases implemented using **JUnit4** for Super Calculator (F7-Power Function) which are traceable to requirements.

Test Case: F7_TestCase_1

Test Case ID F7_TestCase_1

Requirement ID F7-R1

Action The user inputs a base input and click power function button followed

by giving exponent input and click result(=) button.

Input(s) base = 0.0, exponent = 0.0

Expected Output 1.0 Actual Output 1.0 Test Result Success

Test Case: F7_TestCase_2

Test Case ID F7_TestCase_2

Requirement ID F7-R2

Action The user inputs a base input and click power function button followed

by giving exponent input and click result(=) button.

Input(s) base = 0.0, exponent = 3.0

Expected Output 0.0 Actual Output 0.0 Test Result Success

Test Case: F7_TestCase_3

Test Case ID F7_TestCase_3

Requirement ID F7-R3

Action The user inputs a base input and click power function button followed

by giving exponent input and click result(=) button.

Input(s) base = 7.0, exponent = 0.0

Expected Output 1.0 Actual Output 1.0 Test Result Success

Test Case: F7_TestCase_4

Test Case ID F7_TestCase_4

Requirement ID F7-R4

Action The user inputs a base input and click power function button followed

by giving exponent input and click result(=) button.

Input(s) base = -4.0, exponent = 0.0

Expected Output 1.0 Actual Output 1.0 Test Result Success

Test Case: F7_TestCase_5

Test Case ID F7_TestCase_5

Requirement ID F7-R5

Action The user inputs a base input and click power function button followed

by giving exponent input and click result(=) button.

Input(s) base = 7.0, exponent = 1.0

Expected Output 7.0 Actual Output 7.0 Test Result Success Test Case: F7_TestCase_6

Test Case ID F7_TestCase_6

Requirement ID F7-R6

Action The user inputs a base input and click power function button followed

by giving exponent input and click result(=) button.

Input(s) base = 5, exponent = 9

Expected Output 1953125.0 **Actual Output** 1953125.0 **Test Result** Success

Test Case: F7_TestCase_7

Test Case ID F7_TestCase_7

Requirement ID F7-R6

Action The user inputs a base input and click power function button followed

by giving exponent input and click result(=) button.

Input(s) base = -3, exponent = 4.4

Expected Output 3.1631 Actual Output 3.1631 Test Result Success

Test Case: F7_TestCase_8

Test Case ID F7_TestCase_8

Requirement ID F7-R6

Action The user inputs a base input and click power function button followed

by giving exponent input and click result(=) button.

Input(s) base = -9, exponent = 3

Expected Output -729 Actual Output -729 Test Result Success

Test Case Results for F7




Figure 2: Test case result of function F7 : x^y using Junit4