



**SOEN 6011 : SOFTWARE ENGINEERING PROCESSES**  
**SUMMER 2021**

**SUPER CALCULATOR**

**PROBLEM - 2**  
Requirements  
ISO/IEC/IEEE 29148 Standard

---

Authors

Rokeya Begum Keya

Kyle Taylor Lange

Sijie Min

Manimaran Palani

<https://www.overleaf.com/project/610304de4e6b8d24f7c781b6>

## PROBLEM 2 - F2: $\tan(x)$

SOEN 6011 - Summer 2021

Software Engineering Processes

Repository address : <https://github.com/Dakatsu/SOEN6011Calculator>

Rokeya Begum Keya

40183615

### Assumption:

The value of  $\tan(x)$  function is real number. Moreover, the calculation of  $\tan(x)$  function is done in radians.

### Requirements:

[1][2]

The current section describes the requirements to implement the function  $\tan(x)$ .

#### Requirement Id : F2-R1

Overview	Input $x$ into $\tan(x)$ function.
Version	1.0
Description	User should give integer (degree) value as input. The program will give the approximate integer value of $\tan(x)$ .
Owner	Rokeya Begum Keya
Priority	High
Type	Functional
Difficulty	Medium
Verification Method	

#### Requirement Id : F2-R2

Overview	Input $x$ into $\tan(x)$ function.
Version	1.0
Description	If User gives any value out of domain. The output will show error.
Owner	Rokeya Begum Keya
Priority	High
Type	Functional
Difficulty	Medium
Verification Method	

**Requirement Id : F2-R3**

<b>Overview</b>	Input $x$ into $\tan(x)$ function.
<b>Version</b>	1.0
<b>Description</b>	If User gives any integer value which is out of range. The output will be undefined and will show error.
<b>Owner</b>	Rokeya Begum Keya
<b>Priority</b>	High
<b>Type</b>	Functional
<b>Difficulty</b>	Medium
<b>Verification Method</b>	

**Requirement Id : F2-R4**

<b>Overview</b>	Input $x$ into $\tan(x)$ function.
<b>Version</b>	1.0
<b>Description</b>	For the input, for which $\cos(x) = 0$ , then, the output will be undefined and will show "undefined".
<b>Owner</b>	Rokeya Begum Keya
<b>Priority</b>	High
<b>Type</b>	Functional
<b>Difficulty</b>	Medium
<b>Verification Method</b>	

**Requirement Id : F2-R5**

<b>Overview</b>	Input $x$ into $\tan(x)$ function.
<b>Version</b>	1.0
<b>Description</b>	If the user gives an input of $\tan(90^\circ)$ , then, the output will be "undefined".
<b>Owner</b>	Rokeya Begum Keya
<b>Priority</b>	High
<b>Type</b>	Functional
<b>Difficulty</b>	Medium
<b>Verification Method</b>	

**Requirement Id : F2-R6**

<b>Overview</b>	Availability
<b>Version</b>	1.0
<b>Description</b>	The system may provide the calculation to the user within four seconds.
<b>Owner</b>	Rokeya Begum Keya
<b>Priority</b>	High
<b>Type</b>	Functional
<b>Difficulty</b>	Medium
<b>Verification Method</b>	

## PROBLEM 2 - F3: Hyperbolic Sine, $\sinh(x)$

SOEN 6011 - Summer 2021

**Software Engineering Processes**

<https://www.overleaf.com/project/610304de4e6b8d24f7c781b6>

<https://github.com/Dakatsu/SOEN6011Calculator>

**Kyle Taylor Lange**

**27627696**

Repository address :

## PROBLEM 2 - F5

SOEN 6011 - Summer 2021

**Software Engineering Processes**

Repository address : <https://github.com/Dakatsu/SOEN6011Calculator>

**Sijie Min**

**401\*\*\*\*\***

Team please add your content here

## PROBLEM 2 - F7 : $x^y$

SOEN 6011 - Summer 2021

Software Engineering Processes

Repository address : <https://github.com/Dakatsu/SOEN6011Calculator>

Manimaran Palani

40167543

### Requirements and Assumptions

[1][2]

The current section describes the requirements and assumptions to implement the function  $x^y$ .

**Explicit Assumption :** The transcendental function  $x^y$  will be accurate and accepts input which comprises of rational and irrational numbers.

#### Requirement Id : F7-R1

Overview	X(0) to the power of Y(0)
Version	1.0
Description	If the user gives an input for X as Zero and input for Y as Zero. The function may return the 1 as output.
Owner	Manimaran Palani
Priority	High
Type	Functional
Difficulty	Medium
Verification Method	

#### Requirement Id : F7-R2

Overview	X(0) to the power of Y (Positive Numbers)
Version	1.0
Description	If the user gives an input for X as zero and input for Y as any positive Number. The function may return zero as output.
Owner	Manimaran Palani
Priority	High
Type	Functional
Difficulty	Medium
Verification Method	

**Requirement Id : F7-R3**

<b>Overview</b>	X(0) to the power of Y (Negative Numbers)
<b>Version</b>	1.0
<b>Description</b>	If the user gives an input for X as zero and input for Y as any Negative Number.The function may return infinity as output.
<b>Owner</b>	Manimaran Palani
<b>Priority</b>	High
<b>Type</b>	Functional
<b>Difficulty</b>	Medium
<b>Verification Method</b>	

**Requirement Id : F7-R4**

<b>Overview</b>	X(Positive Number) to the power of Y (0)
<b>Version</b>	1.0
<b>Description</b>	If the user gives an input for X of any positive number and input for Y as Zero.The function may return 1 as the output.
<b>Owner</b>	Manimaran Palani
<b>Priority</b>	High
<b>Type</b>	Functional
<b>Difficulty</b>	Medium
<b>Verification Method</b>	

**Requirement Id : F7-R5**

<b>Overview</b>	X(Negative Number) to the power of Y (0)
<b>Version</b>	1.0
<b>Description</b>	If the user gives an input for X of any negative number and input for Y as Zero.The function may return -1 as the output.
<b>Owner</b>	Manimaran Palani
<b>Priority</b>	High
<b>Type</b>	Functional
<b>Difficulty</b>	Medium
<b>Verification Method</b>	



**Requirement Id : F7-R6**

<b>Overview</b>	X(Negative Number) to the power of Y (Positive or Negative Number)
<b>Version</b>	1.0
<b>Description</b>	If the user gives an input for X as any negative number and input for Y as positive or negative number. The function may return negative number as the output.
<b>Owner</b>	Manimaran Palani
<b>Priority</b>	High
<b>Type</b>	Functional
<b>Difficulty</b>	Medium
<b>Verification Method</b>	

**Requirement Id : F7-R7**

<b>Overview</b>	X(Positive Number) to the power of Y (Positive or Negative Number)
<b>Version</b>	1.0
<b>Description</b>	If the user gives an input for X as any positive number and input for Y as positive or negative numbers. The function may return positive number as the output.
<b>Owner</b>	Manimaran Palani
<b>Priority</b>	High
<b>Type</b>	Functional
<b>Difficulty</b>	Medium
<b>Verification Method</b>	

**Requirement Id : F7-R8**

<b>Overview</b>	Availability
<b>Version</b>	1.0
<b>Description</b>	The system may provide the response with output to the user within finite time.
<b>Owner</b>	Manimaran Palani
<b>Priority</b>	High
<b>Type</b>	Non-Functional
<b>Difficulty</b>	Medium
<b>Verification Method</b>	

# Bibliography

- [1] ReqView : Nykamp DQ: Requirements Specification Templates  
<https://www.reqview.com/doc/iso-iec-ieee-29148-templates>
- [2] 29148-2018-ISO/IEC/IEEE International Standard-Systems and software engineering-Life cycle processes-Requirements engineering,  
<https://standards.ieee.org/standard/29148-2018.html>