



**SOEN 6011 : SOFTWARE ENGINEERING PROCESSES
SUMMER 2021**

SUPER CALCULATOR

PROBLEM - 6
Unit Test Cases

Authors

Rokeya Begum Keya

Kyle Taylor Lange

Sijie Min

Manimaran Palani

<https://www.overleaf.com/project/610304de4e6b8d24f7c781b6>

Contents

| | |
|---|---|
| a) Description on Unit Test Cases | 2 |
|---|---|

Unit Test Cases Description

PROBLEM 6 - F2: $\tan(x)$

SOEN 6011 - Summer 2021

Software Engineering Processes

Repository address : <https://github.com/Dakatsu/SOEN6011Calculator>

Rokeya Begum Keya

40183615

Unit Test Case for F2 Function

The unit test cases for $\tan(x)$ function is done using **JUnit 4** which are traceable to the requirements in problem-2.

Test Case : F2_UnitTestCase_1

| | |
|-----------------|---|
| Test Case ID | F2_tanZeroCheck_1 |
| Requirement ID | F2-R1 |
| Action | The user clicks the button "Tan" and gives an input 0 (degree) and then click result(=) button. |
| Input(s) | $\tan(0)$ |
| Expected Output | 0 |
| Actual Output | 0 |
| Test Result | Success |

Test Case : F2_UnitTestCase_2

| | |
|-----------------|--|
| Test Case ID | F2_tanFortyCheck_2 |
| Requirement ID | F2-R2 |
| Action | The user clicks the button "Tan" and gives an input 40 (degree) and then click result(=) button. |
| Input(s) | $\tan(40)$ |
| Expected Output | 0.83910101 |
| Actual Output | 0.83910101 |
| Test Result | Success |

Test Case : F2_UnitTestCase_3

| | |
|------------------------|--|
| Test Case ID | F2_tanNinetyCheck_3 |
| Requirement ID | F2-R3 |
| Action | The user clicks the button "Tan" and gives an input 90 (degree) and then click result(=) button. |
| Input(s) | $\tan(90)$ |
| Expected Output | undefined |
| Actual Output | undefined |
| Test Result | Success |

Test Case : F2_UnitTestCase_4

| | |
|------------------------|--|
| Test Case ID | F2_tanNegativeValueCheck_4 |
| Requirement ID | F2-R4 |
| Action | The user clicks the button "Tan" and gives an input 95 (degree) and then click result(=) button. |
| Input(s) | $\tan(95)$ |
| Expected Output | -11.43005230 |
| Actual Output | -11.43005230 |
| Test Result | Success |

Test Case : F2_UnitTestCase_5

| | |
|------------------------|---|
| Test Case ID | F2_tanNegativeNumberCheck_5 |
| Requirement ID | F2-R5 |
| Action | The user clicks the button "Tan" and gives an input -10 (degree) and then click result(=) button. |
| Input(s) | $\tan(-10)$ |
| Expected Output | -0.17723233 |
| Actual Output | -0.17723233 |
| Test Result | Success |

Test Case : F2_UnitTestCase_6

| | |
|------------------------|---|
| Test Case ID | F2_tanOneHundredAndEightyCheck_6 |
| Requirement ID | F2-R6 |
| Action | The user clicks the button "Tan" and gives an input 180 (degree) and then click result(=) button. |
| Input(s) | $\tan(180)$ |
| Expected Output | 0 |
| Actual Output | 0 |
| Test Result | Success |

Test Case : F2_UnitTestCase_7

| | |
|------------------------|---|
| Test Case ID | F2_getRadCheck_7 |
| Requirement ID | F2-R7 |
| Action | To make sure that radian function in $\tan(x)$ is working properly, I had to do the unit test of Rad(x) and gives an input for $x = 90$ (degree). |
| Input(s) | $\text{Rad}(90)$ |
| Expected Output | 1.57079633 |
| Actual Output | 1.57079633 |
| Test Result | Success |

Test Case : F2_UnitTestCase_8

| | |
|------------------------|--|
| Test Case ID | F2_getRadOneHundredAndEightyCheck_8 |
| Requirement ID | F2-R8 |
| Action | To make sure that radian function in $\tan(x)$ is working properly, I had to do the unit test of Rad(x) and gives an input for $x = 180$ (degree). |
| Input(s) | $\text{Rad}(180)$ |
| Expected Output | 3.14159 |
| Actual Output | 3.14159 |
| Test Result | Success |

Test Case : F2_UnitTestCase_9

| | |
|------------------------|---|
| Test Case ID | F2_getSinZeroCheck_9 |
| Requirement ID | F2-R9 |
| Action | To make sure that $\sin(x)$ function for $\tan(x)$ is working properly, I had to do the unit test of $\sin(x)$ function and gives an input for 0 (degree). |
| Input(s) | $\sin(0)$ |
| Expected Output | 0.0 |
| Actual Output | 0.0 |
| Test Result | Success |

Test Case : F2_UnitTestCase_10

| | |
|------------------------|--|
| Test Case ID | F2_getSinFortyCheck_10 |
| Requirement ID | F2-R10 |
| Action | To make sure that $\sin(x)$ function for $\tan(x)$ is working properly, I had to do the unit test of $\sin(x)$ function and gives an input for 40 (degree). |
| Input(s) | $\sin(40)$ |
| Expected Output | 0.642788 |
| Actual Output | 0.642788 |
| Test Result | Success |

Test Case : F2_UnitTestCase_11

| | |
|------------------------|---|
| Test Case ID | F2_getCosZeroCheck_11 |
| Requirement ID | F2-R11 |
| Action | To make sure that $\cos(x)$ function for $\tan(x)$ is working properly, I had to do the unit test of $\cos(x)$ function and gives an input for 0 (degree). |
| Input(s) | $\cos(0)$ |
| Expected Output | 1 |
| Actual Output | 1 |
| Test Result | Success |

Test Case : F2_UnitTestCase_12

| | |
|-----------------|--|
| Test Case ID | F2_getCosFortyCheck_12 |
| Requirement ID | F2-R12 |
| Action | To make sure that $\cos(x)$ function for $\tan(x)$ is working properly, I had to do the unit test of $\cos(x)$ function and gives an input for 40 (degree). |
| Input(s) | $\cos(40)$ |
| Expected Output | 0.76604305 |
| Actual Output | 0.76604305 |
| Test Result | Success |




Figure: Unit Testing results for tangent function ($\tan(x)$)

PROBLEM 6 - F3: Hyperbolic Sine, $\sinh(x)$

SOEN 6011 - Summer 2021

Software Engineering Processes

Repository address : <https://github.com/Dakatsu/SOEN6011Calculator>

Kyle Taylor Lange

27627696

A variety of JUnit 5 tests were created in *SinhLibrariesTest.java* to test the quality of the \sinh function. These were made as atomically as possible per guidelines on writing unit tests. For example, one unit test ensures that $\sinh(0)$ returns 0, while another ensures that $\sinh(1)$ returns 1.175. Despite it not being explicitly required, the subordinate functions also have unit tests. This is valuable since the \sinh function largely depends on them for its level of accuracy, and it may allow an incorrect result for \sinh to be immediately traced to a change in a subordinate function.

There were two requirements, which quickly summarized are that the function returns accurate values according to the equation in problem 1, and that the function may return the result within three seconds. Only this former requirement has unit tests since it is inadvisable to make unit tests to ensure something happens within a specific period of time. Tests that do so could randomly fail or differ between machines, which goes against the purpose and guidelines for writing unit tests.

PROBLEM 6 - F5

SOEN 6011 - Summer 2021

Software Engineering Processes

Repository address : <https://github.com/Dakatsu/SOEN6011Calculator>

Sijie Min

40152234

Unit Test Case for F5 Function

The unit test cases for ab^x function is done using related functions of **JUnit 4**

| Test Case : F5_UnitTestCase_1 | |
|-------------------------------|---|
| Test Case ID | F5testF5 |
| Requirement ID | F5-R1 |
| Action | Test ab^x . a is set to 0, check the output result; x input is 0, check the output result |
| Input(s) | a=0,b=19,x=2; a=2,b=10,x=0 |
| Expected Output | 0; 2 (there are 2 sets of inputs so 2 sets of outputs,0 and 2) |
| Actual Output | 0; 2(there are 2 sets of inputs so 2 sets of outputs,0 and 2) |
| Test Result | Success |

| Test Case : F5_UnitTestCase_2 | |
|-------------------------------|---|
| Test Case ID | F5testF5PositiveX |
| Requirement ID | F5-R2 |
| Action | Test ab^x .the input of x is a positive number, check the output result |
| Input(s) | a=1.0,b=3.4,x=5.6 |
| Expected Output | 946.8516393 |
| Actual Output | 946.8516393 |
| Test Result | Success |

| Test Case : F5_UnitTestCase_3 | |
|-------------------------------|---|
| Test Case ID | F5testF5NegativeX |
| Requirement ID | F5-R3 |
| Action | Test ab^x .the input of x is a negative number, check the output result |
| Input(s) | a=1.0,b=3.4,x=-5.6 |
| Expected Output | 0.0021122 |
| Actual Output | 0.0021122 |
| Test Result | Success |

Test Case : F5_UnitTestCase_4

Test Case ID F5testF5NegativeX
Requirement ID F5-R4
Action Test power(double,int) function
Input(s) power(1.6,7)
Expected Output 26.8435456
Actual Output 26.8435456
Test Result Success

Test Case : F5_UnitTestCase_4

Test Case ID F5testF5NegativeX
Requirement ID F5-R5
Action Test power(double,int) function
Input(s) power(1.6,7)
Expected Output 26.8435456
Actual Output 26.8435456
Test Result Success

Test Case : F5_UnitTestCase_5

Test Case ID F5testDecimalPower
Requirement ID F5-R6
Action Test power(double,double) function
Input(s) power(5.6, 7.5)
Expected Output 408705.2369134
Actual Output 408705.2369134
Test Result Success

Finished after 0.258 seconds

Runs: 8/8 ✖ Errors: 0 ✖ Failures: 0

- ✓ com.calculator.test.F5Test [Runner: JUnit 5]
 - ✓ testF5PositiveX (0.014 s)
 - ✓ testF5 (0.001 s)
 - ✓ testEx (0.000 s)
 - ✓ testLn (0.001 s)
 - ✓ testF5NegativeX (0.001 s)
 - ✓ testDecimalPower (0.001 s)
 - ✓ testIntPower (0.004 s)
 - ✓ testLnBase (0.002 s)

Figure 1: Figure: Unit Testing results for function ab^x

PROBLEM 6 - F7 : x^y

SOEN 6011 - Summer 2021

Software Engineering Processes

Repository address : <https://github.com/Dakatsu/SOEN6011Calculator>

Manimaran Palani

40167543

Problem 6 - Unit Test Case Description

This section presents the unit test cases implemented using **JUnit4** for Super Calculator (F7-Power Function) which are traceable to requirements.

Test Case : F7_TestCase_1

| | |
|------------------------|--|
| Test Case ID | F7_TestCase_1 |
| Requirement ID | F7-R1 |
| Action | The user inputs a base input and click power function button followed by giving exponent input and click result(=) button. |
| Input(s) | base = 0.0, exponent = 0.0 |
| Expected Output | 1.0 |
| Actual Output | 1.0 |
| Test Result | Success |

Test Case : F7_TestCase_2

| | |
|------------------------|--|
| Test Case ID | F7_TestCase_2 |
| Requirement ID | F7-R2 |
| Action | The user inputs a base input and click power function button followed by giving exponent input and click result(=) button. |
| Input(s) | base = 0.0, exponent = 3.0 |
| Expected Output | 0.0 |
| Actual Output | 0.0 |
| Test Result | Success |

Test Case : F7_TestCase_3

| | |
|------------------------|--|
| Test Case ID | F7_TestCase_3 |
| Requirement ID | F7-R3 |
| Action | The user inputs a base input and click power function button followed by giving exponent input and click result(=) button. |
| Input(s) | base = 7.0, exponent = 0.0 |
| Expected Output | 1.0 |
| Actual Output | 1.0 |
| Test Result | Success |

Test Case : F7_TestCase_4

| | | |
|------------------------|--|-------------|
| Test Case ID | F7_TestCase_4 | |
| Requirement ID | F7-R4 | |
| Action | The user inputs a base input and click power function button followed by giving exponent input and click result(=) button. | |
| Input(s) | base = -4.0, exponent = 0.0 | Test |
| Expected Output | 1.0 | |
| Actual Output | 1.0 | |
| Test Result | Success | |

Case : F7_TestCase_5

| | |
|------------------------|--|
| Test Case ID | F7_TestCase_5 |
| Requirement ID | F7-R5 |
| Action | The user inputs a base input and click power function button followed by giving exponent input and click result(=) button. |
| Input(s) | base = 7.0, exponent = 1.0 |
| Expected Output | 7.0 |
| Actual Output | 7.0 |
| Test Result | Success |

Test Case : F7_TestCase_6

| | |
|------------------------|--|
| Test Case ID | F7_TestCase_6 |
| Requirement ID | F7-R6 |
| Action | The user inputs a base input and click power function button followed by giving exponent input and click result(=) button. |
| Input(s) | base = 5, exponent = 9 |
| Expected Output | 1953125.0 |
| Actual Output | 1953125.0 |
| Test Result | Success |

Test Case : F7_TestCase_7

| | |
|------------------------|--|
| Test Case ID | F7_TestCase_7 |
| Requirement ID | F7-R6 |
| Action | The user inputs a base input and click power function button followed by giving exponent input and click result(=) button. |
| Input(s) | base = -3, exponent = 4.4 |
| Expected Output | 3.1631 |
| Actual Output | 3.1631 |
| Test Result | Success |

Test Case : F7_TestCase_8

| | | |
|------------------------|--|-------------|
| Test Case ID | F7_TestCase_8 | Test |
| Requirement ID | F7-R6 | |
| Action | The user inputs a base input and click power function button followed by giving exponent input and click result(=) button. | |
| Input(s) | base = -9, exponent = 3 | |
| Expected Output | -729 | |
| Actual Output | -729 | |
| Test Result | Success | |

Case Results for F7




Figure 2: Test case result of function F7 : x^y using Junit4