Parametric Curves

Course 4, Module 7, Lesson 1




Learning Objectives

- Understand the path planning problem, as well as its constraints and boundary conditions
- Know what parametric curves are
- Describe the advantages and drawbacks of using splines and spirals in a path planning context


Boundary Conditions

- Boundary conditions must hold on either endpoint of a path
 - The starting and ending conditions of the path



Kinematic Constraints

- Maximum curvature along path cannot be exceeded
- Ensures that car can drive along path



Parametric Curves

- Parametric curve r can be described by a set of parameterized equations
- Parameter denotes path traversal, can be arc length or unitless
- Example: Cubic spline formulation for x and y

$$\mathbf{r}(u) = \langle x(u), y(u) \rangle$$
$$u \in [0,1]$$

$$x(u) = \alpha_3 u^3 + \alpha_2 u^2 + \alpha_1 u + \alpha_0$$

$$y(u) = \beta_3 u^3 + \beta_2 u^2 + \beta_1 u + \beta_0$$


Path Optimization

- Want to optimize path according to cost functional f
- Parametric curves allow for optimizing over parameter space, which simplifies optimization

min $f(\mathbf{r}(u))$ s.t. $\begin{cases} c(\mathbf{r}(u)) \leq \alpha_{r} & \forall u \in [0,1] \\ \mathbf{r}(0) = \beta_{0} & \text{boundary conditions} \end{cases}$ objective $turnional \\ take a function as argument \\ \xi veturn a real value \end{cases}$

Non-Parametric Path

- Reactive planner used nonparametric paths underlying each trajectory
 - Path was represented as a sequence of points rather than parameterized curves





Path Parameterization Examples

• Two common parameterized curves are quintic of x, y position of the splines and cubic spirals polynomial curvature func. wet are length.

• Both allow us to satisfy boundary conditions, and can be optimized parametrically.

can be optimized parametrically





Quintic Splines

- x and y are defined by 5th order splines
- Closed form solution available for (x, y, θ, κ) boundary conditions

$$x(u) = \alpha_5 u^5 + \alpha_4 u^4 + \alpha_3 u^3 + \alpha_2 u^2 + \alpha_1 u + \alpha_0$$

$$y(u) = \beta_5 u^5 + \beta_4 u^4 + \beta_3 u^3 + \beta_2 u^2 + \beta_1 u + \beta_0$$

$$u \in [0,1]$$

$$v_{\text{transval}}$$

$$v_{\text{parameter}}$$

Quintic Splines Curvature

- Challenging to constrain curvature due to nature of spline's curvature
 - Due to potential discontinuities in curvature or its derivatives

$$\kappa(u) = \frac{x'(u)y''(u) - y'(u)x''(u)}{(x'(u)^2 + y'(u)^2)^{\frac{3}{2}}}$$

not a polynomial

difficult to satisfy curvature constraints

Polynomial Spirals

- Spirals are defined by their curvature as a function of arc length
- Closed form curvature definition allows for simple curvature constraint checking
 - Curvature is well-behaved between sampled points as well due to polynomial formulation

$$\kappa(s) = a_3 s^3 + a_2 s^2 + a_1 s + a_0$$

$$\theta(s) = \theta_0 + \int_0^s a_3 s'^3 + a_2 s'^2 + a_1 s' + a_0 ds'$$

$$= \theta_0 + a_3 \frac{s^4}{4} + a_2 \frac{s^3}{3} + a_1 \frac{s^2}{2} + a_0 s$$

$$x(s) = x_0 + \int_0^s \cos(\theta(s')) ds'$$
$$y(s) = y_0 + \int_0^s \sin(\theta(s')) ds'$$

Polynomial Spiral Position

• Spiral position does not have a closed form solution of x, y, \ o

- Fresnel integrals need to be evaluated numerically

This can be done using Simpson's rule
$$x(s) = x_0 + \int_0^s \cos(\theta(s')) ds'$$

$$y(s) = y_0 + \int_0^s \sin(\theta(s')) ds'$$

$$\int_0^s f(s')ds' \approx \frac{s}{3n} \left(f(0) + 4f\left(\frac{s}{n}\right) + 2f\left(\frac{2s}{n}\right) + \dots + f(s) \right)$$

Summary

- Discussed boundary conditions and constraints in path planning problem
- Introduced parametric curves
- Discussed differences between spirals and splines in the context of path planning

spiral: easier implementation of curvature constraints. spline: computational efficiency



