

PART - 3

CSS **GRID**

(GRID CONTAINER PROPERTIES)



Follow @PriteshKiri

CSS Grid

The CSS Grid offers a grid-based layout system, with rows and columns, making it easier to design web pages

For simplicity, I have divided the topic into three parts:

1. Grid Terminologies
2. Grid Containers (parents)
3. Grid Items (children)

In PART-1 of this Grid SERIES I have discussed about flexbox terminologies, in PART 2 I have discussed about few of the Grid Container properties and in this part we will be discussing about rest of them.

CSS Grid

Following are the grid container properties.

1. grid
2. gap
3. justify items
4. align items
5. place items
6. justify content
7. align content
8. place content

CSS Grid

▶ grid:

It is a shorthand property for the following:

- ① grid-template-rows
- ② grid-template-columns
- ③ grid-template-areas
- ④ grid-auto-rows
- ⑤ grid-auto-columns
- ⑥ grid-auto-flow

First three properties have already been discussed in the previous part of the GRID series. We will cover rest of the properties in this part !!

CSS Grid

④ grid-auto-rows:

It sets the size for the rows in a grid container.

⑤ grid-auto-columns:

It sets size for the column in a grid container

Note: grid-template- properties are used to define the position and size, and grid-auto-* properties are used to define the size.

CSS Grid

EXPLICIT GRID :

The three properties `grid-template-rows`, `grid-template-columns`, and `grid-template-areas` together define the explicit grid.

IMPLICIT GRID:

When grid items are positioned outside of the explicit grid, the grid generates implicit grid tracks.

CSS Grid Guide




Grid Container Properties

OUTPUT

```
.flex-container {  
  display: grid;  
  grid-template-columns: auto auto auto;  
  grid-template-rows: 100px 100px;  
  grid-auto-rows: 180px;  
}
```

Explicit grid

Implicit grid



CSS Grid

⑥ grid-auto-flow :

This property controls how auto-placed items get inserted into the grid.

Here, it auto-fills the columns.

CSS Grid Guide



Grid Container Properties

OUTPUT


<!-- CSS -->

```
.flex-container {  
  display: grid;  
  grid-template-columns: auto auto auto;  
  grid-template-rows: auto auto auto;  
  grid-auto-flow: column  
}  
  
.gitem3 {  
  grid-column-start: 1;  
}
```


<!-- HTML -->

```
<div class="grid-container">  
  <h3  
    class="gitem1">1</h3>  
  <h3  
    class="gitem2">2</h3>  
  <h3  
    class="gitem3">3</h3>  
  <h3  
    class="gitem4">4</h3>  
  <h3  
    class="gitem5">5</h3>  
  <h3  
    class="gitem6">6</h3>  
</div>
```

BEFORE



AFTER



CSS Grid

Thanks for reading till the end 🙌🙌

We are still left with many GRID container properties.

Will discuss them in next part of GRID SERIES.

Stay tuned !!!!!!!





FOLLOW ME FOR MORE **WEB DEVELOPMENT**
TIPS AND TRICKS



LIKE



SHARE



COMMENT



SAVE



Follow @PriteshKiri