

Support document

No.25107164 (Last updated 04.01.2023)



CCF HEAD OFFICE Pricing
CCF LTD
TEAM VALLEY TRADING ESTATE
KINGSWAY (FORMER DEL MONTE SIT
NEWCASTLE
Tyne and Wear NE11 0JH
A/c No. 10086973

Adderstone Group

Nelson House / Jesmond NE2 3AE

Adderstone Group

Nelson House / Jesmond NE2 3AE

Project Start Date January 2023

Project End Date 31.12.2023

Agreement Start Date January 2023

Adderstone Group, North East

All Support is calculated against our current price list, with the duration based on the start and end dates shown above. All service premiums will be at standard terms unless otherwise shown.

Support number MUST be quoted when placing orders with Knauf Customer Services for support showing additional discounts off invoice & when claiming credits for support on proof of delivery.

Please check project support document and in the case of any query, please contact Customer Administrator at the Sittingbourne office.

Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
<u>UK: Std Wallboard</u>			
15 Wallboard 900	Std. Terms	0.00	M2
15 Wallboard 1200	Std. Terms	0.26	M2
9.5 Wallboard 900	Std. Terms	0.01	M2
9.5 Wallboard 1200	Std. Terms	0.01	M2
12.5 Wallboard 900	Std. Terms	0.24	M2
12.5 Wallboard 1200	Std. Terms	0.21	M2
<u>UK: Vapour Panel</u>			
15 Vapour Panel 1200	Std. Terms	0.12	M2
12.5 Vapour Panel 1200	Std. Terms	0.09	M2
12.5 Vapour Panel 900	Std. Terms	0.12	M2
<u>UK: Soundshield/Plus</u>			
15 Soundshield Plus 1200	61.590%	1.05	M2
12.5 Soundshield Plus 1200	61.080%	0.81	M2
<u>UK: Moisture Panel</u>			
12.5 Moisture Panel 1200	57.490%	0.58	M2
15.0 Moisture Panel 1200	57.550%	0.70	M2
<u>UK: Performance Plus</u>			
12.5 Performance Plus 1200	Std. Terms	0.64	M2
15.0 Performance Plus 1200	Std. Terms	0.78	M2
<u>UK: Fire Panel</u>			
12.5 Fire Panel 1200	Std. Terms	0.41	M2
15 Fire Panel 1200	Std. Terms	0.47	M2
12.5 Fire Panel 900	Std. Terms	0.34	M2
<u>UK: Coreboard</u>			
19 Core Board 600	Std. Terms	Nil	M2

Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
<u>UK: Jointing Mats</u>			
Joint Filler Premium 10 kg	Std. Terms	Nil	PC
Joint Filler Premium 20 kg	Std. Terms	Nil	PC
Joint Cement Premium	Std. Terms	Nil	PC
Fill and Finish 60 Premium 10 kg	Std. Terms	Nil	PC
Fill and Finish 30 Premium 10 kg	Std. Terms	Nil	PC
<u>UK: Drywall Acc</u>			
Wallboard Primer	Std. Terms	Nil	PC
Intumescent and Acoustic Mastic	Std. Terms	Nil	PC
Intumescent Acoustic Mastic Foil	Std. Terms	Nil	PC
Sealant	Std. Terms	Nil	PC
Fibre Tape 90 m	Std. Terms	Nil	PC
Joint Tape	Std. Terms	Nil	PAC
Corner Flex Tape	Std. Terms	Nil	PAC
Movement Control Joint	Std. Terms	Nil	M
Drywall Angle Bead 2.4m	Std. Terms	Nil	M
Drywall Edge Bead 12.5 mm	Std. Terms	Nil	M
<u>UK: Bonding Compound</u>			
Bonding Compound 25 kg	Std. Terms	Nil	PC
<u>UK: C Stud & U Chnl</u>			
70mm Acoustic C Stud 0.6g	Std. Terms	0.20	M
52 U Channel 0.55g	Std. Terms	0.09	M
50mm Acoustic C Stud 0.6g	Std. Terms	0.17	M
146mm C Stud 0.7g	Std. Terms	0.34	M
148 U Channel 0.55g	Std. Terms	0.20	M
94 U Channel 0.55g	Std. Terms	0.15	M
20 U Channel Perimeter Support 0.55g	Std. Terms	0.08	M
72 U Channel 0.55g	Std. Terms	0.12	M
62 U Channel 0.55g	Std. Terms	0.12	M
92mm C Stud 0.7g	Std. Terms	0.30	M
70mm C Stud 0.7g	Std. Terms	0.26	M
146mm C Stud 0.55g	Std. Terms	0.25	M
70mm C Stud 0.55g	Std. Terms	0.13	M
60mm C Stud 0.55g	Std. Terms	0.14	M
50mm C Stud 0.55g	Std. Terms	0.10	M
52 DF U Channel 0.7g	Std. Terms	0.30	M
62 DF U Channel 0.7g	Std. Terms	0.32	M
72 DF U Channel 0.7g	Std. Terms	0.33	M
94 DF U Channel 0.7g	Std. Terms	0.39	M
148 DF U Channel 0.7g	Std. Terms	0.44	M
52 DF U Channel 0.6g	Std. Terms	0.19	M
72 DF U Channel 0.6g	Std. Terms	0.21	M
92mm C Stud 0.55g	Std. Terms	0.17	M

Support document

No.25107164 (Last updated 04.01.2023)



Product Description	Off Invoice discount (for directs)	Pence of Support (for ex yard)	Unit of Measure
<u>UK: I Stud</u>			
50mm I Stud 0.55g	Std. Terms	0.25	M
60mm I Stud 0.55g	Std. Terms	0.24	M
70mm I Stud 0.7g	Std. Terms	0.32	M
92mm I Stud 0.9g	Std. Terms	0.37	M
146mm I Stud 0.9g	Std. Terms	0.58	M
<u>UK: Ceiling&Wall Lin</u>			
Ceiling Channel	49.760%	0.21	M
Primary Support Channel	49.590%	0.22	M
C Channel	49.620%	0.27	M
Perimeter Channel	49.490%	0.14	M
Universal Bracket	49.760%	13.28	PAC
<u>UK: Metal Acc</u>			
Flat Fixing Plate 70mm	Std. Terms	0.04	M
Fixing Clip	Std. Terms	3.02	PAC
Angle Section (25 X 25)	Std. Terms	0.05	M
Resilient Bar	Std. Terms	0.08	M

Sales Representative Jonathan Kirk Jonathan.Kirk@knauf.com +44 (7771) 806014



Knauf Deflection Head Fire Seal – New July 2019

What is it?

Knauf Deflection Head Fire Seal is used at the deflection head detail of drywall partition systems to provide an effective fire and acoustic barrier. Maximum deflection allowance 25mm downward.

Designed for indoor use in dry conditions.

For more information, contact
Technical Service:

Tel: 0800 030 4135

Email: technical@knauf.co.uk

www.knauf.co.uk

 /KnaufUK  @Knauf_UK

What are the benefits?

- **Simplification of build**
Eliminates the need for cut fillets, mastics and sealants.
- **Time saving**
Improved productivity from faster installation.
- **Improved quality assurance**
Simple solution — visible result.
- **Waste reduction**
Offcuts can be used on next section of track. Easy disposal of any residual product through normal waste channels.
- **Improved Health and Safety**
Elimination of dust when cutting fillets.
Reduction of weight to be lifted overhead during installation.

Build for the world we live in