

PAPER_345 — Tapestry Starbirth Region: DPM-THz Frequency-Only S26 Gravity and SFR Coupling

Whitepaper Series: Star-Magic UQFF Phase 2

Session: 96

Source: gok_share_31b5c807a4.txt (Supplemental Gap Analysis Block)

Classification: FIRST UQFF S26 frequency-only gravity form for a starbirth region

Author: Daniel T. Murphy

Abstract

The Tapestry Star Formation Region is modeled using a DPM-THz frequency-only variant of the S26 gravity form, where only the THz phonon, resonance frequency, and Hubble expansion terms are retained (mass terms suppressed by low column density). Star Formation Rate is expressed as $SFR = \rho_{\text{gas}} \cdot v_{\text{wind}} \cdot f_{\text{res}}$, the bubble radius scales as $R_{\text{bubble}} = v_{\text{wind}} \cdot t \cdot f_{\text{res}}$, and the net gravitational acceleration is driven purely by UQFF frequency modes rather than Newtonian mass terms.

2. Core Physics

2.1 Frequency-Only S26 Form

The standard S26 gravity is truncated to:

$$g(r, t) = \sum_{i=1}^{26} [a_i^{\text{THz}} + a_i^{\text{SF}} + a_i^{\text{QF}} + a_i^{\text{AF}} + a_i^{\text{FF}} + a_i^{\text{EF}}]$$

Mass terms (Newtonian $G \cdot M/r^2$) are suppressed by the low mean density of the starbirth region ($\rho_{\text{gas}} \sim 10^{21} \text{ kg/m}^3$).

The gravity is effectively:

$$g_{\text{Tapestry}} = \sum_{i=1}^{26} a_i \cdot f_{\text{TRZ}} \cdot \frac{\rho_{\text{UA}}}{\rho_{\text{SCm}}}$$

2.2 UQFF Star Formation Rate

$$SFR = \rho_{\text{gas}} \cdot v_{\text{wind}} \cdot f_{\text{res}}$$

where: - ρ_{gas} = background gas density (kg/m^3) - v_{wind} = stellar wind velocity driving shock compression - f_{res} = UQFF resonance frequency trigger

2.3 Bubble Expansion Radius

$$R_{\text{bubble}}(t) = v_{\text{wind}} \cdot t \cdot f_{\text{res}}$$

The factor f_{res} modulates the effective propagation, stretching or compressing the bubble expansion timescale via vacuum reactance.

2.4 Density Ratio Modulation

$$\frac{\rho_{\text{UA}}}{\rho_{\text{SCm}}} = \frac{U_{\text{UA}}}{\text{SC}_m} \cdot \frac{M_{\text{gas}}}{M_{\text{total}}}$$

This ratio determines whether starbirth is suppressed ($\rho_{\text{UA}} > \rho_{\text{SCm}}$) or accelerated ($\rho_{\text{SCm}} > \rho_{\text{UA}}$).

3. Key Values

Quantity	Formula	Value
ρ_{gas}	Starbirth region	$\sim 10^{21} \text{ kg/m}^3$
v_{wind}	Driving velocity	$\sim 106 \text{ m/s}$
f_{res}	UQFF resonance	f_{TRZ}
SFR	$\rho_{\text{gas}} \cdot v_{\text{wind}} \cdot f_{\text{res}}$	M/yr
$R_{\text{bubble}}(t)$	$v_{\text{wind}} \cdot t \cdot f_{\text{res}}$	parsecs

4. Physical Significance

The Tapestry $\text{SFR} = \rho_{\text{gas}} \cdot v_{\text{wind}} \cdot f_{\text{res}}$ formula differs fundamentally from the standard Kennicutt-Schmidt law ($\text{SFR} \propto \rho_{\text{gas}}^{1.4}$). By including f_{res} , the UQFF form predicts that star formation is modulated by the vacuum reactance frequency — i.e., regions with higher f_{TRZ} values will form stars faster at fixed ρ_{gas} and v_{wind} . This is a testable prediction: UQFF predicts a correlation between f_{TRZ} -proxy observables (e.g., infrared THz emission) and locally elevated SFR surface density.

5. Deduplication Note

- **vs. SOURCE85 (Tapestry in MAIN_1):** SOURCE85 calculated the 5-frequency resonance for Tapestry; this paper derives the $\text{SFR} \propto f_{\text{res}}$ coupling and the frequency-only S26 form.
 - **vs. PAPER_345 bubbles:** The R_{bubble} formula is unique — it multiplies the geometric bubble expansion by f_{res} , not previously computed.
-

6. Classification

Physics Territory: FIRST UQFF frequency-only S26 gravity with SFR = $\rho \cdot v_{\text{wind}} \cdot f_{\text{res}}$ coupling

Scale: Galactic (starbirth region, ~ 10 pc)

CP Implementation: TapestryStarbirthDPMHzFreqCalculator (Condensed-Physics3.py, Session 96)

UQFF computed: UQFF magnetic Jeans correction factor $[SSq] \times B^2 / (8\pi \times \rho \times c_s^2) = 5.7e-1 \times 1.3e-9 = 7.4e-10$; Jeans mass deviation from standard = $7.4e-10 \times M_J$.