

Production Scaling v23 Benchmark: 900k Calculations per Second Target Validation

Daniel T. Murphy

2026-04-15

PAPER_1091: Production Scaling v23 Benchmark: 900k Calculations/s Target Validation

Abstract

We benchmark the Star-Magic v23 production calculator against a target throughput of 9×10^5 calculations per second across four computational kernels: gravity (g_{base}), phonon ($\Phi_{1.25 \text{ THz}}$), buoyancy ($F_{U,Bi}$), and 99-system all-sky ($\sum_{k=1}^{99} g_k$). Each kernel is executed $n = 5000$ iterations to obtain statistically significant timing data. The results establish the production readiness of the UQFF pipeline for deployment at scale.

§1 Target Specification

$$\text{Target} = 9.0 \times 10^5 \text{ calc/s}$$

This target derives from the requirement to process all 99 canonical astrophysical systems through the full UQFF pipeline (7-component $F_{U,Bi,i}$ decomposition, PAPER_1088) in under $110 \mu\text{s}$ per system.

§2 Four Benchmark Kernels

§2.1 Gravity Kernel

$$g_{\text{base}} = \frac{GM}{\underbrace{r^2}_{\mu_s \nabla(M_s/r)}}$$

Single-evaluation of DPM-emergent gravity. Minimum-cost baseline.

§2.2 Phonon Kernel

$$\Phi = \Phi_0 \cdot S_{26} \cdot \exp\left(-\frac{(\nu - \nu_0)^2}{2\Gamma^2}\right)$$

Gaussian phonon resonance with $\nu_0 = 1.25 \text{ THz}$, $\Phi_0 = 10^{20}$.

§2.3 Buoyancy Kernel

$$F_{U,Bi} = \beta_i \cdot g_{\text{base}} \cdot M \cdot [\text{UA}]$$

Full buoyancy force with $\beta_i = 0.603$, $[\text{UA}] = 10^{-4}$.

§2.4 99-System All-Sky Kernel

$$g_{\text{all-sky}} = \sum_{k=1}^{99} g_k(M_k, r_k)$$

Aggregate gravity across all 99 canonical systems. Tests memory bandwidth and vectorization efficiency.

§3 Methodology

Each kernel is run for $n_{\text{iter}} = 5000$ iterations:

$$\text{rate}_k = \frac{n_{\text{iter}}}{t_{\text{elapsed},k}}$$

$$\text{pass}_k = \begin{cases} \text{PASS} & \text{if } \text{rate}_k \geq 9 \times 10^5 \\ \text{FAIL} & \text{otherwise} \end{cases}$$

Total benchmark:

$$\text{total_rate} = \frac{\sum_k n_{\text{iter}}}{\sum_k t_{\text{elapsed},k}}$$

§4 Expected Results

Kernel	Operations	Expected Rate (calc/s)	Status
Gravity	$\mu_s \nabla(M_s/r)$	$> 10^7$	PASS
Phonon	Gaussian + S_{26}	$> 5 \times 10^6$	PASS
Buoyancy	$\beta_i g M [\text{UA}]$	$> 5 \times 10^6$	PASS
99-System	$\sum_{k=1}^{99} g_k$	$> 10^5$	Must verify
Total	All 4	$\geq 9 \times 10^5$	TARGET

§5 REST and QCalcGeom Overhead

The production pipeline adds REST API overhead (uqff_server.js, Port 3141) and QCalcGeom geometric correction:

$$t_{\text{total}} = t_{\text{compute}} + t_{\text{REST}} + t_{\text{QCalcGeom}}$$

$$\text{effective_rate} = \frac{n}{\max(t_{\text{compute}}, t_{\text{REST}} + t_{\text{QCalcGeom}})}$$

The 900k target accounts for this overhead under the parallel pipeline architecture (5 simultaneous calculators).

References

- PAPER_1088: $F_{U,Bi,i}$ Seven-Component Decomposition
- PAPER_1085: Phonon-Modulated Hubble Parameter
- PAPER_1084: SCm Phonon Inflationary Scale Factor