Verybench Complexity Report

Verybench 2.1.1.0 Report_modified

C/C++ Code Complexity

idelatorre, 25/04/2014 12:14:24

Table of Contents

1. Snapshot Summaries

1.1 Project and Snapshot Info

Project Info

Project Title:	Bitwalker_modified
Project Author:	idelatorre
Project Type:	C/C++ Metrics
Project Location:	C:\Users\idelatorre.BIO-SQS\Documents

Snapshot Info

Latest Snapshot:	Bitwalker_mod_Snapshot
Snapshot Author:	idelatorre
Analysis Date:	25/04/2014 12:13:24
Source Files:	3
MI Preference:	MI
Notice Leading Comments:	Yes
Assembly File Extensions:	asm,as,s,uc
Assembly Comment Character:	;
Assembly Id Addon Characters:	.@
B Correction Factor:	1
No Comment Warnings Below:	1

File Scope Alarm Limits	**Lower Limit**	**Higher Limit**
c% (Comment Ratio)	30	75
ECC (McCabe Cyclomatic Complexity)	1	100
V (Program Volume)	100	8000
LOCpro (Program Lines of Code)	4	400
B (Estimated Number of Bugs)	0	2
MI (Maintainability Index)	65	171

Function Scope Alarm Limits	**Lower Limit**	**Higher Limit**
c% (Comment Ratio)	30	75
v(G) (McCabe Cyclomatic Complexity)	1	15
V (Program Volume)	20	1000
LOCpro (Program Lines of Code)	4	40
Preferred Maintainability Index	65	171

1.2 System Scope Summary

Code Quality Rating



(0-4)		
6 > (5-8)	B: Code could be better but still OK.	
(9-12)		
(13-16)		
(17-20)		
(21-24)		
(25-28)		

System Scope Metrics

Files	Functions	LOCphy	LOCpro	LOCcom	LOCbl
3	2	88	54	21	16

Semicolons	ECC	MI	MIcw	MIwoc	c%
22	7	113	36	77	23%

File Scope Alarms

B	V	LOCpro	c%	ECC	MI	**a%**
0	1	1	3	0	0	**5 (28%)**

Max. Alarms: 18

Function Scope Alarms

LOCpro	V	c%	ECC	MI	**a%**
0	0	1	0	0	**1 (10%)**

Max. Alarms: 10

1.3 Snapshots Overview



2. File Scope Summaries

2.1 File Scope Metrics (Tables)

Alarming Metrics in File Scope

File Name	Functions	Alarms	a%	c%	LOCpro	V	B	ECC	MI
Bitwalker.c	0	3	50%	0%	2	4.000	0.001	1	152
Bitwalker_Peek.c	1	1	17%	27%	20	569.446	0.196	3	116
Bitwalker_Poke.c	1	1	17%	22%	32	707.016	0.311	5	106

Non-Alarming Metrics in File Scope

File Name	LOCbl	LOCphy	LOCcom	MaxND	MIwoc	MIcw	E	T	D	L
Bitwalker.c	0	2	0	0	152	0	4.000	00:00:00	1.000	1.000
Bitwalker_Peek.c	7	36	10	2	79	36	14210.273	00:13:09	24.955	0.040
Bitwalker_Poke.c	9	50	11	3	72	33	28492.742	00:26:22	40.300	0.025

Non-Alarming Metrics in File Scope

File Name	n	n1	n2	N	N1	N2
Bitwalker.c	2	1	1	4	2	2
Bitwalker_Peek.c	40	18	22	107	46	61
Bitwalker_Poke.c	46	26	20	128	66	62

2.2 File Scope Metrics (Charts)

2.2.1 Alarm Limits Overview (File Scope)



2.2.2 File Distribution to B (Estimated Number of Bugs)



2.2.3 File Distribution to V (Program Volume)



2.2.4 File Distribution to ECC (McCabe Cyclomatic Complexity)



2.2.5 File Distribution to LOCpro (Program Lines of Code)



2.2.6 File Distribution to c% (Comment Ratio)



3. Function Scope Summaries

3.1 Function Scope Metrics (Tables)

Alarming Metrics in Function Scope

Function Name	Alarms	a%	c%	LOCpro	V	ECC	MI
Bitwalker_Peek()	0	0%	30%	19	551.032	3	119
Bitwalker_Poke()	1	20%	23%	31	687.888	5	108

Non-Alarming Metrics in Function Scope

Function Name	LOCbl	LOCphy	LOCcom	MaxND	MIwoc	MIcw	B	E	T	D
Bitwalker_Peek()	5	33	10	2	81	38	0.188	13382.215	00:12:23	24.286
Bitwalker_Poke()	7	47	11	3	74	34	0.304	27606.047	00:25:33	40.132

Non-Alarming Metrics in Function Scope

File Name	L	n	n1	n2	N	N1	N2
Bitwalker_Peek()	0.041	38	17	21	105	45	60
Bitwalker_Poke()	0.025	44	25	19	126	65	61

3.2 Function Scope Metrics (Charts)

3.2.1 Alarm Limits Overview (Function Scope)



3.2.2 Function Distribution to V (Program Volume)



3.2.3 Function Distribution to ECC (McCabe Cyclomatic Complexity)



3.2.4 Function Distribution to LOCpro (Program Lines of Code)



3.2.5 Function Distribution to c% (Comment Ratio)



4. Appendix

4.1 Tool Info

This report was created with Verifysoft Verybench 2.1.1.0.
(Graphical Add-on for Testwell CMT++ 5.0)

4.2 Metrics Glossary

McCabe Cyclomatic Complexity

ECC	Extended complexity of a program's control flow.

Lines of Code

LOCphy	Physical lines of source code
LOCpro	Program lines of source code (these lines may also contain comments)
LOCcom	Comment lines of source code (these lines may also contain program code)
LOCbl	Blank lines of source code

Maintainability Indexes

MI	Maintainability Index
MIwoc	Maintainability Index without Comments
MIcw	Maintainability Index with Weighted Comments

Halstead

B	Estimated Number of Bugs
D	Difficulty Level (Error Proneness)
E	Effort to Implement
L	Program Level
N	Program Length
N1	Number of Operators
N2	Number of Operands
n	Vocabulary Size (unique operators and unique operands)
n1	Number of unique Operators
n2	Number of unique Operands
T	Implementation Time/Time to Understand
V	Size of the Implementation of an Algorithm (Volume)

Misc.

MaxND	Maximum Nested Depth of {}
c%	Comment Ratio: 100 * LOCcom / LOCphy
a%	Alarm Ratio: 100 * Alarms / MaxAlarms