



# KIRIBATI

2016 TOTAL POPULATION: 114 000  
2016 TOTAL DEATHS: 790












## RISK OF PREMATURE DEATH DUE TO NCDs (%)\*




## PROPORTIONAL MORTALITY\*



6 500 LIVES CAN BE SAVED BY 2025 BY IMPLEMENTING ALL OF THE WHO "BEST BUYS"

NATIONAL TARGET SET			DATA YEAR	MALES	FEMALES	TOTAL	
MORTALITY*							
	Premature mortality from NCDs	X	Total NCD deaths	2016	270	240	510
			Risk of premature death between 30-70 years (%)	2016	34	23	28
	Suicide mortality	-	Suicide mortality rate (per 100 000 population)	2016	-	-	14
RISK FACTORS							
	Harmful use of alcohol	X	Total alcohol per capita consumption, adults aged 15+ (litres of pure alcohol)	2016	1	0	0
	Physical inactivity	X	Physical inactivity, adults aged 18+ (%)	2016	32	44	38
	Salt/Sodium intake	X	Mean population salt intake, adults aged 20+ (g/day)	2010	6	5	6
	Tobacco use	✓	Current tobacco smoking, adults aged 15+ (%)	2016	59	35	47
	Raised blood pressure	X	Raised blood pressure, adults aged 18+ (%)	2015	23	18	21
	Diabetes	✓	Raised blood glucose, adults aged 18+ (%)	2014	22	22	22
	Obesity	✓	Obesity, adults aged 18+ (%)	2016	41	50	46
			Obesity, adolescents aged 10-19 (%)	2016	20	22	21
	Ambient air pollution	-	Exceedance of WHO guidelines level for annual PM2.5 concentration (by a multiple of)	2016	-	-	1
	Household air pollution	-	Population with primary reliance on polluting fuels and technologies (%)	2016	-	-	94

## SELECTED ADULT RISK FACTOR TRENDS



## NATIONAL SYSTEMS RESPONSE

	Drug therapy to prevent heart attacks and strokes	X	Proportion of population at high risk for CVD or with existing CVD (%)	2015	11
			Proportion of high risk persons receiving any drug therapy and counselling to prevent heart attacks and strokes (%)	2015	29
			Proportion of primary health care centres reported as offering CVD risk stratification	2017	More than 50%
			Reported having CVD guidelines that are utilized in at least 50% of health facilities	2017	Yes
	Essential NCD medicines and basic technologies to treat major NCDs	X	Number of essential NCD medicines reported as "generally available"	2017	6 out of 10
			Number of essential NCD technologies reported as "generally available"	2017	4 out of 6

\* The mortality estimates for this country have a high degree of uncertainty because they are not based on any national NCD mortality data (see Explanatory Notes)