

## FRANCE




MORTALITY  Premature mortality from NCDs  Suicide mortality  - Total NCD deaths Risk of premature death between 30-70 years (%)  Suicide mortality  - Suicide mortality rate (per 100 000 population)  Physical inactivity  - Physical inactivity  - Physical inactivity  - Mean population salt intake, adults aged 18+ (%)  Tobacco use  - Raised blood pressure  - Raised blood pressure, adults aged 18+ (%)  DATA YEAR MALES  FEMALES  Total NCD deaths Risk of premature death between 30-70 years (%)  2016  244 900  244 900  244 900  2016    Total alcohol per capita consumption, adults aged 15+ (%)  2016  20  5  37  37  37  38  Salt/Sodium intake  - Mean population salt intake, adults aged 20+ (g/day)  2010  10  9  Current tobacco smoking, adults aged 18+ (%)  2016  32  25  Raised blood pressure  - Raised blood glucose, adults aged 18+ (%)  2014  10  7  Obesity, adults aged 18+ (%)  2016  244 235	257 900 LIVES CAN BE SAVED BY 2025 BY IMPLEMENTING ALL OF THE WHO "BEST BUYS"							
Premature mortality from NCDs   Total NCD deaths   2016   243 600   244 900   Risk of premature death between 30-70 years (%)   2016   14   7	TOTAL							
Risk of premature death between 30-70 years (%)  Suicide mortality  Suicide mortality  - Suicide mortality rate (per 100 000 population)  2016   RISK FACTORS  Harmful use of alcohol  - Total alcohol per capita consumption, adults aged 15+ (litres of pure alcohol)  Physical inactivity  - Physical inactivity, adults aged 18+ (%)  Salt/Sodium intake  - Mean population salt intake, adults aged 20+ (g/day)  Salt/Sodium intake  - Current tobacco smoking, adults aged 15+ (%)  Raised blood pressure  - Raised blood pressure, adults aged 18+ (%)  Diabetes  - Raised blood glucose, adults aged 18+ (%)  2016  20  5  27  37  25  Raised blood glucose, adults aged 18+ (%)  2016  20  27  37  28  29  2016  20  27  37  2010  30  20  20  30  20  30  20  30  30  3								
Suicide mortality - Suicide mortality rate (per 100 000 population) 2016  RISK FACTORS  Harmful use of alcohol - Total alcohol per capita consumption, adults aged 15+ (litres of pure alcohol) 2016 20 5  Physical inactivity - Physical inactivity, adults aged 18+ (%) 2016 27 37  Salt/Sodium intake - Mean population salt intake, adults aged 20+ (g/day) 2010 10 9  Tobacco use - Current tobacco smoking, adults aged 15+ (%) 2016 32 25  Raised blood pressure - Raised blood plucose, adults aged 18+ (%) 2014 10 7	488 500							
RISK FACTORS  Harmful use of alcohol - Total alcohol per capita consumption, adults aged 15+ (litres of pure alcohol) 2016 20 5  Physical inactivity - Physical inactivity, adults aged 18+ (%) 2016 27 37  Salt/Sodium intake - Mean population salt intake, adults aged 20+ (g/day) 2010 10 9  Tobacco use - Current tobacco smoking, adults aged 15+ (%) 2016 32 25  Raised blood pressure - Raised blood pressure, adults aged 18+ (%) 2015 33 25  Jiabetes - Raised blood glucose, adults aged 18+ (%) 2014 10 7	11							
Harmful use of alcohol  - Total alcohol per capita consumption, adults aged 15+ (litres of pure alcohol)  - Physical inactivity  - Physical inactivity, adults aged 18+ (%)  Salt/Sodium intake  - Mean population salt intake, adults aged 20+ (g/day)  Tobacco use  - Current tobacco smoking, adults aged 15+ (%)  Raised blood pressure  - Raised blood pressure, adults aged 18+ (%)  2016  32  25  Diabetes  - Raised blood glucose, adults aged 18+ (%)  2017  37  37  38  29  2018  2019  2010	18							
Physical inactivity   - Physical inactivity, adults aged 18+ (%)   2016   27   37								
Salt/Sodium intake - Mean population salt intake, adults aged 20+ (g/day) 2010 10 9  Tobacco use - Current tobacco smoking, adults aged 15+ (%) 2016 32 25  Raised blood pressure - Raised blood pressure, adults aged 18+ (%) 2015 33 25  Diabetes - Raised blood glucose, adults aged 18+ (%) 2014 10 7	13							
Tobacco use - Current tobacco smoking, adults aged 15+ (%) 2016 32 25  Raised blood pressure - Raised blood pressure, adults aged 18+ (%) 2015 33 25  Diabetes - Raised blood glucose, adults aged 18+ (%) 2014 10 7	32							
Raised blood pressure - Raised blood pressure, adults aged 18+ (%) 2015 33 25  Diabetes - Raised blood glucose, adults aged 18+ (%) 2014 10 7	10							
Diabetes - Raised blood glucose, adults aged 18+ (%) 2014 10 7	28							
	29							
Obesity, adults aged 18+ (%) 2016 24 23	8							
	23							
Obesity - Obesity, adolescents aged 10-19 (%) 2016 7 6	7							
Ambient air pollution - Exceedance of WHO guidelines level for annual PM2.5 concentration (by a multiple of)	1							
Household air pollution - Population with primary reliance on polluting fuels and technologies (%)	<5							










## **RAISED BLOOD PRESSURE**





**Essential NCD medicines** and basic technologies to treat major NCDs

Proportion of population at high risk for CVD or with existing CVD (%)

Proportion of high risk persons receiving any drug therapy and counselling to prevent heart attacks and strokes (%) Proportion of primary health care centres reported as

offering CVD risk stratification Reported having CVD guidelines that are utilized in at least 50% of health facilities

Number of essential NCD medicines reported as "generally available" Number of essential NCD technologies reported as

% of the population

2017 More than 50%

2017 Yes

2017 10 out of 10 2017 6 out of 6