Males


Females


**2016 TOTAL POPULATION:** 16 150 000 **2016 TOTAL DEATHS:** 130 000


## 50 Probability (%) of premature death 40 30 20 10 0 2000 2005 2010 2015 2020 2025 Past trends Projected linear trends Global targets

## 11% 10% Cardiovascular Other NCDs diseases > 7% > 55% Cancers Communicable, NCDs are maternal, perinatal 2% and nutritional estimated to account for 33% conditions Chronic of all deaths. respiratory 12% diseases Injuries > 3% Diabetes

12 100 LIVES CAN BE SAVED BY 2025 BY IMPLEMENTING ALL OF THE WHO "BEST BUYS"							
		NATIONAL TARGET SET		DATA YEAR	MALES	FEMALES	TOTAL
MORT	ALITY*						
R	Premature mortality	X	Total NCD deaths	2016	19 300	23 600	42 900
	from NCDs		Risk of premature death between 30-70 years (%)	2016	19	20	19
<u>F</u>	Suicide mortality	-	Suicide mortality rate (per 100 000 population)	2016	-	-	11
RISK F	ACTORS						
	Harmful use of alcohol	X	Total alcohol per capita consumption, adults aged 15+ (litres of pure alcohol)	2016	9	1	5
X	Physical inactivity	X	Physical inactivity, adults aged 18+ (%)	2016	21	29	25
	Salt/Sodium intake	X	Mean population salt intake, adults aged 20+ (g/day)	2010	8	7	8
8	Tobacco use	X	Current tobacco smoking, adults aged 15+ (%)	2016	28	1	14
	Raised blood pressure	X	Raised blood pressure, adults aged 18+ (%)	2015	20	21	20
À	Diabetes	X	Raised blood glucose, adults aged 18+ (%)	2014	4	5	5
	Obesity	X	Obesity, adults aged 18+ (%)	2016	4	21	12
<b>4</b> 0°	Obesity	X	Obesity, adolescents aged 10-19 (%)	2016	1	6	3
<b>%</b>	Ambient air pollution	-	Exceedance of WHO guidelines level for annual PM2.5 concentration (by a multiple of)	2016	-	-	2
4	Household air pollution	-	Population with primary reliance on polluting fuels and technologies (%)	2016	-	-	71
SELEC	TED ADULT RISK FACTOR	TRENDS					







## NATIONAL SYSTEMS RESPONS

Drug therapy to prevent heart attacks and strokes

Proportion of population at high risk for CVD or with existing CVD (%)

Proportion of high risk persons receiving any drug therapy and counselling to prevent heart attacks and strokes (%)

Proportion of primary health care centres reported as

offering CVD risk stratification Reported having CVD guidelines that are utilized in at least 50% of health facilities

Number of essential NCD medicines reported as "generally available"

Number of essential NCD technologies reported as

--2017

2017 None 2017 Yes

4 out of 10

3 out of 6

a t

Essential NCD medicines and basic technologies to treat major NCDs

not based on any national NCD mortality data (see Explanatory Notes)

2017

2017