

2016 TOTAL POPULATION: 24 895 000 **2016 TOTAL DEATHS:** 156 000

20% 8% 50 Cardiovascular Other NCDs Probability (%) of premature death 40 diseases 10% 46% 30 Cancers Communicable, 20 NCDs are maternal, perinatal 4% and nutritional estimated to 10 account for 43% conditions Chronic of all deaths. respiratory 0 11% diseases 2000 2005 2010 2015 2020 2025 Injuries 1% Past trends Projected linear trends Global targets Males0 Diabetesō Females


12 000 LIVES CAN BE SAVED BY 2025 BY IMPLEMENTING ALL OF THE WHO "BEST BUYS"							
		NATIONAL TARGET SET		DATA YEAR	MALES	FEMALES	TOTAL
MORTALITY*							
	Premature mortality	X	Total NCD deaths	2016	34 100	33 300	67 400
	from NCDs	A	Risk of premature death between 30-70 years (%)	2016	24	21	23
<u>F</u>	Suicide mortality	-	Suicide mortality rate (per 100 000 population)	2016	-	-	4
RISK FACTORS							
	Harmful use of alcohol	X	Total alcohol per capita consumption, adults aged 15+ (litres of pure alcohol)	2016	3	1	2
K	Physical inactivity	X	Physical inactivity, adults aged 18+ (%)	2016	12	20	16
	Salt/Sodium intake	X	Mean population salt intake, adults aged 20+ (g/day)	2010	6	5	6
\odot	Tobacco use	X	Current tobacco smoking, adults aged 15+ (%)	2016			
	Raised blood pressure	X	Raised blood pressure, adults aged 18+ (%)	2015	22	21	22
À	Diabetes	X	Raised blood glucose, adults aged 18+ (%)	2014	4	3	4
À	Obesity	X	Obesity, adults aged 18+ (%)	2016	3	6	5
			Obesity, adolescents aged 10-19 (%)	2016	1	1	1
%	Ambient air pollution	-	Exceedance of WHO guidelines level for annual PM2.5 concentration (by a multiple of)	2016	-	-	2
h	Household air pollution	-	Population with primary reliance on polluting fuels and technologies $(\%)$	2016	-	-	>95

SELECTED ADULT RISK FACTOR TRENDS





Females



NATIONAL SYSTEMS RESPONS

Drug therapy to prevent heart attacks and strokes

Essential NCD medicines and basic technologies to treat major NCDs

Proportion of population at high risk for CVD or with existing CVD (%)

....0

Proportion of high risk persons receiving any drug therapy and counselling to prevent heart attacks and strokes (%) Proportion of primary health care centres reported as offering CVD risk stratification

Reported having CVD guidelines that are utilized in at least 50% of health facilities Number of essential NCD medicines reported as "generally available"

Number of essential NCD technologies reported as



None Yes

2017 2017 4 out of 10

2 out of 6

2017

⁼ no data available