


## CANADA




600 LIVES CAN BE SAVED BY 2025 BY IMPLEMENTING ALL OF THE WHO "BEST BUYS"									
		NATIONAL TARGET SET		DATA YEAR	MALES	FEMALES	TOTAL		
MOR	TALITY								
	Premature mortality from NCDs	X	Total NCD deaths	2016	112 700	113 500	226 200		
			Risk of premature death between 30-70 years (%)	2016	11	8	10		
<u>F</u>	Suicide mortality	-	Suicide mortality rate (per 100 000 population)	2016	-	-	12		
RISK	FACTORS								
	Harmful use of alcohol	X	Total alcohol per capita consumption, adults aged 15+ (litres of pure alcohol)	2016	15	3	9		
K	Physical inactivity	X	Physical inactivity, adults aged 18+ (%)	2016	27	33	30		
	Salt/Sodium intake	X	Mean population salt intake, adults aged 20+ (g/day)	2010	10	9	9		
$\odot$	Tobacco use	X	Current tobacco smoking, adults aged 15+ (%)	2016	16	11	14		
	Raised blood pressure	X	Raised blood pressure, adults aged 18+ (%)	2015	19	16	17		
À	Diabetes	X	Raised blood glucose, adults aged 18+ (%)	2014	8	7	7		
	Obesity	_	Obesity, adults aged 18+ (%)	2016	31	32	31		
		X	Obesity, adolescents aged 10-19 (%)	2016	14	9	11		
<b>%</b>	Ambient air pollution	-	Exceedance of WHO guidelines level for annual PM2.5 concentration (by a multiple of)°	2016	-	-	-		
各	Household air pollution	-	Population with primary reliance on polluting fuels and technologies $(\!\%\!)$	2016	-	-	<5		










## NATIONAL SYSTEMS RESPONSE






Proportion of population at high risk for CVD or with	
existing CVD (%)	

....0





## - ... 2017 More than 50% 2017 Don't know 2017 10 out of 10

6 out of 6

... = no data available ont exceeding

2017