



Fruit and Berry Crop Physiology and Quality

NPLK14014U

Notes taken during the course, including lectures, exercises, curriculum, and practicals

Lucas Daniel Paz Zuleta, TZS159

MSc student at the University of Copenhagen

Last compiled: 31-10-2025

[Link to GitHub repository](#)



Preface

These course notes have been prepared as part of the NPLK14014U course Fruit and Berry Crop Physiology and Quality at the University of Copenhagen, covering the period from September to November 2025.

The notes compile material and reflections relevant to the course and are intended as a resource to enhance the learning experience for students. The content is shared freely and may be used as study material or as a template for structuring individual notes.

All information is provided without responsibility for its correctness, and users are encouraged to verify data, formulas, and interpretations with the original sources and course materials.

Please enjoy reading these notes, and feel free to reach out if you have any questions.

Course Description

Education

MSc Programme in Agriculture

Content

The focus is on fruit growth and fruit quality in relation to the use as fresh fruits or for processing. How is fruit growth and quality affected by the plants' physiological and genetic basis and how can it be influenced by different growing techniques and environmental factors? Similarities and differences among the fruit crop types (pit fruits, stone fruits, berries and nuts), with regard to demands in growing conditions are discussed. Furthermore, we analyze which physiological parameters are important in the different fruit species for determining yield and important quality components. Emphasis is on temperate fruits, nuts, berries and fruit vegetables, grown mainly in open field or in tunnel systems. The reference growing systems are the common commercial systems, including organic growing. The course also addresses examples of the genetic and quality variation among cultivars and the importance of different quality attributes in relation to postharvest use (fresh consumption, cooking, juice processing or fruit wine making). In general the crop specific aspects of the following main topics will be covered:

- Yield and quality components (organ development and interactions) and determinant factors
- Allocation of dry matter and nutrient among sources and sinks in fruiting plants
- Control of vigour and plant structure by pruning and management of nutrients and irrigation
- Effects of preharvest factors (climate, a-biotic or biotic stresses) on internal and external quality of fruits
- Content and development of secondary and bioactive compounds in fruits.
- Maturation, ripening and assessment of optimal harvest and quality aspects of fruits and berries.
- Post harvest usability and sensory aspects of different cultivars and fruit types.

In addition to fresh use, special attention is given to production and quality of fruit juices. Biotechnological aspects are addressed at a limited level.

Learning Outcome

The course is targeted to students interested in plant science (Horticulture and Agriculture) and food science students who are particularly interested in fruit and berry crops and the quality and use of the raw materials/food products these crops provide.

Knowledge

- The physiological basis for production of fruiting crops (including fruit vegetables such as tomato and cucumber).
- Overview of development of the major plant organs with focus on the fruit and its quality and understand how and why it varies with genotype and preharvest growing conditions
- Describe the variation among the major cultivars used of fruits and berries in terms of development and quality parameters.
- Reflect on the importance of fruit and berries for human health

Skills

- Apply basic knowledge of physiology and biochemistry from plant and food science at the whole plant and organ level.
- Analyse a fruiting crop based on the crop specific yield and quality components.
- Explain how and why different techniques are used in the fruit industry and how it affects plant growth and product/fruit quality.

Competences

- Analyse the methods used to obtain optimal productivity and product quality.
- Discuss trade offs in management, such as between optimal sensory quality and storability, between yield and quality or pesticide use vs organic growing

Literature

Literature lists will be available from the course responsible.

Recommended Academic Qualifications

Academic qualifications equivalent to a BSc degree is recommended.

Teaching and Learning Methods

Besides lectures the course will include practicals, where the students are working with cultivar evaluation, quality analysis or aspects of fruit growing physiology (plant and organ development etc). Part of the hands on teaching will be field based in the experimental fruit collections at the Pomatum.

The practicals will be made in groups, while the individual student is given the opportunity, in a major report written throughout the course, to focus on an area of special interests. Thus individual competences with emphasis on either fruit growing physiology or fruit quality aspects of fruits as raw materials for industry processing or fresh consumption can be developed. The topic of the major report are to be presented to the class in a short lecture based on a selected journal paper.

2 or 3 excursions will be arranged in connection with the different course subjects.

Workload

Table 1: A table with an overview over the workload for the course.

Category	Hours
Lectures	35
Class Instruction	5
Preparation	40
Practical exercises	30
Excursions	21
Project work	75
Total	206

Exam

Table 2: A table with an overview over the elaborated description of the course

Credit	7.5 ECTS
Type of assessment	<ul style="list-style-type: none">• Oral examination, 20 minutter• Written assignment, ca. 3 uger
Type of assessment details	The portfolio includes a major report and 2 out of 4 additional products (e.g. exercise reports or presentation) Weight of exam components: Evaluation of major report 50 %, oral examination in portfolio contents and curriculum 50%.
Examination prerequisites	Submitted and approval of the reports for theoretical and practical exercises
Aid	All aids allowed Read about how to use Generative AI on KuNet
Marking scale	7-point grading scale
Censorship form	<ul style="list-style-type: none">• No external censorship• One internal examiner
Re-exam	The exam is an oral exam, as for the ordinary exam. Submission of an individual major report 1 week before the oral re-exam is required. The topic may be as for the ordinary exam but in a revised version.

Contents

1	Lecture Notes	1
1	Lecture 01 - 02/09-2025	1
1.1	The Tropical Environment	1
1.1.1	Aim	1
1.2	What Determines the Climate?	1
1.3	Classification: Latitudes	1
1.4	Circles of Latitude and Longitude	2
1.4.1	Earth's Movement and Tropical Rain Belt	2
1.4.2	Earth's Orbit and Solar Energy	2
1.5	The Tropics	2
1.5.1	Characterize the tropics !	2
1.5.2	Precipitation	2
1.6	Three Major Biomes	3
1.6.1	Tropical biomes and annual precipitation (mm)	3
1.7	Deforestation	3
1.8	Daily Weather Cycle in the Tropical Rainforest	3
1.9	Prevailing Winds	3
1.9.1	Latitudinal Variation in Evapotranspiration and Precipitation	3
1.10	Remember!	4
1.11	Coriolis Force	4
1.12	Tropical Storms	4
1.12.1	Cyclones Around Australia	4
1.13	Monsoons	4
1.14	Southeast Asian Rainforests	5
1.15	Tropical Rainforests	5
1.15.1	Rainforest Burned Down in South America	5
1.16	Tropical Desert	5
1.16.1	Oasis with Date Palm	5
1.16.2	External Resources / Ecosystem Map	5
1.17	A Simple Illustration of the Major Crop Types in Relation to Climate	6
2	Lecture 02 - 04/09-2025	6
2.1	Fertility of Tropical Soils	6
2.1.1	What is soil?	6
2.2	Soil Profile and Formation	6
2.2.1	Soil Profile	6
2.2.2	What is soil?	6

2.2.3	Soil formation	6
2.2.3.1	Weathering	6
2.2.4	Primary particles	7
2.2.4.1	Mineral fraction	7
2.3	Soil Components and Factors of Soil Formation	7
2.3.1	Clay size fraction	7
2.3.2	Soil organic matter	7
2.3.3	Soil texture	7
2.3.4	Soil Structure	7
2.3.5	Factors of soil formation	7
2.3.6	Parent Material	7
2.4	Parent Material and Climate in Soil Formation	8
2.4.1	Parent Material	8
2.4.2	Climate	8
2.5	Other Factors of Soil Formation and Soil Fertility Introduction	8
2.5.1	Topography	8
2.5.2	Biological factors	8
2.5.3	Time	8
2.5.4	Soil fertility	8
2.6	Nitrogen and Phosphorus in Agroecosystems	9
2.6.1	Nitrogen in Agroecosystems	9
2.6.2	P availability in soil	9
2.7	Cations and Cation Exchange Capacity (CEC)	9
2.7.1	Base and acid cations in soil	9
2.7.1.1	Base cations	9
2.7.1.2	Acid Cations	9
2.7.2	Clay Minerals	9
2.7.2.1	Isomorphous substitution	10
2.7.3	Cation Exchange Capacity (CEC)	10
2.8	Cation Exchange and Clay Mineral CEC Values	10
2.9	pH Dependent Charge and Base Saturation	10
2.9.1	pH Dependent Charge	10
2.9.2	% Base Saturation	10
2.10	Estimating CEC and Base Saturation for Tropical Soils	11
2.10.1	Estimate the Cation Exchange Capacity (CEC) of the two soils	11
2.10.2	Exercise 1	11
2.10.3	Exercise 2	11
2.11	Fertility Comparison and Tropical Soil Types	11
2.11.1	Discuss which soil is more fertile and how?	11
2.11.2	Tropical soil types	12
2.11.3	Oxisols	12
2.12	Characteristics of Tropical Soil Orders	12
2.12.1	Oxisols	12
2.12.2	Ultisol	12
2.12.3	Alfisol	12

2.12.4	Vertisol	13
2.13	Further Characteristics of Tropical Soil Orders	13
2.13.1	Vertisols	13
2.13.2	Andisol	13
2.13.3	Aridisols	13
2.14	Soil Organic Matter and Carbon Cycling	14
2.14.1	Soil organic matter and fertility	14
2.15	Factors Affecting Soil Organic Matter and Importance in Tropics	14
2.15.1	Soil organic matter and fertility	14
2.15.1.1	Inputs:	14
2.15.1.2	Outputs:	14
2.15.2	Soil organic matter in tropical soils – why bother?	14
2.16	Soil Organic Carbon (SOC) and Soil Health	15
2.16.1	Soil organic matter in tropical soils – why bother?	15
2.16.2	SOC is an important indicator of soil health	15
2.16.2.1	Soil Organic Carbon	15
2.17	Strategies for Enhancing Soil Fertility and Carbon Pool	15
2.17.1	Reduction of P fixation	15
2.17.2	Reduction of Al toxicity	15
2.17.3	Improve soil structure	15
2.17.4	Strategies for Enhancing the Soil Carbon Pool	16
2.17.5	Theoretical exercise: How to increase soil fertility of degraded soils?	16
2	Lecture Exercises	17
1	Lecture 02 - TE_02	17
3	Exam Questions and Answers	19
1	Yield and quality determinants and components	19
1.1	Characterise the development and importance of spurs and extension (long) shoots	20
1.2	Describe differences in bud development and structure between stone and pome fruits	20
1.3	Describe some important yield components in strawberry and in sour cherry	20
1.4	Describe some conditions which may affect the development of flower buds negatively	20
2	Yield and quality determinants and components	20
2.1	Describe important factors determining fruit set?	20
2.2	What is the importance of EPP?	20
2.3	What are important quality parameters for pollen and flowers?	20
2.4	Why and how do we use pollinators?	20
2.5	Are insects (fx bees) needed in pollination of self-pollinating crops?	20
3	Fruit development	20
3.1	Describe the general developmental phases in fruit development	21
3.2	Which sugars and acids are important in fruit development and how do they develop during fruit development? Example of species differences.	21
3.3	Which sugars are transported in the plant?	21
3.4	What is the role of starch in the carbon balance of an apple tree and an apple fruit?	21
4	Light use, vigor control and canopy management	21

4.1	Why do we manipulate the canopy structure in most fruit crops?	21
4.2	Describe the pruning response during the year. Why do we get differences in the growth response to pruning?	21
4.3	How does pruning affect fruit development and quality? (direct and indirect)	21
4.4	Characterise important factors (except from time in the year), which may influence the growth response to pruning?	21
5	Crop load and canopy management	21
5.1	How does a high fruit load influence photosynthesis and transpiration?	22
5.2	Explain the concept of source strength and sink strength	22
5.3	How do source-sink relationships develop during the season in an apple tree?	22
5.4	Why may some leaves be more important than others for fruit development?	22
5.5	Why do premature fruit drop occur?	22
6	Crop load management, fruit quality and vigor control	22
6.1	Give an example of a crop in which crop load has a strong impact on fruit development - and one where it does not.	22
6.2	Characterize the effects of fruit thinning on growth and development	22
6.3	When is it most optimal to perform fruit thinning? Why?	22
6.4	Explain why the optimal thinning strategy may dependent on the end use of the fruits.	22
6.5	Why do we not want fruits on a young tree the first year(s) after planting?	22
7	Preharvest factor management and quality	22
7.1	Characterise the differences in nutrient requirements of a vegetative growing and a fruiting plant?	23
7.2	Calcium is important for fruit quality. Why? - And why is the level of calcium low in many fruits, especially big fruits?	23
7.3	When and why are fertilizers often sprayed on the leaves and fruits in the production of apples?	23
7.4	Characterize the importance of potassium for fruit development	23
8	Preharvest factor management and quality	23
8.1	Describe the effects of nitrogen status on plant development	23
8.2	In which ways do nitrogen levels influence the yield components?	23
8.3	Impacts of nitrogen levels on fruit quality?	23
9	Preharvest factor management and quality	23
9.1	Describe the effects of stresses of nutrients and water on fruit development and quality.	23
9.2	Why are deficiency symptoms by some nutrients seen in the young leaves and by others in the old?	23
9.3	Describe how water stress can be used as a tool for growth control.	23
10	Fruit development	23
10.1	Describe some important factors for optimal fruit development in small and large fruited species. Are there differences?	24
10.2	What would you do to optimize fruit development and fruit quality in an apple crop?	24
10.3	What is important for fruit development and quality in raspberry and strawberry?	24
11	Fruit maturity, harvest and quality assessment	24
11.1	How would you determine the optimal harvest time in apple?	24
11.2	Describe the problems and quality effects you might get, if you harvest either too early or too late.	24

11.3	Hand picking vs mechanical harvest - problems and benefits?	24
11.4	What are the main reasons for post harvest losses and what may be done to minimize it? .	24
12	Fruit maturity, cultivar variations and important quality parameters	24
12.1	When do aromas develop in fruits?	25
12.2	Characterise some important aroma substances and changes in aroma with maturity	25
12.3	Characterize the importance of harvest time on aroma development	25
12.4	What might affect aroma development pre and post harvest?	25
13	Fruit maturity, cultivar variations and important quality parameters	25
13.1	Characterise some important colour substances in fruits and berries	25
13.2	How does colour change with maturity?	25
13.3	What might affect colour development pre and post harvest?	25
13.4	What is the mechanism behind the occurrence of red clones in fruit cultivars (fx apples, pears and grapes)?	25
14	Cultivar variations and important quality parameters (fresh use and juice)	25
14.1	Characterise some of the most important (internal and external) quality characters, which may vary among cultivars in a fruit crop. (Fx strawberries or apple)	26
14.2	Which compounds are considered especially important in fruit and berries for human health and where are they located?	26
14.3	Which species are believed to be especially healthy to eat? Comment on the consumption of raw or processed fruits and berries.	26
15	Cultivar variations and important quality parameters (fresh use and juice)	26
15.1	How does the level of fruit ripening impact on juice processing and juice quality?	26
15.2	Which enzymes may be used in juice processing and why?	26
15.3	Comment on the effects of different juice processing steps on juice quality.	26
15.4	Why are juices pasteurised, and what are important factors for a successful pasteurisation? .	26
16	Potentials for producing fruit and berry wines	26
16.1	Comment on the challenges and potentials in making fruit wine from different fruit and berries	27
16.2	High levels of acidity may be a problem. How may it be handled?	27
16.3	Characteristics of so called 'cider apple cultivars'	27
16.4	Comment on the importance of ripening levels of fruit and berries for wine making	27
16.5	Characterize the process of cryo-concentration and the impacts on the juice quality and the potential for wine style development	27
17	Domestication of wild berries	27
17.1	Why may wild berries be attractive to domesticate?	27
17.2	Comment on some major challenges/barriers.	27
17.3	Describe important yield and quality components in wild/European blueberries.	27
17.4	Blueberries are one of few fruiting plants adapted to low pH soils. Comment on the challenges it causes in growing the plants.	27
17.5	Comment on the importance/impacts of propagation method in European blueberries. European blueberries.	27
4	Abbreviations and Explanations	28
	Appendices	29

1	Appendix 1 - Practical Exercise 01	29
---	----------------------------------------------	----

Chapter 1

Lecture Notes

1 Lecture 01 - 02/09-2025

1.1 The Tropical Environment

1.1.1 Aim

- Overview the most important aspects of tropical climates.
- Ability to figure out how the climate is likely to be in certain places in the tropics.
- Idea of which crop you can grow.

1.2 What Determines the Climate?

The climate is determined by several factors, including temperature and precipitation. Key aspects are the yearly average temperature and the yearly range in temperature, as some areas experience a larger difference between the highest and lowest temperatures than others. Similarly, average precipitation is important, but the yearly variation in rainfall also plays a significant role.

Core takeaway:

Climate is primarily defined by temperature and precipitation, considering both yearly averages and seasonal variations. Likely exam-relevant.

1.3 Classification: Latitudes

- Tropical zone from 0° – 23.5° (between the tropics) latitude: Here, solar radiation reaches the ground nearly vertically, more water evaporates, and the air is often moist. A dense cloud cover reduces the effect of solar radiation on ground temperature.
- Subtropics from 23.5° – 40° latitude: These regions receive the highest radiation in summer, have relatively thin cloud cover, and receive less moisture.
- Temperate zone from 40° – 60° latitude: This zone is characterized by significantly differing seasons and day lengths, less frequent climate extremes, a more regular distribution of precipitation, and a longer vegetation period.

- Cold zone from 60°–90°latitude: The poles in this zone receive less heat through solar radiation, and day length varies the most. Vegetation is only possible during a few months and is often sparse.

Core takeaway:

Earth's climate zones are classified by latitude, each with distinct characteristics regarding solar radiation, temperature, precipitation, and vegetation periods. Likely exam-relevant.

1.4 Circles of Latitude and Longitude

1.4.1 Earth's Movement and Tropical Rain Belt

The Earth spins around its axis, akin to a top, a process known as Earth's rotation. Simultaneously, it orbits or revolves around the Sun. The tropical rain belt runs along the equator and extends to about the Tropic of Cancer (23.5° north latitude) and Tropic of Capricorn (23.5° south latitude). By approximately 30° north and south latitude, the air cools enough to sink back to the surface, creating high pressure (H) and drier conditions.

1.4.2 Earth's Orbit and Solar Energy

The Earth's revolution around the sun takes 365.24 days. At the equator, the Earth rotates at roughly 1,700 km per hour. The Earth is closest to the sun (perihelion) on January 3rd at 147 million km, moving faster at 27 km/s. It is furthest from the sun (aphelion) on July 4th at 152 million km, moving slower. Solar energy is relatively constant, approximately 400 W/m²/year. About 300 W/m²/year is lost as terrestrial re-radiation, leaving a surplus of 100 W/m² at the surface. Most of the radiation is absorbed by the Earth and warms it. Some of the outgoing infrared radiation is trapped by the Earth's atmosphere, which also contributes to warming.

Core takeaway:

Earth's rotation and revolution influence climate patterns, including the tropical rain belt, and its interaction with solar energy dictates global temperatures. Likely exam-relevant.

1.5 The Tropics

The tropics are characterized by a high input of solar radiation and high maximum temperatures, with little variation in temperature. Water supply is the most significant variable, marked by high rainfall variability and high rainfall intensity. The tropics cover 42% of the Earth's surface.

1.5.1 Characterize the tropics !

1.5.2 Precipitation

Precipitation patterns in the tropics include:

- Wet climate (between 5° and 10° of the equator).
- Wet dry climate (between 10° and 20°).
- Two wet seasons: typically 1000-2000 mm (e.g., Salvador, Abidjan).
- Two shorter rainy seasons (e.g., Nairobi).
- One long rainy season: monsoonal, 750-1500 mm (e.g., Manila).

- One short rain season: 250-750 mm (e.g., Darwin, Hyderabad).
- Dry climate (e.g., Alice Springs, Lima, Khartoum)

Core takeaway:

The tropics receive high solar radiation and experience consistent high temperatures, with water supply and significant rainfall variability being defining features across different precipitation zones. Likely exam-relevant.

1.6 Three Major Biomes

A biome is defined as a community of similar plants and animals occupying a large area. The three major biomes are Forest, Savanna, and Desert.

1.6.1 Tropical biomes and annual precipitation (mm)

Tropical biomes exhibit extremely high biodiversity, encompassing 50% of the world's terrestrial plant and animal species, despite covering only about 6% of the world's land area.

Core takeaway:

The tropics host three major biomes—Forest, Savanna, and Desert—which are critical for global biodiversity, harboring half of the world's terrestrial species in a small land area. Likely exam-relevant.

1.7 Deforestation

Before human intervention, rainforests covered 15% of the Earth's land area, but today they cover only 6%. In the last 200 years, the total area of rainforest has decreased from 1,500 million hectares to less than 800 million hectares. A third of tropical rainforests have been destroyed in just the last 50 years. Approximately 119,000 - 150,219 km² are lost each year, affecting the world's most spectacular ecosystems.

Core takeaway:

Deforestation has drastically reduced tropical rainforest coverage, leading to a significant loss of these vital ecosystems globally. Likely exam-relevant.

1.8 Daily Weather Cycle in the Tropical Rainforest

In the morning, the sun shines and heats up the ground, causing hot and wet air to rise. In the afternoon, dark clouds form, bringing rain and thunderstorms to the rainforest.

1.9 Prevailing Winds

1.9.1 Latitudinal Variation in Evapotranspiration and Precipitation

(figure, see slide 9)

1.10 Remember!

- Hot air weighs less than cold air.
- Hot air can contain more water than cold air.
- Air will flow from areas of high pressure towards areas with low pressure.
- Condensation of water releases energy.
- The temperature of the air drops approximately 1 degree for every 100 m, or 0.5 degrees if the air contains water.
- Objects moving in the northerly or southerly direction will be deflected clockwise in the northern hemisphere and counter-clockwise in the southern hemisphere (Coriolis force) (see also Slide 10).

Core takeaway:

Atmospheric dynamics, driven by temperature, pressure, and the Coriolis force, dictate air movement, moisture content, and temperature changes critical for understanding weather patterns. Likely exam-relevant.

1.11 Coriolis Force

When the Earth rotates, a point close to the equator moves much faster than a point at one of the poles. This movement creates specific patterns on Earth and affects winds and ocean currents.

Core takeaway:

The Coriolis force, a result of Earth's rotation, deflects moving objects and significantly influences global wind and ocean current patterns. Likely exam-relevant.

1.12 Tropical Storms

Tropical storms include Hurricanes (in the Caribbean and United States) and Typhoons (in the Pacific Ocean). These storms are characterized by wind speeds exceeding 115 km/hour, low pressure, and a circular pattern of isobars with a diameter of 150-650 km. They bring extreme rainfall (up to 200 mm/day) and steep gradients that produce high wind speeds.

1.12.1 Cyclones Around Australia

1.13 Monsoons

Monsoons are large-scale sea breezes that occur when the temperature on land is significantly warmer or cooler than the temperature of the ocean. These temperature imbalances happen because oceans and land absorb heat in different ways.

Core takeaway:

Tropical storms like hurricanes and typhoons are intense low-pressure systems with high winds and extreme rainfall, while monsoons are seasonal wind shifts caused by differential heating of land and sea. Likely exam-relevant.

1.14 Southeast Asian Rainforests

Southeast Asian rainforests experience four different seasons: the winter northeast monsoon, the summer southwest monsoon, and two inter-monsoon seasons.

- The northeast monsoon season (November to March) has steady winds from the north or northeast, originating from Siberia, which bring typhoons and other severe weather. The east coasts of the Southeast Asian islands receive heavy rains during this time.
- The southwest monsoon season (May to September) has less wind and is slightly drier, though it still rains every day.
- During the inter-monsoon seasons, the winds are light. All seasons are hot and humid, with very little seasonal variation in temperature.

Core takeaway:

Southeast Asian rainforests experience distinct monsoon seasons driven by regional wind patterns, resulting in varied rainfall but consistently hot and humid conditions year-round. Likely exam-relevant.

1.15 Tropical Rainforests

Tropical rainforests are characterized by a type of tropical climate with no dry season, meaning all months have an average precipitation value of at least 60 mm (2.4 in). There are no distinct summer or winter seasons; it is typically hot and wet throughout the year, with both heavy and frequent rainfall. Around the equator, there are two seasons with heavy rainfall, receiving up to 10 meters a year. As one moves away from the equator, it becomes a bit drier in some months, but there is still more than 2 meters of rain annually. Most of the rainfall does not reach the ground directly, as the trees act as a canopy and catch the rain.

1.15.1 Rainforest Burned Down in South America

(image, see slide 14)

Core takeaway:

Tropical rainforests are defined by continuous high rainfall, consistent high temperatures year-round, and the significant role of their dense canopy in intercepting precipitation. Likely exam-relevant.

1.16 Tropical Desert

Major tropical desert areas include the Sahara and Kalahari deserts in Africa, Arabian, Iranian and Thar Deserts in Asia, Arizona and Mexican deserts in North America, and the Great Australian Desert.

1.16.1 Oasis with Date Palm

(image, see slide 15)

1.16.2 External Resources / Ecosystem Map

[Requires further research: This section primarily provides links to external resources (YouTube and a NOAA ecosystem map) and does not contain descriptive content within the slides themselves.]

1.17 A Simple Illustration of the Major Crop Types in Relation to Climate

[Requires further research: This slide title suggests an illustration but the content is not provided.]

Core takeaway:

Tropical deserts are extensive arid regions found across multiple continents, characterized by very low precipitation and extreme temperatures. Likely exam-relevant.

2 Lecture 02 - 04/09-2025

2.1 Fertility of Tropical Soils

The plan for the day includes discussing factors of soil formation, aspects of soil fertility, an introduction to tropical soil types, and the role of soil organic matter and soil fertility. A group exercise on how to improve the fertility of degraded soils is also part of the plan.

2.1.1 What is soil?

Soil is defined as the unconsolidated mineral or organic material on the immediate surface of the Earth that serves as a natural medium for the growth of land plants (see also Slide 2).

Core takeaway: This section introduces the course, the instructor, the agenda, and a fundamental definition of soil. Exam relevance marker: Likely exam-relevant (definition of soil).

2.2 Soil Profile and Formation

2.2.1 Soil Profile

Figure: An illustration of a soil profile, depicting layers down to bedrock (see slide 2).

2.2.2 What is soil?

This slide reiterates the definition of soil (see also Slide 1).

2.2.3 Soil formation

2.2.3.1 Weathering

Weathering is the disintegration and decomposition of solid rock material, encompassing both chemical and physical processes. The most important form of chemical weathering involves H^+ ions from water penetrating rock mineral structures and displacing ions like K^+ , Ca^{2+} , Mg^{2+} , and Al^{3+} . This process causes minerals to break down into clay and leads to the leaching of ions.

2.2.4 Primary particles

2.2.4.1 Mineral fraction

The mineral fraction of soil is categorized by particle size:

- Sand size fraction: $50\ \mu\text{m}$ - $2\ \text{mm}$
- Silt size fraction: $2\ \mu\text{m}$ - $50\ \mu\text{m}$
- Clay size fraction: $< 2\ \mu\text{m}$

Core takeaway: Soil formation involves weathering of bedrock into primary particles, which are classified by size.

Exam relevance marker: Likely exam-relevant (weathering definition, particle sizes).

2.3 Soil Components and Factors of Soil Formation

2.3.1 Clay size fraction

- Clay size fraction: $< 2\ \mu\text{m}$

2.3.2 Soil organic matter

The pool of soil organic matter is defined as biologically derived soil material (see also Slides 14, 15, 16). It consists of:

- A large fraction of humic substances
- Fresh and partly decomposed plant residues
- A small fraction of living soil microbial biomass

2.3.3 Soil texture

This slide poses a question: "A soil with 35 % sand, 35 % clay and 30 % silt called?"

[Requires further research: The answer to the soil texture question is not provided directly on the slide.]

2.3.4 Soil Structure

[Requires further research: This headline is present, but no content is provided for 'Soil Structure' on this slide.]

2.3.5 Factors of soil formation

The factors influencing soil formation include (see also Slides 4, 5):

- Parent material
- Climate
- Topographical position
- Biological factors
- Time

2.3.6 Parent Material

Parent material refers to in situ rocks (bedrock) (see also Slide 4).

Core takeaway: This section details soil particle sizes, defines soil organic matter, lists the five key factors of soil formation, and introduces parent material. Exam relevance marker: Likely exam-relevant (soil organic matter components, factors of soil formation).

2.4 Parent Material and Climate in Soil Formation

2.4.1 Parent Material

Bedrock consists of sedimentary or metamorphic rock brought to the surface by geological processes. Parent materials are derived from the weathering of bedrocks and interact with other soil formation factors to determine the secondary minerals formed (see also Slide 3).

2.4.2 Climate

A hot and humid climate leads to intensive weathering and leaching (see also Slide 3). This removes Aluminum (*Al*) and Silicon (*Si*), resulting in the formation of the clay mineral kaolinite, which has a low Cation Exchange Capacity (CEC) and is less fertile (see also Slides 7, 8, 10, 12, 15). Kaolinite's chemical formula is $\text{Al}_2\text{Si}_2\text{O}_5(\text{OH})_4$. The topographical position of a soil on a landscape will affect the impact of climatic processes (see also Slide 5).

Core takeaway: Parent material originates from bedrock, and climate, especially hot and humid conditions, drives intensive weathering, leaching, and the formation of low-fertility clay minerals like kaolinite. Exam relevance marker: Likely exam-relevant (impact of climate on weathering and clay formation).

2.5 Other Factors of Soil Formation and Soil Fertility Introduction

2.5.1 Topography

Erosion and leaching cause minerals to accumulate at the bottom of a slope (see also Slide 3).

2.5.2 Biological factors

Biological factors contribute to soil formation through (see also Slide 3):

- Faunal activity (mixing of soil)
- Plant activity (rooting, formation of acids, prevents leaching of nutrients)

2.5.3 Time

The age of soils varies significantly; for example, most Danish soils are approximately 12,000 years old, while some African soils are 500 million years old (see also Slide 3).

2.5.4 Soil fertility

Soil fertility is defined as the ability of soil to sustain and provide essential nutrients and create favorable conditions for plant growth and development (see also Slides 11, 13, 15, 16, 17). Key aspects of soil fertility include:

- Nitrogen
- Processes affecting inputs and losses of N
- Phosphorus

- Phosphorus Fixation
- Base cations
- Cation Exchange Capacity (CEC)
- Base Saturation

Core takeaway: Topography, biological activity, and time are crucial soil-forming factors. Soil fertility, defined by its capacity to support plant growth, hinges on nitrogen, phosphorus, base cations, CEC, and base saturation. Exam relevance marker: Likely exam-relevant (definition of soil fertility, factors of soil formation).

2.6 Nitrogen and Phosphorus in Agroecosystems

2.6.1 Nitrogen in Agroecosystems

Figure: A diagram illustrates the nitrogen cycle within agroecosystems (see slide 6). Inputs to the system include N fixation, deposition, organic fertilizer, and inorganic fertilizer. Outputs consist of leaching, denitrification, and NH_3 volatilization. Internal processes within the soil involve mineralization, ammonification, nitrification, immobilization, and plant uptake. The forms of nitrogen include organic N, plant N, NH_4^+ , and NO_3^- .

2.6.2 P availability in soil

Figure: A diagram shows phosphorus availability in soil (see slide 6). Phosphorus exists in stable, labile, and organic forms, as well as in the soil solution P. Inputs of phosphorus come from manure, waste, and mineral fertilizer. Outputs include plant uptake and loss of P, as well as leaching. A significant process affecting phosphorus is Phosphorus Fixation (see also Slides 5, 11, 12, 13, 17).

Core takeaway: Nitrogen and phosphorus cycles in agroecosystems involve complex inputs, outputs, and internal processes that determine nutrient availability. Exam relevance marker: Likely exam-relevant (understanding N and P cycles, P fixation).

2.7 Cations and Cation Exchange Capacity (CEC)

2.7.1 Base and acid cations in soil

2.7.1.1 Base cations

These positively charged ions include Calcium (Ca_2^+), Magnesium (Mg_2^+), Potassium (K^+), Sodium (Na^+), and Ammonium (NH_4^+) (see also Slides 5, 9, 11, 12, 13).

2.7.1.2 Acid Cations

These include Aluminium (Al_3^+), Iron (Fe_3^+), and Hydrogen (H^+).

2.7.2 Clay Minerals

Common clay minerals are classified as 1:1 type (e.g., Kaolinite) and 2:1 type (e.g., Smectite) (see also Slides 4, 8, 10, 15).

2.7.2.1 Isomorphous substitution

Isomorphous substitution is a process where a higher charged ion is replaced with a lower charged ion within the mineral structure, resulting in a net negative charge. Examples include Si_4^+ being replaced with Al_3^+ in the tetrahedral sheet, and Al_3^+ being replaced with Mg_2^+ in the octahedral sheet.

2.7.3 Cation Exchange Capacity (CEC)

CEC is defined as the amount of exchangeable cations that a soil can adsorb (see also Slides 4, 5, 8, 10, 12, 15, 17). It is expressed in terms of centimoles of positive charge adsorbed per unit of mass, specifically in centimol positive charge per kg of soil (cmol(+)/kg).

Core takeaway: Soil cations are categorized as base or acid, and clay minerals exhibit a net negative charge due to isomorphous substitution, which contributes to the soil's Cation Exchange Capacity (CEC). Exam relevance marker: Likely exam-relevant (definitions of base/acid cations, isomorphous substitution, CEC).

2.8 Cation Exchange and Clay Mineral CEC Values

Figure: This figure illustrates cation exchange on a plant root, where H^+ ions are exchanged for other cations from the soil solution (see slide 8). It also shows cation exchange occurring on the surfaces of organic material and clay particles.

Different clay minerals possess varying CEC values and properties:

Table 1.1: An overview of clay minerals and their properties

Type of clay mineral	Type	CEC /cmol (+)/kg	Expansible	pH dependent charge
Kaolinite	1:1	1–10	No	Most
Smectite	1:2	80–120	Yes	Little
Vermiculite	1:2	120–150	Partly	Little
Illite	1:2	20–50	No	Medium
Allophane	Amorphous	50–150	No	Most

Core takeaway: Cations are exchanged between plant roots, soil solution, and charged surfaces of clay and organic matter, with different clay minerals having distinct CEC values and characteristics influencing their behaviour. Exam relevance marker: Likely exam-relevant (mechanism of cation exchange, comparative CEC values of different clay minerals).

2.9 pH Dependent Charge and Base Saturation

2.9.1 pH Dependent Charge

Figure: A graph visually represents the relationship between pH and charge, indicating how soil charge can be pH-dependent across a range (e.g., pH 4.0, 5.0, 6.0, 7.0) (see slide 9).

2.9.2 % Base Saturation

Base Saturation is defined as the percentage of the exchange complex that is saturated with base cations (see also Slides 5, 12). It is measured in centimoles of positive charge. Adsorbed cations are in equilibrium with solution

cations. The formula for Base Saturation is:

$$\text{Base Saturation} = 100\% \times \frac{\text{Base Cations}}{\text{CEC}}$$

An example calculation is provided: Given CEC = 40 cmol(+)/kg, $K^+ = 16$ cmol/kg (= 16 cmol(+)/kg), $Ca^{++} = 4$ cmol/kg (= 8 cmol(+)/kg), $Mg^{++} = 2$ cmol/kg (= 4 cmol(+)/kg). Base saturation = $100 \times (16+8+4) / 40 = 70\%$.

Core takeaway: Soil charge can be pH-dependent, and Base Saturation quantifies the proportion of exchange sites occupied by base cations, indicating soil fertility. Exam relevance marker: Likely exam-relevant (definition and calculation of base saturation).

2.10 Estimating CEC and Base Saturation for Tropical Soils

2.10.1 Estimate the Cation Exchange Capacity (CEC) of the two soils

2.10.2 Exercise 1

This exercise provides characteristics for two soil types for estimation:

- Ultisol: Kaolinite, pH 4.6, 60% clay, 4% organic matter (see also Slides 11, 12)
- Vertisol: Smectite, pH 7.2, 20% clay, 2% organic matter (see also Slides 11, 12, 13)

The calculation of CEC would involve considering CEC contributions from both clay and organic matter. A table providing average CEC values for different clay minerals is given (Avg. 4 cmol(+)/kg for Kaolinite, Avg. 95 cmol(+)/kg for Smectite, etc.) (see also Slide 8).

2.10.3 Exercise 2

This exercise requires calculating the base saturation of the two soils (Ultisol and Vertisol) based on the CEC values calculated in Exercise 1, using given base cation contents.

Core takeaway: Exercises are presented to estimate CEC based on clay mineral type and organic matter content, and subsequently calculate base saturation, for different tropical soil types. Exam relevance marker: Likely exam-relevant (practical application of CEC and base saturation calculations).

2.11 Fertility Comparison and Tropical Soil Types

2.11.1 Discuss which soil is more fertile and how?

This question prompts a comparison of the fertility of Ultisol and Vertisol, using the following base cation content data:

Table 1.2: Cation content in different soil types

Soil type	K^+ (cmol)	Mg^{2+} (cmol)	Ca^{2+} (cmol)	Na^+ (cmol)
Ultisol	0.08	0.1	0.3	0
Vertisol	2.1	2.4	3.2	0.2

(Table, see slide 11)

2.11.2 Tropical soil types

Soils are classified according to the United States Department of Agriculture (USDA) Soil Taxonomy. The tropical soil types listed are:

- Oxisol (see also Slide 12)
- Ultisol (see also Slide 12)
- Alfisol (see also Slide 12)
- Vertisol (see also Slides 12, 13)
- Andisol (see also Slide 13)
- Aridisol (see also Slide 13)

2.11.3 Oxisols

Oxisols are soils with an oxic horizon, meaning they are highly weathered and dominated by Iron- and Aluminum oxides, with some kaolinite present. They typically have less than 10% weatherable minerals. Oxisols are formed under conditions of intensive weathering and leaching in hot and humid climates.

Core takeaway: This section provides data for comparing soil fertility between Ultisols and Vertisols and introduces the major classifications of tropical soil types, with a detailed description of Oxisols. Exam relevance marker: Likely exam-relevant (characteristics of tropical soil types, comparison of fertility).

2.12 Characteristics of Tropical Soil Orders

2.12.1 Oxisols

Continuing from the previous slide, Oxisols are characterized by:

- Low CEC (see also Slides 4, 5, 7, 8, 10, 15, 17)
- High P fixation (see also Slides 5, 6, 11, 13, 17)
- Low pH

2.12.2 Ultisol

Ultisols possess an argillic horizon (clay accumulation) and are subject to intensive weathering and leaching in hot and humid climates (see also Slides 10, 11). Their characteristics include:

- More weatherable minerals than Oxisols
- Well drained
- Low CEC
- Low level of bases
- High P fixation
- Low pH

2.12.3 Alfisol

Alfisols also feature an argillic horizon (clay accumulation) (see also Slide 5). Key attributes are:

- Higher base saturation than Ultisol (see also Slides 5, 9)
- Seasonal moisture deficit
- Transition zone to semi-arid climates

- Medium CEC
- > 35% base saturation
- Medium fertility

2.12.4 Vertisol

Vertisols are distinguished by a high content of expanding clay minerals (see also Slides 10, 11, 13).

Core takeaway: This section details the distinct characteristics, particularly in terms of CEC, P fixation, pH, and base saturation, for Oxisols, Ultisols, and Alfisols, and introduces Vertisols. Exam relevance marker: Likely exam-relevant (comparative characteristics of different tropical soil orders).

2.13 Further Characteristics of Tropical Soil Orders

2.13.1 Vertisols

Continuing the description, Vertisols are typically:

- Formed from highly basic rocks and in climates that are seasonally humid
- Sticky when wet
- Hard when dry
- Neutral – alkaline pH
- Medium – high content of basic cations (see also Slides 5, 7, 9, 11)
- High fertility (see also Slides 5, 11, 12, 15, 16, 17)

2.13.2 Andisol

Andisols are:

- Young soils developed from volcanic material
- High contents of organic matter (see also Slides 3, 14, 15, 16, 17)
- High content of basic cations
- High fertility
- High P fixation

2.13.3 Aridisols

Aridisols are:

- Found under arid soil moisture regimes (i.e., in dry areas)
- Typically sandy
- Too dry for crop production unless irrigated
- Often used for grazing
- Low content of organic matter

Core takeaway: This section completes the overview of tropical soil orders, highlighting the high fertility of Vertisols and Andisols due to their unique properties, and the challenges associated with Aridisols in dry regions. Exam relevance marker: Likely exam-relevant (characteristics of Vertisols, Andisols, and Aridisols).

2.14 Soil Organic Matter and Carbon Cycling

2.14.1 Soil organic matter and fertility

Soil organic matter largely comprises fresh and partly decomposed plant residues, with a smaller fraction consisting of living soil microbial biomass (see also Slides 3, 15, 16). Figure: A diagram illustrates the flow of carbon in the soil-atmosphere system (see slide 14). Atmospheric carbon is fixed through photosynthesis. Carbon is lost to the atmosphere through respiration. Organic carbon enters the soil via above- and below-ground litter. Some carbon transforms into soil organic carbon, while some is lost to the atmosphere through soil respiration.

Core takeaway: Soil organic matter is critical for fertility, composed mainly of plant residues and microbial biomass, and plays a central role in the global carbon cycle. Exam relevance marker: Likely exam-relevant (composition of SOM, basic carbon cycle).

2.15 Factors Affecting Soil Organic Matter and Importance in Tropics

2.15.1 Soil organic matter and fertility

2.15.1.1 Inputs:

Factors contributing to soil organic matter include:

- Crop/vegetation
- Farming practice/residue use
- Manure applications

2.15.1.2 Outputs:

Factors influencing the loss or transformation of soil organic matter include:

- Climate (temperature, precipitation)
- Soil properties (texture, mineralogy, stabilization, pH, etc.)
- Biological factors (decomposer organisms, etc.)
- Chemical factors (quality of residue, etc.)
- Soil management (tillage, drainage, etc.)

2.15.2 Soil organic matter in tropical soils – why bother?

Soil organic matter is particularly important in tropical soils because:

- These soils are often weathered and low in nutrients
- They frequently contain clay types with low CEC
- They are erodible
- They experience high intensity rainfall events
- There is serious water deficiency in semi-arid and arid tropics

Core takeaway: Soil organic matter levels are a balance of inputs and outputs influenced by climate, soil properties, biological and chemical factors, and management. Its importance is amplified in tropical soils due to inherent challenges like low nutrient content and erodibility. Exam relevance marker: Likely exam-relevant (factors influencing SOM, reasons for SOM importance in tropics).

2.16 Soil Organic Carbon (SOC) and Soil Health

2.16.1 Soil organic matter in tropical soils – why bother?

Tropical soils have been most depleted, yet their productivity must be increased to meet the demands of a growing population (see also Slide 15).

2.16.2 SOC is an important indicator of soil health

2.16.2.1 Soil Organic Carbon

Management options to increase soil organic matter (SOM) / soil organic carbon (SOC) include:

- Tillage
- Crop rotations
- Perennials
- Root system
- Cover crops
- Crop residues
- Animal manure
- Biochar

SOC influences soil health through its Physical, Chemical, and Biological impacts:

- Physical: Aggregate stability, improved soil structure, improved soil porosity, bulk density, water holding capacity
- Chemical: Cation Exchange Capacity (CEC), soil pH, binds heavy metal (see also Slides 4, 5, 7, 8, 9, 10, 12, 15, 17)
- Biological: Earthworms, soil microorganisms, soil ecosystem

Core takeaway: SOC is a crucial indicator of soil health, with various management practices available to increase it, leading to significant physical, chemical, and biological benefits in the soil. Exam relevance marker: Likely exam-relevant (importance of SOC, management options, benefits of SOC).

2.17 Strategies for Enhancing Soil Fertility and Carbon Pool

2.17.1 Reduction of P fixation

Figure: Chemical structure showing $CO - O^-$ and Al_3^+ (see slide 17). This illustrates how organic matter can chelate aluminum, thereby reducing P fixation (see also Slides 5, 6, 11, 12, 13).

2.17.2 Reduction of Al toxicity

Figure: Chemical structure showing $CO - O^-$ and Al_3^+ (see slide 17). Organic matter also helps in the reduction of Al toxicity.

2.17.3 Improve soil structure

Figure: Diagram showing how organic material and clay contribute to soil structure (see slide 17).

2.17.4 Strategies for Enhancing the Soil Carbon Pool

The management options to increase Soil Organic Matter (SOM) listed are:

- Tillage
- Crop rotations
- Perennials
- Root system
- Cover crops
- Crop residues
- Animal manure
- Biochar

2.17.5 Theoretical exercise: How to increase soil fertility of degraded soils?

This exercise involves discussing possible ways to improve the fertility of degraded soils in groups (see also Slide 18). Group inputs count as the deliverable.

Core takeaway: Enhancing the soil carbon pool through various management strategies directly improves soil fertility by reducing P fixation and Al toxicity, and improving soil structure. Exam relevance marker: Likely exam-relevant (benefits of SOM, management strategies).

Chapter 2

Lecture Exercises

1 Lecture 02 - TE_02

How to increase soil fertility of degraded soils?

- In this exercise we will discuss possible ways to improve the fertility of degraded soils. We discuss different options in groups. After the group discussions we will discuss in plenum.
- Your inputs for the discussion counts as the deliverable of the exercise.
- Potential Management Options to increase Soil Organic Matter (SOM):
 1. Integration of legumes as intercrops or in rotation
 2. Inorganic fertilizer
 3. Manure (livestock)
 4. Green manure, mulching, residue retention
 5. Agroforestry techniques (including fallowing)
 6. No tillage

Questions:

1. What are the benefits of the option?
2. Which problems could (potentially) limit the adoption?
3. What are possible solutions to the problems/limitations?

Question 01

- 1.

Question 02

Question 03

Question 04

Question 05

Question 06

Chapter 3

Exam Questions and Answers

This chapter of the course notes compiles the exam questions for the course held in November 2025, along with their respective answers prepared by me. The purpose of this section is twofold: firstly, to provide a reflective exercise that consolidates understanding of the course material; and secondly, to document my comprehension of the course topics as assessed through the exam questions.

To ensure citation accuracy and academic transparency, NotebookLM has been employed as the primary generative AI platform. Its use has focused on verifying that all citations accurately reference the uploaded course materials and lecture slides provided by the professors. Beyond citation control, this section also represents an ongoing exploration of prompt engineering — refining interaction design to optimise AI output quality, precision, and academic reliability. Through this approach, the work aims to maintain a high academic standard while enhancing clarity, structure, and depth in written responses.

There are a total of 17 questions in the exam, each comprising between three and five sub-questions. The numbering of the sections in this chapter corresponds directly to the numbering of the exam questions, ensuring a clear and consistent structure throughout. Questions 1-9 address aspects related to crop physiology, while questions 10-17 focus on fruit quality, maturity, and usability. Each question is presented below, followed by its respective sub-questions and answers.

Questions within: Crop Physiology aspects

1 Yield and quality determinants and components

Shoot and bud development, growth and flower bud development

- 1.1 Characterise the development and importance of spurs and extension (long) shoots**
- 1.2 Describe differences in bud development and structure between stone and pome fruits**
- 1.3 Describe some important yield components in strawberry and in sour cherry**
- 1.4 Describe some conditions which may affect the development of flower buds negatively**

2 Yield and quality determinants and components

Flowers, pollination and fruit set (sterility and fertility)

- 2.1 Describe important factors determining fruit set?**
- 2.2 What is the importance of EPP?**
- 2.3 What are important quality parameters for pollen and flowers?**
- 2.4 Why and how do we use pollinators?**
- 2.5 Are insects (fx bees) needed in pollination of self-pollinating crops?**

3 Fruit development

Fruit development of small and large fruited species

- 3.1 Describe the general developmental phases in fruit development**
- 3.2 Which sugars and acids are important in fruit development and how do they develop during fruit development? Example of species differences.**
- 3.3 Which sugars are transported in the plant?**
- 3.4 What is the role of starch in the carbon balance of an apple tree and an apple fruit?**

4 Light use, vigor control and canopy management

Canopy management (pruning, growing systems, light use)

- 4.1 Why do we manipulate the canopy structure in most fruit crops?**
- 4.2 Describe the pruning response during the year. Why do we get differences in the growth response to pruning?**
- 4.3 How does pruning affect fruit development and quality? (direct and indirect)**
- 4.4 Characterise important factors (except from time in the year), which may influence the growth response to pruning?**

5 Crop load and canopy management

Carbon allocation (source-sink, fruit/leaf)

- 5.1 How does a high fruit load influence photosynthesis and transpiration?**
- 5.2 Explain the concept of source strength and sink strength**
- 5.3 How do source-sink relationships develop during the season in an apple tree?**
- 5.4 Why may some leaves be more important than others for fruit development?**
- 5.5 Why do premature fruit drop occur?**

6 Crop load management, fruit quality and vigor control

Thinning of fruits, how, why, when and effects

- 6.1 Give an example of a crop in which crop load has a strong impact on fruit development - and one where it does not.**
- 6.2 Characterize the effects of fruit thinning on growth and development**
- 6.3 When is it most optimal to perform fruit thinning? Why?**
- 6.4 Explain why the optimal thinning strategy may dependent on the end use of the fruits.**
- 6.5 Why do we not want fruits on a young tree the first year(s) after planting?**

7 Preharvest factor management and quality

Use and management of nutrients

- 7.1 Characterise the differences in nutrient requirements of a vegetative growing and a fruiting plant?**
- 7.2 Calcium is important for fruit quality. Why? - And why is the level of calcium low in many fruits, especially big fruits?**
- 7.3 When and why are fertilizers often sprayed on the leaves and fruits in the production of apples?**
- 7.4 Characterize the importance of potassium for fruit development**

8 Preharvest factor management and quality

Effects of nutrients on yield and quality

- 8.1 Describe the effects of nitrogen status on plant development**
- 8.2 In which ways do nitrogen levels influence the yield components?**
- 8.3 Impacts of nitrogen levels on fruit quality?**

9 Preharvest factor management and quality

Effects of stresses on yield and quality

- 9.1 Describe the effects of stresses of nutrients and water on fruit development and quality.**
- 9.2 Why are deficiency symptoms by some nutrients seen in the young leaves and by others in the old?**
- 9.3 Describe how water stress can be used as a tool for growth control.**

Questions within: Fruit quality, maturity and usability aspects

10 Fruit development

Influencing factors

- 10.1 Describe some important factors for optimal fruit development in small and large fruited species. Are there differences?**
- 10.2 What would you do to optimize fruit development and fruit quality in an apple crop?**
- 10.3 What is important for fruit development and quality in raspberry and strawberry?**

11 Fruit maturity, harvest and quality assessment

Maturity measures, Harvest time and methods

- 11.1 How would you determine the optimal harvest time in apple?**
- 11.2 Describe the problems and quality effects you might get, if you harvest either too early or too late.**
- 11.3 Hand picking vs mechanical harvest - problems and benefits?**
- 11.4 What are the main reasons for post harvest losses and what may be done to minimize it?**

12 Fruit maturity, cultivar variations and important quality parameters

Aromas in fruits and effects on aroma development

12.1 When do aromas develop in fruits?

12.2 Characterise some important aroma substances and changes in aroma with maturity

12.3 Characterize the importance of harvest time on aroma development

12.4 What might affect aroma development pre and post harvest?

13 Fruit maturity, cultivar variations and important quality parameters

Colors in fruit and berries and effects on colour development

13.1 Characterise some important colour substances in fruits and berries

13.2 How does colour change with maturity?

13.3 What might affect colour development pre and post harvest?

13.4 What is the mechanism behind the occurrence of red clones in fruit cultivars (fx apples, pears and grapes)?

14 Cultivar variations and important quality parameters (fresh use and juice)

Cultivar characterization and uses. Fruit composition and human health

- 14.1** Characterise some of the most important (internal and external) quality characters, which may vary among cultivars in a fruit crop. (Ex strawberries or apple)
- 14.2** Which compounds are considered especially important in fruit and berries for human health and where are they located?
- 14.3** Which species are believed to be especially healthy to eat? Comment on the consumption of raw or processed fruits and berries.

15 Cultivar variations and important quality parameters (fresh use and juice)

Juice processing and juice quality

- 15.1** How does the level of fruit ripening impact on juice processing and juice quality?
- 15.2** Which enzymes may be used in juice processing and why?
- 15.3** Comment on the effects of different juice processing steps on juice quality.
- 15.4** Why are juices pasteurised, and what are important factors for a successful pasteurisation?

16 Potentials for producing fruit and berry wines

Challenges and opportunities

- 16.1 Comment on the challenges and potentials in making fruit wine from different fruit and berries**
- 16.2 High levels of acidity may be a problem. How may it be handled?**
- 16.3 Characteristics of so called ‘cider apple cultivars’**
- 16.4 Comment on the importance of ripening levels of fruit and berries for wine making**
- 16.5 Characterize the process of cryo-concentration and the impacts on the juice quality and the potential for wine style development**

17 Domestication of wild berries

Challenges and opportunities

- 17.1 Why may wild berries be attractive to domesticate?**
- 17.2 Comment on some major challenges/barriers.**
- 17.3 Describe important yield and quality components in wild/European blueberries.**
- 17.4 Blueberries are one of few fruiting plants adapted to low pH soils. Comment on the challenges it causes in growing the plants.**
- 17.5 Comment on the importance/impacts of propagation method in European blueberries. European blueberries.**

Chapter 4

Abbreviations and Explanations

Topic	Abb.	Description
Leaching	n.a.	<i>leaching refers to the process by which substances, such as ions, minerals, or nutrients, are removed or lost from the soil. This often occurs due to water penetrating the soil and displacing these substances</i>

Appendices

1 Appendix 1 - Practical Exercise 01

PE1: Tropical Crop products

Group n. 01

Group members:

- Lucas Daniel Paz Zuleta, TZS159

Photo of your culinary preparation



List the tropical products used:

White rice, Pequi, Okra, Black beans, lentils, Cassava, salad (mix; rocula, spinach), Assorted Cherry tomatoes, Pineapple, Lentils, Olive oil, Palm hearts, and Jílo.

Discuss the potential macro nutrients composition of your dish (Use chatgpt):

Potential Macronutrient Composition of the Dish

- **Carbohydrates:**

White rice, cassava, lentils, and black beans are major carbohydrate sources, providing both starch and dietary fibre. Pequi and pineapple add natural sugars. Okra, cherry tomatoes, salad greens, palm hearts, and jiló contribute smaller amounts of carbohydrates, mainly fibre.

- **Proteins:**

Black beans and lentils are the primary plant-based protein sources. Spinach, arugula, and other salad vegetables contribute minor amounts of protein.

- **Fats:**

Olive oil and pequi are the main fat sources. Pequi contains monounsaturated fats, while olive oil contributes healthy unsaturated fats. Small contributions may also come from palm hearts.

- **Fibre:**

High levels of dietary fibre come from legumes (black beans, lentils), okra, cassava, salad greens, cherry tomatoes, jiló, and pineapple. Okra in particular also adds soluble fibre (mucilage).

This dish is **balanced**:

- **Carbohydrates** from rice, cassava, and legumes.
- **Proteins** mainly from legumes.
- **Fats** from olive oil and pequi.
- **Fibre and micronutrients** from vegetables, fruits, and jiló

[H]