
- State and explain 'parallel axis theorem'. (e)
- Explain the stress-strain diagram for a ductile material.
- (g) Explain 'Hooke's law'.
- State and explain parallelogram law of forces. E

### SECTION-B

- $2 \times 6 = 12$ Attempt any two parts of the following: 7
- Two blocks A and B are resting against the wall and floor as shown in the figure-2(a). Find minimum value of P that will hold the system in equilibrium. Take  $\mu = 0.25$  at the floor,  $\mu = 0.3$ at the wall and  $\mu = 0.2$  between the blocks. (a)



# B. Tech. Examination 2022-23

# (Odd Semester)

# ENGINEERING MECHANICS

Time: Three Hours

[Maximum Marks: 60


Nore: - Attempt all questions.

## SECTION-A

Attempt all parts of the following:

 $8 \times 1 = 8$ 

- Differentiate between static and dynamic friction. (a)
- Explain briefly statically determinate beams.
- Define a plane frame and a perfect frame. 3
- Explain the perpendicular axis thecorem. (g



- 0 axis theorem. Define moment of inertia and also prove parallel
- (a) Draw the stress-strain diagram of ductile material with proper explanation.
- 9 Calculate the strain energy stored in a 3-m long bar of 50 mm side square cross-section, if it is subjected to a load of 50 kN. Take E = 200 GPa.
- 0 An alluminium rod of length 1200 mm and cross-section area 400 mm² clongate by 1.5 mm when subjected to an axial pull of 35 kN. Determine the modulus elasticity for aluminium. is is found to

RHH






diagram for a cantilever of span 4m carrying a Draw the shear force and bending moment uniformly distributed load of 2 kN/m over the entire span.



- 0 truss. Define truss and also write the assumptions in
- 5 (a) Write the D'Alembert's principle with proper explanation.
- 3 The cross section of a machine part is shown in radius of gyration about the horizontal centroidal figure (vi). Determine its moment of inertia and

çs, a slip. The floor and the ladder is 0.3 d it can be placed from the smooth wall and not length of 3m. Determine the maximum distance A uniform ladder has a mass of 200 N and a coefficient of friction between the



- 9 Drive the relation  $T_2/T_1$ on the tight and slack sides of the belt passing over a pulley with friction.  $=e^{\mu\beta}$ for the tension
- 0 What is principle of transmissibility of a moments. force? Also state the Varignon's theorem of


a

4. (a) member of the truss. Determine the force loads are shown acting on joints A plane truss is shown in figure (v). Two 5 kN transmitted and E. each

9

3

(b) Draw the shear force and bending moment diagram for the beam loaded as shown in figure (ii):



(c) Show that the moment of inertia of a triangular section about its base is equal to bh<sup>3</sup>/12, where b and h are base and height of the triangular section respectively.

0

(d) A steelbar subjected to loads as shown in figure (iii). Determine the change in length of the bar ABCD of 10 cm diameter.

 $E = 180 \text{ kN/mm}^2$ .



#### SECTION-C

Attempt all questions. Attempt any two parts 5×8=40 from each question. Note :-

[P. T. O.

BME 3201

Define force, momentum and impulse.

Write the relation between modulus of elasticity (8)

and modulus of rigidity.

Define Poisson's ratio.


3

### SECTION-B

 $2 \times 6 = 12$ Attempt any two parts of the following:

(a)

Also find the force exerted by each sphere on as shown in figure (i). Find the three reactions from the sides of channel which are all smooth. Two smooth spheres each of weight W and each of radius 'r' are in equilibrium in a horizontal channel of width 'b' (b < 4r) amd vertical sides the other.



# B. Tech. Examination 2022-23

(Even Semester)

# ENGINEERING MECHANICS

Time: Three Hours

[Maximum Marks: 60

Note: - Attempt all questions.

## SECTION-A


Attempt all parts of the following:

- What do you mean by resolution of a force? (a)
- Define limiting friction.
- Define shear force and bending moment. (P)

3

- What relationship exists between the number of joints J and number of member M in a simple 9
- Define centroid of an area. ©

- material. Explain the salient points on it. What is the area under the stress-strain curve Draw the stress-strain diagram for called? (P)
- Determine the polar moment of inertia about centroidal axes of the I-section shown in figure 6(c). Also determine the radii of gyration with respect to x-x and y-y axis:



\*\*\*