

Step-1

$$A = \begin{bmatrix} a_{11} & a_{12} & - & - & a_{1n} \\ a_{21} & a_{22} & - & - & a_{2n} \\ - & - & - & - & - \\ - & - & - & - & - \\ a_{m1} & a_{m2} & - & - & a_{mn} \end{bmatrix}_{m \times n} \text{ and } B = \begin{bmatrix} b_{11} & b_{12} & - & - & b_{1k} \\ b_{21} & b_{22} & - & - & b_{2k} \\ - & - & - & - & - \\ - & - & - & - & - \\ b_{n1} & b_{n2} & - & - & b_{nk} \end{bmatrix}_{n \times k}$$

Suppose are non zero matrices such that $AB = \mathbf{0}$

This can conveniently be written as $A[b_1 \ b_2 \ - \ - \ b_k] = [0 \ 0 \ - \ - \ 0]$ where each b_i denotes the column of the matrix B . $1 \leq i \leq k$

$$\text{Or, } [Ab_1 \ Ab_2 \ - \ - \ Ab_k] = [0 \ 0 \ - \ - \ 0]$$

$$\text{Or, } Ab_i = 0, 1 \leq i \leq k \quad \hat{a} \in \hat{a} \in (1)$$

Step-2

On the other hand, if $Ax = 0$ for any column x , then we say that x is in the null space of A .

Using this property on (1), we say that the columns of B are in the null space of A .

In other words, the column space of B is a subspace of the null space of A . $\hat{a} \in \hat{a} \in (2)$

Step-3

The equation $AB = 0$ can otherwise be written as

$$\begin{bmatrix} a_1 \\ a_2 \\ - \\ - \\ a_m \end{bmatrix} B = \begin{bmatrix} 0 \\ 0 \\ - \\ - \\ 0 \end{bmatrix}$$

In other words, $a_j B = 0, 1 \leq j \leq m$, a_j is the j^{th} row of the matrix A .

That is the j^{th} row of A multiplied with every column of B gives the zero row.

In other words, every row of A is in the left null space of B

That is the row space of A is in the left null space of B .