

This key should allow you to understand why you choose the option you did (beyond just getting a question right or wrong). More instructions on how to use this key can be found [here](#).

If you have a suggestion to make the keys better, please fill out the short survey [here](#).

*Note: This key is auto-generated and may contain issues and/or errors. The keys are reviewed after each exam to ensure grading is done accurately. If there are issues (like duplicate options), they are noted in the offline gradebook. The keys are a work-in-progress to give students as many resources to improve as possible.*

1. Solve the linear inequality below. Then, choose the constant and interval combination that describes the solution set.

$$-8x - 3 < 3x + 6$$

The solution is  $(-0.818, \infty)$ , which is option D.

- A.  $(-\infty, a)$ , where  $a \in [-1.9, 0.2]$

$(-\infty, -0.818)$ , which corresponds to switching the direction of the interval. You likely did this if you did not flip the inequality when dividing by a negative!

- B.  $(a, \infty)$ , where  $a \in [0.5, 1]$

$(0.818, \infty)$ , which corresponds to negating the endpoint of the solution.

- C.  $(-\infty, a)$ , where  $a \in [-0.1, 1.8]$

$(-\infty, 0.818)$ , which corresponds to switching the direction of the interval AND negating the endpoint. You likely did this if you did not flip the inequality when dividing by a negative as well as not moving values over to a side properly.

- D.  $(a, \infty)$ , where  $a \in [-1, -0.5]$

\*  $(-0.818, \infty)$ , which is the correct option.

- E. None of the above.

You may have chosen this if you thought the inequality did not match the ends of the intervals.

**General Comment:** Remember that less/greater than or equal to includes the endpoint, while less/greater do not. Also, remember that you need to flip the inequality when you multiply or divide by a negative.

2. Using an interval or intervals, describe all the  $x$ -values within or including a distance of the given values.

No less than 10 units from the number  $-9$ .

The solution is  $(-\infty, -19] \cup [1, \infty)$ , which is option D.

- A.  $[-19, 1]$

This describes the values no more than 10 from  $-9$

- B.  $(-19, 1)$

This describes the values less than 10 from  $-9$

- C.  $(-\infty, -19) \cup (1, \infty)$

This describes the values more than 10 from  $-9$

- D.  $(-\infty, -19] \cup [1, \infty)$

This describes the values no less than 10 from  $-9$

E. None of the above

You likely thought the values in the interval were not correct.

**General Comment:** When thinking about this language, it helps to draw a number line and try points.

---

3. Solve the linear inequality below. Then, choose the constant and interval combination that describes the solution set.

$$-8 + 9x > 11x \text{ or } -5 + 4x < 7x$$

The solution is  $(-\infty, -4.0)$  or  $(-1.667, \infty)$ , which is option C.

A.  $(-\infty, a) \cup (b, \infty)$ , where  $a \in [-2.33, 2.67]$  and  $b \in [1, 9]$

Corresponds to inverting the inequality and negating the solution.

B.  $(-\infty, a] \cup [b, \infty)$ , where  $a \in [-4, -3]$  and  $b \in [-3.67, 3.33]$

Corresponds to including the endpoints (when they should be excluded).

C.  $(-\infty, a) \cup (b, \infty)$ , where  $a \in [-5, -1]$  and  $b \in [-4.67, 0.33]$

\* Correct option.

D.  $(-\infty, a] \cup [b, \infty)$ , where  $a \in [-1.33, 7.67]$  and  $b \in [4, 5]$

Corresponds to including the endpoints AND negating.

E.  $(-\infty, \infty)$

Corresponds to the variable canceling, which does not happen in this instance.

**General Comment:** When multiplying or dividing by a negative, flip the sign.

---

4. Solve the linear inequality below. Then, choose the constant and interval combination that describes the solution set.

$$-7x + 10 > 7x + 7$$

The solution is  $(-\infty, 0.214)$ , which is option B.

A.  $(a, \infty)$ , where  $a \in [-0.12, 0.92]$

$(0.214, \infty)$ , which corresponds to switching the direction of the interval. You likely did this if you did not flip the inequality when dividing by a negative!

B.  $(-\infty, a)$ , where  $a \in [-0.01, 0.24]$

\*  $(-\infty, 0.214)$ , which is the correct option.

C.  $(-\infty, a)$ , where  $a \in [-0.23, -0.09]$

$(-\infty, -0.214)$ , which corresponds to negating the endpoint of the solution.

D.  $(a, \infty)$ , where  $a \in [-1.35, 0.19]$

$(-0.214, \infty)$ , which corresponds to switching the direction of the interval AND negating the endpoint. You likely did this if you did not flip the inequality when dividing by a negative as well as not moving values over to a side properly.

E. None of the above.

You may have chosen this if you thought the inequality did not match the ends of the intervals.

**General Comment:** Remember that less/greater than or equal to includes the endpoint, while less/greater do not. Also, remember that you need to flip the inequality when you multiply or divide by a negative.

---

5. Using an interval or intervals, describe all the  $x$ -values within or including a distance of the given values.

Less than 4 units from the number  $-6$ .

The solution is  $(-10, -2)$ , which is option B.

- A.  $[-10, -2]$

This describes the values no more than 4 from  $-6$

- B.  $(-10, -2)$

This describes the values less than 4 from  $-6$

- C.  $(-\infty, -10] \cup [-2, \infty)$

This describes the values no less than 4 from  $-6$

- D.  $(-\infty, -10) \cup (-2, \infty)$

This describes the values more than 4 from  $-6$

- E. None of the above

You likely thought the values in the interval were not correct.

**General Comment:** When thinking about this language, it helps to draw a number line and try points.

---

6. Solve the linear inequality below. Then, choose the constant and interval combination that describes the solution set.

$$\frac{3}{9} - \frac{4}{3}x < \frac{4}{4}x - \frac{8}{2}$$

The solution is  $(1.857, \infty)$ , which is option C.

- A.  $(-\infty, a)$ , where  $a \in [-1.86, -0.86]$

$(-\infty, -1.857)$ , which corresponds to switching the direction of the interval AND negating the endpoint. You likely did this if you did not flip the inequality when dividing by a negative as well as not moving values over to a side properly.

- B.  $(a, \infty)$ , where  $a \in [-2.86, 1.14]$

$(-1.857, \infty)$ , which corresponds to negating the endpoint of the solution.

- C.  $(a, \infty)$ , where  $a \in [0.86, 4.86]$

\*  $(1.857, \infty)$ , which is the correct option.

- D.  $(-\infty, a)$ , where  $a \in [0.86, 4.86]$

$(-\infty, 1.857)$ , which corresponds to switching the direction of the interval. You likely did this if you did not flip the inequality when dividing by a negative!

- E. None of the above.

You may have chosen this if you thought the inequality did not match the ends of the intervals.

**General Comment:** Remember that less/greater than or equal to includes the endpoint, while less/greater do not. Also, remember that you need to flip the inequality when you multiply or divide by a negative.

---

7. Solve the linear inequality below. Then, choose the constant and interval combination that describes the solution set.

$$-6 + 9x \leq \frac{59x + 7}{6} < 3 + 9x$$

The solution is  $[-8.60, 2.20]$ , which is option C.

- A.  $(a, b]$ , where  $a \in [-11.6, -7.6]$  and  $b \in [0.2, 8.2]$

$(-8.60, 2.20]$ , which corresponds to flipping the inequality.

- B.  $(-\infty, a) \cup (b, \infty)$ , where  $a \in [-10.6, -7.6]$  and  $b \in [2.2, 3.2]$

$(-\infty, -8.60) \cup [2.20, \infty)$ , which corresponds to displaying the and-inequality as an or-inequality AND flipping the inequality.

- C.  $[a, b]$ , where  $a \in [-9.6, -6.6]$  and  $b \in [1.2, 3.2]$

$[-8.60, 2.20]$ , which is the correct option.

- D.  $(-\infty, a] \cup (b, \infty)$ , where  $a \in [-11.6, -5.6]$  and  $b \in [2.2, 4.2]$

$(-\infty, -8.60] \cup (2.20, \infty)$ , which corresponds to displaying the and-inequality as an or-inequality.

- E. None of the above.

**General Comment:** To solve, you will need to break up the compound inequality into two inequalities. Be sure to keep track of the inequality! It may be best to draw a number line and graph your solution.

---

8. Solve the linear inequality below. Then, choose the constant and interval combination that describes the solution set.

$$9 - 6x \leq \frac{15x - 7}{3} < 6 + 4x$$

The solution is  $[1.03, 8.33]$ , which is option A.

- A.  $[a, b]$ , where  $a \in [0.7, 2.3]$  and  $b \in [4.33, 10.33]$

$[1.03, 8.33]$ , which is the correct option.

- B.  $(a, b]$ , where  $a \in [0.03, 4.03]$  and  $b \in [5.33, 16.33]$

$(1.03, 8.33]$ , which corresponds to flipping the inequality.

- C.  $(-\infty, a] \cup (b, \infty)$ , where  $a \in [0.8, 3.9]$  and  $b \in [8.33, 9.33]$

$(-\infty, 1.03] \cup (8.33, \infty)$ , which corresponds to displaying the and-inequality as an or-inequality.

- D.  $(-\infty, a) \cup [b, \infty)$ , where  $a \in [1.03, 5.03]$  and  $b \in [8.33, 13.33]$

$(-\infty, 1.03) \cup [8.33, \infty)$ , which corresponds to displaying the and-inequality as an or-inequality AND flipping the inequality.

- E. None of the above.

**General Comment:** To solve, you will need to break up the compound inequality into two inequalities. Be sure to keep track of the inequality! It may be best to draw a number line and graph your solution.

---

9. Solve the linear inequality below. Then, choose the constant and interval combination that describes the solution set.

$$-7 + 5x > 8x \text{ or } 4 + 8x < 11x$$

The solution is  $(-\infty, -2.333)$  or  $(1.333, \infty)$ , which is option B.

- A.  $(-\infty, a] \cup [b, \infty)$ , where  $a \in [-1.5, 1.7]$  and  $b \in [1.55, 3.25]$

Corresponds to including the endpoints AND negating.

- B.  $(-\infty, a) \cup (b, \infty)$ , where  $a \in [-4.2, -2]$  and  $b \in [-0.37, 1.58]$

\* Correct option.

- C.  $(-\infty, a) \cup (b, \infty)$ , where  $a \in [-1.6, -0.8]$  and  $b \in [1.68, 2.63]$

Corresponds to inverting the inequality and negating the solution.

- D.  $(-\infty, a] \cup [b, \infty)$ , where  $a \in [-2.7, -2.1]$  and  $b \in [0.25, 1.64]$

Corresponds to including the endpoints (when they should be excluded).

- E.  $(-\infty, \infty)$

Corresponds to the variable canceling, which does not happen in this instance.

**General Comment:** When multiplying or dividing by a negative, flip the sign.

---

10. Solve the linear inequality below. Then, choose the constant and interval combination that describes the solution set.

$$\frac{-7}{5} + \frac{4}{7}x \leq \frac{10}{9}x - \frac{10}{3}$$

The solution is  $[3.582, \infty)$ , which is option C.

- A.  $(-\infty, a]$ , where  $a \in [-4.58, -2.58]$

$(-\infty, -3.582]$ , which corresponds to switching the direction of the interval AND negating the endpoint. You likely did this if you did not flip the inequality when dividing by a negative as well as not moving values over to a side properly.

- B.  $(-\infty, a]$ , where  $a \in [-0.42, 5.58]$

$(-\infty, 3.582]$ , which corresponds to switching the direction of the interval. You likely did this if you did not flip the inequality when dividing by a negative!

- C.  $[a, \infty)$ , where  $a \in [-0.42, 7.58]$

\*  $[3.582, \infty)$ , which is the correct option.

- D.  $[a, \infty)$ , where  $a \in [-6.58, 1.42]$

$[-3.582, \infty)$ , which corresponds to negating the endpoint of the solution.

- E. None of the above.

You may have chosen this if you thought the inequality did not match the ends of the intervals.

**General Comment:** Remember that less/greater than or equal to includes the endpoint, while less/greater do not. Also, remember that you need to flip the inequality when you multiply or divide by a negative.

---