

This key should allow you to understand why you choose the option you did (beyond just getting a question right or wrong). More instructions on how to use this key can be found [here](#).

If you have a suggestion to make the keys better, please fill out the short survey [here](#).

*Note: This key is auto-generated and may contain issues and/or errors. The keys are reviewed after each exam to ensure grading is done accurately. If there are issues (like duplicate options), they are noted in the offline gradebook. The keys are a work-in-progress to give students as many resources to improve as possible.*

1. Solve the linear inequality below. Then, choose the constant and interval combination that describes the solution set.

$$-9 + 6x > 7x \text{ or } -8 + 3x < 5x$$

The solution is  $(-\infty, -9.0)$  or  $(-4.0, \infty)$ , which is option B.

- A.  $(-\infty, a] \cup [b, \infty)$ , where  $a \in [-14, -6]$  and  $b \in [-4, -3]$

Corresponds to including the endpoints (when they should be excluded).

- B.  $(-\infty, a) \cup (b, \infty)$ , where  $a \in [-10, -5]$  and  $b \in [-4, -2]$

\* Correct option.

- C.  $(-\infty, a] \cup [b, \infty)$ , where  $a \in [3, 6]$  and  $b \in [9, 13]$

Corresponds to including the endpoints AND negating.

- D.  $(-\infty, a) \cup (b, \infty)$ , where  $a \in [4, 6]$  and  $b \in [7, 13]$

Corresponds to inverting the inequality and negating the solution.

- E.  $(-\infty, \infty)$

Corresponds to the variable canceling, which does not happen in this instance.

**General Comment:** When multiplying or dividing by a negative, flip the sign.

2. Using an interval or intervals, describe all the  $x$ -values within or including a distance of the given values.

No less than 7 units from the number 1.

The solution is None of the above, which is option E.

- A.  $(-\infty, 6) \cup (8, \infty)$

This describes the values more than 1 from 7

- B.  $(6, 8)$

This describes the values less than 1 from 7

- C.  $(-\infty, 6] \cup [8, \infty)$

This describes the values no less than 1 from 7

- D.  $[6, 8]$

This describes the values no more than 1 from 7

- E. None of the above

Options A-D described the values [more/less than] 1 units from 7, which is the reverse of what the question asked.

**General Comment:** When thinking about this language, it helps to draw a number line and try points.

---

3. Using an interval or intervals, describe all the  $x$ -values within or including a distance of the given values.

Less than 2 units from the number 10.

The solution is  $(8, 12)$ , which is option C.

- A.  $(-\infty, 8) \cup (12, \infty)$

This describes the values more than 2 from 10

- B.  $[8, 12]$

This describes the values no more than 2 from 10

- C.  $(8, 12)$

This describes the values less than 2 from 10

- D.  $(-\infty, 8] \cup [12, \infty)$

This describes the values no less than 2 from 10

- E. None of the above

You likely thought the values in the interval were not correct.

**General Comment:** When thinking about this language, it helps to draw a number line and try points.

---

4. Solve the linear inequality below. Then, choose the constant and interval combination that describes the solution set.

$$-5 - 8x < \frac{-44x - 5}{6} \leq 4 - 8x$$

The solution is  $(-6.25, 7.25]$ , which is option B.

- A.  $(-\infty, a) \cup [b, \infty)$ , where  $a \in [-7.25, -5.25]$  and  $b \in [6.25, 9.25]$

$(-\infty, -6.25) \cup [7.25, \infty)$ , which corresponds to displaying the and-inequality as an or-inequality.

- B.  $(a, b]$ , where  $a \in [-6.25, -5.25]$  and  $b \in [4.25, 12.25]$

\*  $(-6.25, 7.25]$ , which is the correct option.

- C.  $(-\infty, a] \cup (b, \infty)$ , where  $a \in [-8.25, -1.25]$  and  $b \in [5.25, 13.25]$

$(-\infty, -6.25] \cup (7.25, \infty)$ , which corresponds to displaying the and-inequality as an or-inequality AND flipping the inequality.

- D.  $[a, b)$ , where  $a \in [-6.25, -2.25]$  and  $b \in [6.25, 10.25]$

$[-6.25, 7.25)$ , which corresponds to flipping the inequality.

- E. None of the above.

**General Comment:** To solve, you will need to break up the compound inequality into two inequalities. Be sure to keep track of the inequality! It may be best to draw a number line and graph your solution.

---

5. Solve the linear inequality below. Then, choose the constant and interval combination that describes the solution set.

$$\frac{-3}{3} + \frac{6}{4}x > \frac{7}{7}x - \frac{4}{8}$$

The solution is  $(1.0, \infty)$ , which is option D.

- A.  $(-\infty, a)$ , where  $a \in [-0.6, 2.2]$

$(-\infty, 1.0)$ , which corresponds to switching the direction of the interval. You likely did this if you did not flip the inequality when dividing by a negative!

- B.  $(-\infty, a)$ , where  $a \in [-1.5, -0.6]$

$(-\infty, -1.0)$ , which corresponds to switching the direction of the interval AND negating the endpoint. You likely did this if you did not flip the inequality when dividing by a negative as well as not moving values over to a side properly.

- C.  $(a, \infty)$ , where  $a \in [-1.6, -0.3]$

$(-1.0, \infty)$ , which corresponds to negating the endpoint of the solution.

- D.  $(a, \infty)$ , where  $a \in [0.8, 1.9]$

\*  $(1.0, \infty)$ , which is the correct option.

- E. None of the above.

You may have chosen this if you thought the inequality did not match the ends of the intervals.

**General Comment:** Remember that less/greater than or equal to includes the endpoint, while less/greater do not. Also, remember that you need to flip the inequality when you multiply or divide by a negative.

---

6. Solve the linear inequality below. Then, choose the constant and interval combination that describes the solution set.

$$-7 + 8x < \frac{76x - 6}{9} \leq 4 + 7x$$

The solution is  $(-14.25, 3.23]$ , which is option B.

- A.  $(-\infty, a) \cup [b, \infty)$ , where  $a \in [-19.25, -7.25]$  and  $b \in [3.23, 8.23]$

$(-\infty, -14.25) \cup [3.23, \infty)$ , which corresponds to displaying the and-inequality as an or-inequality.

- B.  $[a, b]$ , where  $a \in [-18.25, -12.25]$  and  $b \in [3.23, 5.23]$

\*  $(-14.25, 3.23]$ , which is the correct option.

- C.  $(-\infty, a] \cup (b, \infty)$ , where  $a \in [-14.25, -13.25]$  and  $b \in [2.23, 5.23]$

$(-\infty, -14.25] \cup (3.23, \infty)$ , which corresponds to displaying the and-inequality as an or-inequality AND flipping the inequality.

- D.  $[a, b)$ , where  $a \in [-18.25, -11.25]$  and  $b \in [0.23, 4.23]$

$[-14.25, 3.23)$ , which corresponds to flipping the inequality.

- E. None of the above.

**General Comment:** To solve, you will need to break up the compound inequality into two inequalities. Be sure to keep track of the inequality! It may be best to draw a number line and graph your solution.

---

7. Solve the linear inequality below. Then, choose the constant and interval combination that describes the solution set.

$$\frac{-10}{2} - \frac{6}{8}x \leq \frac{10}{4}x + \frac{8}{3}$$

The solution is  $[-2.359, \infty)$ , which is option B.

- A.  $(-\infty, a]$ , where  $a \in [-0.64, 5.36]$

$(-\infty, 2.359]$ , which corresponds to switching the direction of the interval AND negating the endpoint. You likely did this if you did not flip the inequality when dividing by a negative as well as not moving values over to a side properly.

- B.  $[a, \infty)$ , where  $a \in [-6.36, 0.64]$

\*  $[-2.359, \infty)$ , which is the correct option.

- C.  $[a, \infty)$ , where  $a \in [1.36, 3.36]$

$[2.359, \infty)$ , which corresponds to negating the endpoint of the solution.

- D.  $(-\infty, a]$ , where  $a \in [-5.36, 0.64]$

$(-\infty, -2.359]$ , which corresponds to switching the direction of the interval. You likely did this if you did not flip the inequality when dividing by a negative!

- E. None of the above.

You may have chosen this if you thought the inequality did not match the ends of the intervals.

**General Comment:** Remember that less/greater than or equal to includes the endpoint, while less/greater do not. Also, remember that you need to flip the inequality when you multiply or divide by a negative.

---

8. Solve the linear inequality below. Then, choose the constant and interval combination that describes the solution set.

$$-8 + 8x > 9x \text{ or } -7 - 3x < 4x$$

The solution is  $(-\infty, -8.0)$  or  $(-1.0, \infty)$ , which is option A.

- A.  $(-\infty, a) \cup (b, \infty)$ , where  $a \in [-11, -7]$  and  $b \in [-8, 2]$

\* Correct option.

- B.  $(-\infty, a] \cup [b, \infty)$ , where  $a \in [-11, -6]$  and  $b \in [-1, 1]$

Corresponds to including the endpoints (when they should be excluded).

- C.  $(-\infty, a] \cup [b, \infty)$ , where  $a \in [-1, 2]$  and  $b \in [7, 14]$

Corresponds to including the endpoints AND negating.

- D.  $(-\infty, a) \cup (b, \infty)$ , where  $a \in [-1, 2]$  and  $b \in [6, 14]$

Corresponds to inverting the inequality and negating the solution.

- E.  $(-\infty, \infty)$

Corresponds to the variable canceling, which does not happen in this instance.

**General Comment:** When multiplying or dividing by a negative, flip the sign.

---

9. Solve the linear inequality below. Then, choose the constant and interval combination that describes the solution set.

$$-4x + 9 < 3x - 3$$

The solution is  $(1.714, \infty)$ , which is option C.

- A.  $(-\infty, a)$ , where  $a \in [-1.29, 6.71]$

$(-\infty, 1.714)$ , which corresponds to switching the direction of the interval. You likely did this if you did not flip the inequality when dividing by a negative!

- B.  $(-\infty, a)$ , where  $a \in [-3.71, 1.29]$

$(-\infty, -1.714)$ , which corresponds to switching the direction of the interval AND negating the endpoint. You likely did this if you did not flip the inequality when dividing by a negative as well as not moving values over to a side properly.

- C.  $(a, \infty)$ , where  $a \in [-0.29, 6.71]$

\*  $(1.714, \infty)$ , which is the correct option.

- D.  $(a, \infty)$ , where  $a \in [-2.71, -0.71]$

$(-1.714, \infty)$ , which corresponds to negating the endpoint of the solution.

- E. None of the above.

You may have chosen this if you thought the inequality did not match the ends of the intervals.

**General Comment:** Remember that less/greater than or equal to includes the endpoint, while less/greater do not. Also, remember that you need to flip the inequality when you multiply or divide by a negative.

---

10. Solve the linear inequality below. Then, choose the constant and interval combination that describes the solution set.

$$-5x - 3 \leq 5x + 7$$

The solution is  $[-1.0, \infty)$ , which is option C.

- A.  $(-\infty, a]$ , where  $a \in [-0.1, 1.1]$

$(-\infty, 1.0]$ , which corresponds to switching the direction of the interval AND negating the endpoint. You likely did this if you did not flip the inequality when dividing by a negative as well as not moving values over to a side properly.

- B.  $(-\infty, a]$ , where  $a \in [-4.2, 0.8]$

$(-\infty, -1.0]$ , which corresponds to switching the direction of the interval. You likely did this if you did not flip the inequality when dividing by a negative!

- C.  $[a, \infty)$ , where  $a \in [-1, 0]$

\*  $[-1.0, \infty)$ , which is the correct option.

- D.  $[a, \infty)$ , where  $a \in [1, 2]$

$[1.0, \infty)$ , which corresponds to negating the endpoint of the solution.

- E. None of the above.

You may have chosen this if you thought the inequality did not match the ends of the intervals.

**General Comment:** Remember that less/greater than or equal to includes the endpoint, while less/greater do not. Also, remember that you need to flip the inequality when you multiply or divide by a negative.

---