1. What is the **best** way to describe the domain of the scenario below?

Hannah plans to pay off a no-interest loan from her parents. Her loan balance is \$1,000. She plans to pay \$35 at the end of every week until her balance is \$0. How many weeks will it be until she has paid off her loan?

- A. Subset of the Integers
- B. There is no restricted domain in this scenario
- C. Subset of the Rational numbers
- D. Subset of the Natural numbers
- E. Proper subset of the Real numbers
- 2. A town has an initial population of 80000. The town's population for the next 9 years is provided below. Which type of function would be most appropriate to model the town's population?

Year	1	2	3	4	5	6	7	8	9
Pop	80000	80013	80021	80027	80032	80035	80038	80041	80043

- A. Exponential
- B. Logarithmic
- C. Linear
- D. Non-Linear Power
- E. None of the above
- 3. For the information provided below, construct a linear model that describes her total costs, C, as a function of the number of months, x she is at UF.

Aubrey is a college student going into her first year at UF. She will receive Bright Futures, which covers her tuition plus a \$800 educational expense each year. Before college, Aubrey saved up \$7000. She knows she will need to pay \$1200 in rent a month, \$70 for food a week, and \$64 in other weekly expenses.

9187-5854 Spring 2021

- A. C(x) = 7800
- B. C(x) = 1334x
- C. C(x) = 7800x
- D. C(x) = 1334
- E. None of the above.
- 4. For the information below, construct a linear model that describes the total time T spent on the path in terms of the distance of a particular part of the path if we know that the time spent on each path was equal.

A bicyclist is training for a race on a hilly path. Their bike keeps track of their speed at any time, but not the distance traveled. Their speed traveling up a hill is 6 mph, 11 mph when traveling down a hill, and 8 mph when traveling along a flat portion.

- A. 528.000*D*
- B. 25.000*D*
- C. 0.383*D*
- D. The model can be found with the information provided, but isn't options 1-3
- E. The model cannot be found with the information provided.
- 5. A town has an initial population of 90000. The town's population for the next 9 years is provided below. Which type of function would be most appropriate to model the town's population?

Year	1	2	3	4	5	6	7	8	9
Pop	89800	89200	86800	77200	38800	0	0	0	$\overline{0}$

- A. Non-Linear Power
- B. Exponential
- C. Linear
- D. Logarithmic

E. None of the above

6. For the information provided below, construct a linear model that describes her total budget, B, as a function of the number of months, x she is at UF.

Aubrey is a college student going into her first year at UF. She will receive Bright Futures, which covers her tuition plus a \$1000 educational expense each year. Before college, Aubrey saved up \$11000. She knows she will need to pay \$800 in rent a month, \$50 for food a week, and \$56 in other weekly expenses.

A.
$$B(x) = 11094x$$

B.
$$B(x) = 12000 - 906x$$

C.
$$B(x) = 10776x$$

D.
$$B(x) = 12000 - 1224x$$

- E. None of the above.
- 7. Using the situation below, construct a linear model that describes the cost of the coffee beans C(h) in terms of the weight of the high-quality coffee beans h.

Veronica needs to prepare 110 of blended coffee beans selling for \$6.09 per pound. She has a high-quality bean that sells for \$6.62 a pound and a low-quality bean that sells for \$4.74 a pound.

A.
$$C(h) = 5.68h$$

B.
$$C(h) = 1.88h + 521.40$$

C.
$$C(h) = 6.62h$$

D.
$$C(h) = -1.88h + 728.20$$

E. None of the above.

9187-5854 Spring 2021

8. For the information provided below, construct a linear model that describes the total distance of the path, D, in terms of the time spent on a particular path if we know that the time spent on each path was equal.

A bicyclist is training for a race on a hilly path. Their bike keeps track of their speed at any time, but not the distance traveled. Their speed traveling up a hill is 5 mph, 11 mph when traveling down a hill, and 8 mph when traveling along a flat portion.

- A. 24t
- B. 0.416t
- C. 440t
- D. The model can be found with the information provided, but isn't options 1-3
- E. The model cannot be found with the information provided.
- 9. Using the situation below, construct a linear model that describes the cost of the coffee beans C(h) in terms of the weight of the high-quality coffee beans h.

Veronica needs to prepare 160 of blended coffee beans selling for \$4.55 per pound. She has a high-quality bean that sells for \$5.16 a pound and a low-quality bean that sells for \$2.62 a pound.

A.
$$C(h) = 3.89h$$

B.
$$C(h) = 2.54h + 419.20$$

C.
$$C(h) = 5.16h$$

D.
$$C(h) = -2.54h + 825.60$$

- E. None of the above.
- 10. What is the **best** way to describe the domain of the scenario below?

Fred is a store manager at Publix. The store normally orders two pallets of water bottles a week and sells 1000 bottles per day. However, a hurricane is coming and Fred expects water bottle sales to increase

Progress Quiz 4 Version A

tenfold for three days, then decrease by half of normal sales for four days. How many more pallets of water bottles should Fred order the week before the hurricane?

- A. Subset of the Natural numbers
- B. Subset of the Integers
- C. There is no restricted domain in this scenario
- D. Subset of the Rational numbers
- E. Proper subset of the Real numbers

9187-5854 Spring 2021