

1. Find the inverse of the function below. Then, evaluate the inverse at $x = 9$ and choose the interval that $f^{-1}(9)$ belongs to.

$$f(x) = \ln(x + 2) + 4$$

- A. $f^{-1}(9) \in [135.41, 149.41]$
 - B. $f^{-1}(9) \in [59871.14, 59879.14]$
 - C. $f^{-1}(9) \in [442410.39, 442412.39]$
 - D. $f^{-1}(9) \in [148.41, 154.41]$
 - E. $f^{-1}(9) \in [1096.63, 1103.63]$
-

2. Add the following functions, then choose the domain of the resulting function from the list below.

$$f(x) = 4x^4 + 4x^3 + 3x^2 + x + 5 \text{ and } g(x) = \frac{5}{4x + 25}$$

- A. The domain is all Real numbers except $x = a$, where $a \in [-8.25, -3.25]$
 - B. The domain is all Real numbers less than or equal to $x = a$, where $a \in [-9.4, -0.4]$
 - C. The domain is all Real numbers greater than or equal to $x = a$, where $a \in [-8.6, -4.6]$
 - D. The domain is all Real numbers except $x = a$ and $x = b$, where $a \in [-7.25, -0.25]$ and $b \in [-8.4, -5.4]$
 - E. The domain is all Real numbers.
-

3. Choose the interval below that f composed with g at $x = 1$ is in.

$$f(x) = -2x^3 - 2x^2 + 4x - 1 \text{ and } g(x) = -4x^3 - 1x^2 + 3x$$

- A. $(f \circ g)(1) \in [3.41, 4.26]$
- B. $(f \circ g)(1) \in [-1.1, -0.45]$
- C. $(f \circ g)(1) \in [-0.14, 0.31]$

- D. $(f \circ g)(1) \in [7.8, 8.24]$
- E. It is not possible to compose the two functions.

-
4. Find the inverse of the function below (if it exists). Then, evaluate the inverse at $x = -15$ and choose the interval that $f^{-1}(-15)$ belongs to.

$$f(x) = 2x^2 - 3$$

- A. $f^{-1}(-15) \in [4.29, 4.73]$
- B. $f^{-1}(-15) \in [1.98, 2.74]$
- C. $f^{-1}(-15) \in [4.96, 5.57]$
- D. $f^{-1}(-15) \in [2.51, 3.02]$
- E. The function is not invertible for all Real numbers.

-
5. Multiply the following functions, then choose the domain of the resulting function from the list below.

$$f(x) = 2x^3 + 8x^2 + x + 3 \text{ and } g(x) = x^2 + 1$$

- A. The domain is all Real numbers less than or equal to $x = a$, where $a \in [-3.67, -1.67]$
- B. The domain is all Real numbers except $x = a$, where $a \in [-6.67, -0.67]$
- C. The domain is all Real numbers greater than or equal to $x = a$, where $a \in [-10, -3]$
- D. The domain is all Real numbers except $x = a$ and $x = b$, where $a \in [-6.2, -5.2]$ and $b \in [-8.8, -4.8]$
- E. The domain is all Real numbers.

-
6. Determine whether the function below is 1-1.

$$f(x) = (6x + 40)^3$$

- A. No, because the range of the function is not $(-\infty, \infty)$.
 - B. No, because there is a y -value that goes to 2 different x -values.
 - C. Yes, the function is 1-1.
 - D. No, because the domain of the function is not $(-\infty, \infty)$.
 - E. No, because there is an x -value that goes to 2 different y -values.
-

7. Choose the interval below that f composed with g at $x = -2$ is in.

$$f(x) = -3x^3 - 4x^2 + 3x \text{ and } g(x) = -2x^3 - 2x^2 + 3x$$

- A. $(f \circ g)(-2) \in [-39, -31]$
 - B. $(f \circ g)(-2) \in [-29, -24]$
 - C. $(f \circ g)(-2) \in [-44, -39]$
 - D. $(f \circ g)(-2) \in [-20, -16]$
 - E. It is not possible to compose the two functions.
-

8. Find the inverse of the function below (if it exists). Then, evaluate the inverse at $x = 12$ and choose the interval the $f^{-1}(12)$ belongs to.

$$f(x) = \sqrt[3]{4x + 5}$$

- A. $f^{-1}(12) \in [-432.1, -430.2]$
 - B. $f^{-1}(12) \in [433, 433.6]$
 - C. $f^{-1}(12) \in [429.5, 432.6]$
 - D. $f^{-1}(12) \in [-435.8, -432.9]$
 - E. The function is not invertible for all Real numbers.
-

9. Determine whether the function below is 1-1.

$$f(x) = (5x + 30)^3$$

- A. No, because the range of the function is not $(-\infty, \infty)$.
 - B. No, because the domain of the function is not $(-\infty, \infty)$.
 - C. No, because there is an x -value that goes to 2 different y -values.
 - D. Yes, the function is 1-1.
 - E. No, because there is a y -value that goes to 2 different x -values.
-

10. Find the inverse of the function below. Then, evaluate the inverse at $x = 7$ and choose the interval that $f^{-1}(7)$ belongs to.

$$f(x) = \ln(x - 3) + 2$$

- A. $f^{-1}(7) \in [145.2, 146.4]$
 - B. $f^{-1}(7) \in [22028.1, 22028.9]$
 - C. $f^{-1}(7) \in [52.3, 58.4]$
 - D. $f^{-1}(7) \in [8104.6, 8107.1]$
 - E. $f^{-1}(7) \in [148.5, 152.3]$
-