Rajalakshmi Engineering College

Name: Darshan Abinav R.K

Email: 241501039@rajalakshmi.edu.in

Roll no: 241501039 Phone: 7010796406

Branch: REC

Department: I AI & ML FA

Batch: 2028

Degree: B.E - AI & ML



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_MCQ

Attempt : 1 Total Mark : 20 Marks Obtained : 13

Section 1: MCQ

1. Which of the following is true about

fp.seek(10,1)

Answer

Move file pointer ten characters ahead from the current position

Status: Correct Marks: 1/1

2. What will be the output of the following Python code?

Predefined lines to simulate the file content lines = [
 "This is 1st line",
 "This is 2nd line",

```
"This is 3rd line",
      "This is 4th line",
      "This is 5th line"
   print("Name of the file: foo.txt")
   # Print the first 5 lines from the predefined list
   for index in range(5):
      line = lines[index]
      print("Line No %d - %s" % (index + 1, line.strip()))
    Answer
    Syntax Error
Status : Wrong
                                                                          Marks: 0/
   3. Fill the code to in order to read file from the current position.
   Assuming exp.txt file has following 3 lines, consider current file position is
   beginning of 2nd line
    Meri,25
   John,21
   Raj,20
   Ouptput:
   ['John,21\n','Raj,20\n']
```

f = open("exp.txt", "w+") _____(1) print _____(2)

Answer

1) f.seek(0, 1)2) f.readlines()

Status: Correct

Marks: 1/1

4. What is the default value of reference_point in the following code? file_object.seek(offset [,reference_point]) **Answer** 0 Marks: 1/1 Status: Correct 5. Fill in the blanks in the following code of writing data in binary files. import _____ (1) rec=[] while True: rn=int(input("Enter")) nm=input("Enter") temp=[rn, nm] rec.append(temp) ch=input("Enter choice (y/N)") if ch.upper=="N": break f.open("stud.dat","_ _____.dump(rec,f)(3) _.close()(4) Answer (f,r,wb,pickle) Status: Wrong Marks : 0/1 6. What will be the output of the following Python code? f = None for i in range (5): with open("data.txt", "w") as f: df i > 2: print(f.closed) break

```
24,150,1039
   Answer
   True
   Status: Correct
                                                                    Marks: 1/1
   7. What is the output of the following code?
   try:
     x = "hello" + 5
   except TypeError:
     print("Type Error occurred")
   finally:
   print("This will always execute")
Answer
   Executed
   Status: Wrong
                                                                    Marks: 0/1
   8. What is the output of the following code?
   class MyError(Exception):
      pass
     raise MyError("Something went wrong")
   except MyError as e:
```

Answer

print(e)

Something went wrong

Status: Correct Marks: 1/1

9. How do you create a user-defined exception in Python?

Answer

By creating a new class that inherits from the Exception class

Status : Correct Marks : 1/1

10. What happens if an exception is not caught in the except clause?

Answer

raise CustomException()

Status: Wrong Marks: 0/1

- 11. Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
- d) f.seek(0) iv) Move file pointer to the beginning of a file

Answer

a-iii, b-i, c-ii, d-iv

Status: Correct Marks: 1/1

12. How do you rename a file?

Answer

os.rename(existing_name, new_name)

Status: Correct Marks: 1/1

13. Which clause is used to clean up resources, such as closing files in Python?

Answer

finally

Status : Correct Marks : 1/1

14. What is the output of the following code?

```
try:
    x = 1 / 0
except ZeroDivisionError:
    print("Caught division by zero error")
finally:
    print("Executed")
```

Answer

Caught division by zero errorExecuted

Status: Correct Marks: 1/1

15. Which of the following is true about the finally block in Python?

Answer

The finally block is always executed, regardless of whether an exception occurs or not

Status: Correct Marks: 1/1

16. What is the purpose of the except clause in Python?

Answer

To handle exceptions during code execution

Status: Correct Marks: 1/1

17. What is the correct way to raise an exception in Python?

Answer

catch Exception()

Status: Wrong

Marks: 0/1

18. What is the difference between r+ and w+ modes?

Answer

in r+ the pointer is initially placed at the beginning of the file and the pointer is at the end for w+

Status: Correct Marks: 1/1

19. Fill in the code in order to get the following output:

$\wedge \vee$	
$\sim \sim$.
Out	DHT:
- 4 -	pu.

Name of the file: ex.txt

fo = open(_____(1), "wb") print("Name of the file: ",_____)(2)

Answer

1) ex.txt2) fo.name

Status: Wrong Marks: 0/1

20. What happens if no arguments are passed to the seek function?

Answer

error

Status: Wrong Marks: 0/1

247507039

2A1501039