

DEVELOPMENT WORKFLOWS

How a list of goals get worked on

- Past: Waterfall
- Recent: Agile

WATERFALL MODEL

Each step done before the next starts

- Requirements, design, docs, then work
- Back up and start over if a hole is found

Great for "known" tasks with for hard requirements:

- features
- resources (incl people)
- deadlines

Poor for software industry

- slow
- inaccurate (bad estimates)

AGILE DEVELOPMENT

<https://agilemanifesto.org/>

Often struggle to actually adopt

- Companies want hard accuracy (it is a lie)

Common ideas:

- produce working code very frequently (no guess)
- cannot "make up", if behind, change one of:
 - resources
 - features
 - deadlines

SPRINTS

Two common styles:

- "Sprints"
 - 1wk/2wk/1month runs
 - work assigned at start
 - expected to be done at end
- "Kanban"
 - constant flow of work
 - no work stays at any step for long (~1-2 days)

Both involve small, defined, concrete tasks

TASKS / STORIES

- something worth tracking if done
 - depends on company
- has some meaningful result
- not too large (2 days or less)
 - break up bigger tasks

ESTIMATION

We are terrible at estimating software dev times

Minimize impacts

- Small tasks
- Regular check-ins to confirm status
- Keep repo in usable state

Establish "velocity"

- Consistently bad estimation

CODE REVIEW

- NOT judgment of you
- Ideally not a rubber-stamp
- chance to improve
- consider longer-term impacts
- consider wider issues
 - consistency
 - compatibility
- should be done promptly
 - don't block others

STANDUPS

Intended to be a fast meeting

- Share status
- Identify problems

Dos and Don'ts:

- Don't take up extra time just because you feel you need to justify your time
- Do listen for things to learn
- Do listen for issues others might not see
- Do identify your potential problems