



Provenance Scenarios

As a *<role>*, I want to *<goal>* so I can *<reason>*.

Use Cases 41, 46

As a data analyst using R or Matlab, I want to keep track of my data input files, data output files and scripts so I can review my runs and potentially choose those to share with colleagues through an established DataONE repository.





Use Case 46

Use Case 41

Will be using Matlab code examples

Configure

Record


Review

Login

Publish

my_script.m

```
1  import org.dataone.client.configure.Configuration;
2
3  config = Configuration;
4
5  set(config, ...
6      'baseDirectory', ...
7      '/Users/cjones/matlab/runs' );
8
9  set(config, ...
10     'sourceRepositoryBaseURL', ...
11     'https://mercury-ops2.ornl.gov/MSTMIP/mn' );
```



Configure

Record

Review

Login



Publish

my_script.m


```
1 import org.dataone.client.configure.Configuration;  
2 import org.dataone.client.configure.LabelParser;  
3  
4 parser = LabelParser;  
5 parser.parse; % looks for config in comments  
6  
7 % dlprov:ingestStep  
8 % prov:used, '/Users/cjones/data.nc'  
9 some_array = ...  
10     get_input_data('/Users/cjones/data.nc');
```



Alternative: develop a cross-language
markdown-like annotation syntax and parsers




`record()` tracks input files, output files, referenced scripts, and the main script



my_script.m

```
1  import org.dataone.client.run.RunManager;  
2  
3  runManager = RunManager;  
4  
5  runId = runManager.record('/Users/cjones/my_script.m');  
6  
7  % run your model analysis here  
8  
9  
10
```




record() hides details of using
insertRelationship() under the hood




my_script.m

```
1  runManager.list(); % Prints out summary about all runs
2
3  runManager.view(runId); % More details about a run
4
5
6
7
8
9
10
```





```
1  runManager.list(); % Prints out summary about all runs
2
3  runManager.view(runId); % More details about a run
4
5
6
7
8
9
10
```



The record/review cycle is iterative



my_script.m

```
1 runManager.view(execution.1.1) ;
```

```
Run: execution.1.1
```

```
-----
```

```
run start time: Mon Sep 8 13:01
```

```
run end time: Mon Sep 8 13:02
```

```
Matlab version: 2014a
```

```
Operating system: Mac OS X 10.9.5
```

```
Host name: laurenshome
```

```
Data Package: datapackage.1.1
```

```
-----
```

```
figure.1.1 was generated by execution.1.1
```


```
execution.1.1 used data.1.1
```

```
execution.1.1 used script.1.1
```



```
data.1.1 is documented by metadata.1.1
```

```
figure.1.1 is documented by metadata.1.1
```


```
script.1.1 is documented by metadata.1.1
```



We need to discuss what should be shown in summaries and details



Login to DataONE and download your certificate




my_script.m

```
1 % Publish the data package to the repository
2 runManager.publish('datapackage.1.1');
3
```

RunManager will:

- create identifiers for each Data Package member
- upload each to the target DataONE Member Node
- upload the Data Package with all PROV relationships



UC 41/46 Todos

- Discuss the envisioned process (12-month goals)
 - Will it work? Are there gaps?
- Configuration Step:
 - Decide on programmatic vs inline-comment
 - Determine what configuration options are required
- Review Step
 - Discuss what is shown in summary and detail views

Use Case 42

As a scientist, I want to be able to examine the original datasets used in a derived dataset I've found through DataONE so I can understand the history and composition of the derived dataset.

Use Case 43

As a scientist, I want to be able to find all derived datasets in DataONE that use my dataset so I can understand how my data are being used and by which colleagues.

Use Case 44

As a scientist reviewing derived tables or figures, I want to be able to examine the original datasets and the original script used to generate them so I can understand their history and composition.

Search

View

Download

The screenshot shows a web browser window with the URL <https://cn.dataone.org/onemercury/>. The page features the DataONE logo and navigation links: About, Participate, Resources, Education, and Data. The main section is titled "ONE Mercury" and "A DataONE Search Tool for Scientific Data". It includes a search bar with a "Search For:" label and a "SEARCH" button. Below the search bar are buttons for "Show/Hide Advanced Options", "Clear All", and "Help". The "Fielded Search" section contains three "Full Text" input fields and "AND" operators. The "Date Search" section includes radio buttons for "Collection Date", "Publication Date", and "Either", along with a "during" dropdown and date range inputs. The "Geographic Search" section shows a map of the world with a search bar and a "Help | clear" link.

A Search Tool for Scientific Data

<https://cn.dataone.org/onemercury/>

DataONE
Data Observation Network for Earth

Connect
v YouTube in t f RSS

About Participate Resources Education Data

ONE Mercury A DataONE Search Tool for Scientific Data

Search For: **Results/Page** 10 **SEARCH**

Hint: boolean operators and phrases are allowed. ex: precipitation or (rain and "moisture content")

Show/Hide Advanced Options Clear All Help

Fielded Search

Full Text AND
Full Text AND
Full Text **Help | clear**

Date Search

☐ Collection Date ☐ Publication Date ☒ Either **during** **thru**
mm/dd/yyyy mm/dd/yyyy **Help | clear**

Geographic Search

Help | clear



Doe, John. 2014. Seabirds of the Gulf of Alaska and North Pacific.
([seabirds.2.1](#))

Species_List **Download**

60.607666	-145.87834	8:14
60.607666	-145.87984	8:14
60.607838	-145.88133	8:15
60.607838	-145.88266	8:15
60.607998	-145.88417	8:15
60.607998	-145.8855	8:15
60.607998	-145.88699	8:16
60.60817	-145.88834	8:16
60.608334	-145.89	8:16
60.608334	-145.89116	8:16
60.608498	-145.89265	8:17
60.608498	-145.89418	8:17
60.608665	-145.89568	8:17

Description

Object Name

Size

Authentication

Format Name

Online Distribution Info


Species_List

189493

514259fe89f514259fe89fng5142vrf...

csv

seabirds.3.1

 This table was derived from [knb.485.1](#), [jstocking.4.9](#), and [jstocking.3.4](#) using the program [seabirds.6.1](#)

View
derivation
history






Doe, John. 2014. Seabirds of the Gulf of Alaska and North Pacific.
([seabirds.2.1](#))

Seabird_Survey_Script [Download](#)


```
> samp.size = function(x)
+ {
+   n = length(x) - su
+   nas = sum(is.na(x)
+   out = c(n, nas)
+   names(out) = c("",
+   out
+ }
> ls()
[1] "nums"      "samp.siz
> samp.size(nums)
      NAs
24      1
```

Description	
Object Name	Seabird_Survey_Script
Size	189493
Authentication	514259fe89f514259fe89fng5142vrf...
Format Name	application/octet-stream
Online Distribution Info	seabirds.4.1

 This program generated [seabirds.5.1](#) using [seabirds.3.1](#)

View
generation
history





Doe, John. 2014. Seabirds of the Gulf of Alaska and North Pacific.
(seabirds.2.1)

Species_List **Download**

60.607666	-145.87834	8:14
60.607666	-145.87984	8:14
60.607838	-145.88133	8:15
60.607838	-145.88266	8:15
60.607998	-145.88417	8:15
60.607998	-145.8855	8:15
60.607998	-145.88699	8:16
60.60817	-145.88834	8:16
60.608334	-145.89	8:16
60.608334	-145.89116	8:16
60.608498	-145.89265	8:17
60.608498	-145.89418	8:17
60.608665	-145.89568	8:17

Description

Object Name

Size

Authentication

Format Name

Online Distribution Info


Species_List

189493

514259fe89f514259fe89fng5142vrf...

csv

seabirds.3.1

 This table was derived from [knb.485.1](#), [jstocking.4.9](#), and [jstocking.3.4](#) using the program [seabirds.6.1](#)

Follow links
to download



UC 42/43/44 Todos

- Provenance UI Design
- Review and Modify (tomorrow morning session)