

Responsible Data Science

Algorithmic Fairness

January 30 & February 1, 2023

Prof. Elisha Cohen
Center for Data Science



NYU

Center for
Data Science



RDS course overview

So what is RDS?

As advertised: ethics, legal compliance, personal responsibility.
But also: **data quality!**

A technical course, with content drawn from:

1. fairness, accountability and transparency
2. data engineering
3. privacy & data protection



We will learn **algorithmic techniques** for data analysis.

We will also learn about recent **laws / regulatory frameworks**.

Bottom line: we will learn that many of the problems are **socio-technical**, and so cannot be “solved” with technology alone.


My perspective: a pragmatic engineer, **not** a technology skeptic.

Nuance, please!



r/ai

We all are responsible



@FalaahArifKhan

Reading: Algorithmic bias Week 1



Bias in Computer Systems

BATYA FRIEDMAN

Colby College and The Mina Institute
and

HELEN NISSENBAUM
Princeton University

From an analysis of actual cases, three categories of bias in computer systems have been developed: preexisting, technical, and emergent. Preexisting bias has its roots in social institutions, practices, and attitudes. Technical bias arises from technical constraints or considerations. Emergent bias arises in a context of use. Although others have pointed to bias in particular computer systems and have noted the general problem, we know of no comparable work that examines this phenomenon comprehensively and which offers a framework for understanding and remedying it. We conclude by suggesting that freedom from bias should be counted among the select set of criteria—including reliability, accuracy, and efficiency—according to which the quality of systems in use in society should be judged.

Categories and Subject Descriptors: D.2.0 [Software]: Software Engineering; H.1.2 [Information Systems]: User/Machine Systems; K.4.0 [Computers and Society]: General

General Terms: Design, Human Factors

Additional Key Words and Phrases: Bias, computer ethics, computers and society, design methods, ethics, human values, standards, social computing, social impact, system design, universal design, values

[Friedman & Nissenbaum, Comm ACM (1996)]

Reading: Algorithmic bias Week 2

DOI:10.1145/3376898

A group of industry, academic, and government experts convene in Philadelphia to explore the roots of algorithmic bias.

BY ALEXANDRA CHOULDECHOVA AND AARON ROTH

A Snapshot of the Frontiers of Fairness in Machine Learning

[Chouldechova & Roth, Comm ACM (2020)]

Inherent Trade-Offs in the Fair Determination of Risk Scores

Jon Kleinberg¹, Sendhil Mullainathan², and Manish Raghavan³

1 Cornell University, Ithaca, USA

kleinber@cs.cornell.edu

2 Harvard University, Cambridge, USA

mullain@fas.harvard.edu

3 Cornell University, Ithaca, USA

manish@cs.cornell.edu

Abstract


Recent discussion in the public sphere about algorithmic classification has involved tension between competing notions of what it means for a probabilistic classification to be fair to different groups. We formalize three fairness conditions that lie at the heart of these debates, and we prove that except in highly constrained special cases, there is no method that can satisfy these three conditions simultaneously. Moreover, even satisfying all three conditions approximately requires that the data lie in an approximate version of one of the constrained special cases identified by our theorem. These results suggest some of the ways in which key notions of fairness are incompatible with each other, and hence provide a framework for thinking about the trade-offs between them.

1998 ACM Subject Classification H.2.8 Database Applications, J.1 Administrative Data Processing

Keywords and phrases algorithmic fairness, risk tools, calibration

Digital Object Identifier 10.4230/LIPIcs.ITCS.2017.43

[Kleinberg, Mullainathan & Raghavan, ITCS (2017)]



© Julia Stoyanovich and Falaah Arif Khan (2021)

Comics

<https://dataresponsibly.github.io/comics/>



Home People Publications Press Talks Tools Courses Comics

Volumes



Data, Responsibly (Vol. 1) Mirror, Mirror
Falaah Arif Khan and Julia Stoyanovich
[Comic book](#)
[Transcript](#)



Data, Responsibly (Vol. 1) Espejito, Espejito
Falaah Arif Khan and Julia Stoyanovich
Translated by Charles Schroeder and Ana Elisa Mendez
[Comic book \(in Spanish\)](#)
[Transcript \(in Spanish\)](#)




Data, Responsibly (Vol. 1) Miroir, mon beau Miroir
Falaah Arif Khan and Julia Stoyanovich
Translated by Serge Abiteboul, Pascal Guitton, Victor Vianu, and Eve Francoise Trement
[Comic book \(in French\)](#)
[Transcript \(in French\)](#)



Data, Responsibly (Vol. 1) Espelho, Espelho
Falaah Arif Khan and Julia Stoyanovich
Translated by Nicholas Kluge Corrêa and Carolina Del Pino Carvalho
[Comic book \(in Portuguese\)](#)
[Transcript \(in Portuguese\)](#)

r/ai

Recall: Individual & cumulative harms




Questions to keep in mind:

what are the **goals** of the AI system?

what are the **benefits** and to **whom**?

what are the **harms** and to **whom**?





fairness in classification


Vendors and outcomes

Consider a **vendor** assigning positive or negative **outcomes** to individuals.

Positive Outcomes	Negative Outcomes
offered employment	not offered employment
accepted to school	not accepted to school
offered a loan	denied a loan
shown relevant ad for shoes	shown irrelevant ad for shoes


Fairness in classification

Fairness in classification is concerned with how outcomes are assigned to a population




Fairness in classification

Sub-populations may be treated differently




Fairness in classification

Sub-populations may be treated differently



Fairness in classification


Explaining the disparity with proxy variables





discussion

Swapping outcomes



Two families of fairness measures

Group fairness (here, **statistical parity**)

demographics of the individuals receiving any outcome - positive or negative - should be the same as demographics of the underlying population

Individual fairness

any two individuals who are similar **with respect to a task** should receive similar outcomes

Bias in computer systems


Pre-existing is independent of an algorithm and has origins in society

Technical is introduced or exacerbated by the technical properties of an ADS

Emergent arises due to context of use



[Friedman & Nissenbaum (1996)]



r/ai

Pre-existing bias:


independent of an algorithm,
has its origins in society



r/ai

Pre-existing bias:

independent of an algorithm,
has its origins in society




FALAAH ARIF KHAN


r/ai

Pre-existing bias:

independent of an algorithm,
has its origins in society




FALAAH ARIF KHAN



Pre-existing bias:

independent of an algorithm,
has its origins in society





**bias can lead to
discrimination**

The evils of discrimination

Disparate treatment

is the illegal practice of treating an entity, such as a job applicant or an employee, differently based on a **protected characteristic** such as race, gender, age, disability status, religion, sexual orientation, or national origin.


Disparate impact

is the result of systematic disparate treatment, where disproportionate **adverse impact** is observed on members of a **protected class**.

Ricci v. DeStefano (2009)

Supreme Court Finds Bias Against White Firefighters

By ADAM LIPTAK JUNE 29, 2009



Case opinions

Majority Kennedy, joined by Roberts, Scalia, Thomas, Alito

Concurrence Scalia

Concurrence Alito, joined by Scalia, Thomas

Dissent Ginsburg, joined by Stevens, Souter, Breyer

Laws applied

Title VII of the Civil Rights Act of 1964, 42 U.S.C. § 2000e[↗] et seq.

Karen Lee Torre, left, a lawyer who represented the New Haven firefighters in their lawsuit, with her clients Monday at the federal courthouse in New Haven. Christopher Capozziello for The New York Times

Fairness and worldviews

More on this in week 4

group
fairness

equality of
outcome



individual
fairness

equality of
treatment





**fairness in risk
assessment**

New Jersey bail reform

Switching from a system based solely on instinct and experience [...] to one in which judges have access to **scientific, objective risk assessment** tools could further the criminal justice system's central goals of increasing public safety, reducing crime, and making the most effective, fair, and efficient use of public resources.

THE NEW JERSEY PRETRIAL JUSTICE MANUAL



DECEMBER 2016



Fairness in risk assessment

- A risk assessment tool gives a probability estimate of a future outcome
- Used in many domains:
 - insurance, criminal sentencing, medical testing, hiring, banking
 - also in less-obvious set-ups, like online advertising
- **Fairness** in risk assessment is concerned with **how different kinds of error are distributed among sub-populations**

ProPublica's COMPAS study



Machine Bias

There's software used across the country to predict future criminals. And it's biased against blacks.

by Julia Angwin, Jeff Larson, Surya Mattu and Lauren Kirchner, ProPublica

May 23, 2016

PROPUBLICA

Bernard Parker, left, was rated high risk; Dylan Fuggett was rated low risk. (josh Ritchie for ProPublica)

The article discusses a study by ProPublica showing that the COMPAS risk assessment tool is biased against black people. It compares two men: Bernard Parker, a black man with dreadlocks, who was rated as high risk, and Dylan Fuggett, a white man, who was rated as low risk. The study found that black people are almost twice as likely as white people to be labeled a higher risk but not actually re-offend. The tool makes the opposite mistake among white people: They are much more likely than black people to be labeled lower risk but go on to commit other crimes.

A commercial tool COMPAS predicts some categories of future crime to assist in bail and sentencing decisions.

It uses about 100 factors. Notably, race is not used.

Black people are almost twice as likely as White people to be labeled a higher risk but not actually re-offend.

The tool makes **the opposite mistake among White people**: They are much more likely than black people to be labeled lower risk but go on to commit other crimes.

<https://www.propublica.org/article/machine-bias-risk-assessments-in-criminal-sentencing>

Distribution of FNR and FPR across groups

Prediction Fails Differently for Black Defendants

	WHITE	AFRICAN AMERICAN
Labeled Higher Risk, But Didn't Re-Offend	23.5%	44.9%
Labeled Lower Risk, Yet Did Re-Offend	47.7%	28.0%


Overall, Northpointe's assessment tool correctly predicts recidivism 61 percent of the time. But blacks are almost twice as likely as whites to be labeled a higher risk but not actually re-offend. It makes the opposite mistake among whites: They are much more likely than blacks to be labeled lower risk but go on to commit other crimes. (Source: ProPublica analysis of data from Broward County, Fla.)

This affects defendant's lives: Those labeled medium- or high-risk are much more likely to be detained while awaiting trial

<https://www.propublica.org/article/machine-bias-risk-assessments-in-criminal-sentencing>

Calibration

“+” denotes recidivism




Given the output of a risk tool, likelihood of belonging to the positive class is independent of group membership

- 0.6 risk score means 0.6 for any defendant, no matter which group they belong to

Calibration

positive outcomes:
recidivate




Given the output of a risk tool, likelihood of belonging to the positive class is independent of group membership

why do we want calibration?

Calibration

positive outcomes:
recidivate



Without calibration!


Note: 80% of those assigned 0.8 risk score recidivate.
But 100% among White and 60% among Black defendants.

COMPAS as a predictive instrument

Predictive parity (also called **calibration**)

an instrument identifies a set of instances as having probability x of constituting positive instances, then approximately an x fraction of this set are indeed positive instances, overall and in sub-populations


COMPAS is reasonably well-calibrated:



[plot from Corbett-Davies et al.; WaPo 2016]

An impossibility result

COMPAS is reasonably well-calibrated:




But fails differently across groups:

<i>Risk label</i>	<i>Did not reoffend</i>	
White	Medium or High	23.5%
Black	Medium or High	44.9%

[plot from Corbett-Davies et al.; WaPo 2016]


An impossibility result



[plot from Corbett-Davies et al.; WaPo 2016]

An impossibility result

1. Within each risk category, the proportion of defendants who reoffend is approximately the same regardless of race
2. The overall recidivism rate is higher for Black defendants than White defendants (52% versus 39%)
3. Black defendants are more likely to be classified as medium or high risk (58% versus 33%)
4. Black defendants who don't reoffend are predicted to be riskier than White defendants who don't reoffend



**Observations 1 and 2
mathematically guarantee
the disparities in 3 and 4**

An impossibility result

If a predictive instrument **satisfies predictive parity**, but the **prevalence** of the phenomenon **differs between groups**, then the instrument **cannot achieve** equal false positive rates and equal false negative rates across these groups.

Recidivism rates in the ProPublica dataset are higher for the Black group than for the White group

[A. Chouldechova; arXiv:1610.07524v1 (2017)]

A more general statement: Balance

- **Balance for the positive class:** Positive instances are those who go on to re-offend. The average score of positive instances should be the same across groups.
- **Balance for the negative class:** Negative instances are those who do not go on to re-offend. The average score of negative instances should be the same across groups.
- Generalization: **Both groups should have equal false positive rates and equal false negative rates.**
- Different from statistical parity!

the chance of making a mistake does not depend on race

[J. Kleinberg, S. Mullainathan, M. Raghavan; *ITCS 2017*]

Desiderata, re-stated

- For each group, a v_b fraction in each bin b is positive
- Average score of positive class same across groups
- Average score of negative class same across groups

Can we have all these properties?

[J. Kleinberg, S. Mullainathan, M. Raghavan; *ITCS 2017*]

Achievable only in trivial cases

- **Perfect information:** the tool knows who reoffends (score 1) and who does not (score 0)
- **Equal base rates:** the fraction of positive-class people is the same for both groups

a negative result, need tradeoffs

proof sketched out in (starts 12 min in)

<https://www.youtube.com/watch?v=UUC8tMNxwV8>

[J. Kleinberg, S. Mullainathan, M. Raghavan; *ITCS 2017*]

Fairness for whom?

Decision-maker:
among those labeled low-risk, how many will recidivate?

Defendant: how likely is it that I will be incorrectly labeled high-risk?

	labeled low-risk	labeled high-risk
did not recidivate	TN	FP
recidivated	FN	TP

based on a slide by Arvind Narayanan

What's the right answer?

There is no single answer!

Need transparency and public debate

- Consider harms and benefits to different stakeholders
- Being transparent about which fairness criteria we use, how we trade them off
 - Individual vs group fairness
 - Calibration vs FNR/FPR balance

**preview:
lab this week**

Lab this week: adversarial debiasing

- Predicting credit risk (good credit vs bad credit) across age groups (under 25 vs 25 and over)
- We will specify age a *protected characteristic*; under 25 will be the *unprivileged group*
- We will compare mean difference in credit ratings and disparate impact
- Adversarial debiasing; using the AIF360 toolkit in Python
- In-processing (model stage) bias mitigation

Responsible Data Science

Algorithmic Fairness

Thank you!