


# Semi-Supervised Learning

# Semi-Supervised Learning

All Chapters



# Semi-Supervised Learning


Problem

Approach 1:

Train Model only  
based on labeled data

Approach 2:

Label all unlabeled,  
then train model on  
complete dataset



Approach 3:  
Train Semi-supervised  
model!

# Semi-Supervised Learning

Paper

Published as a conference paper at ICLR 2018

---

## UNSUPERVISED REPRESENTATION LEARNING BY PREDICTING IMAGE ROTATIONS

**Spyros Gidaris, Praveer Singh, Nikos Komodakis**

University Paris-Est, LIGM

Ecole des Ponts ParisTech

`{spyros.gidaris,praveer.singh,nikos.komodakis}@enpc.fr`

Source: <https://arxiv.org/pdf/1803.07728.pdf>

# Semi-Supervised Learning

## Results

Table 2: Test classification error rates (%) on CIFAR-100 with data augmentation averaged over four runs. **Left** – Results with 10,000 and 50,000 labels. **Right** – Results with unlabeled Tiny Images.

Method	10,000 labels 50,000 images	50,000 labels 50,000 images	Method	50,000 labels Tiny 500,000	50,000 labels Tiny 237,203
Supervised [22]	44.56 $\pm$ 0.30	26.42 $\pm$ 0.17	Supervised [22]	26.42 $\pm$ 0.17	26.42 $\pm$ 0.17
SESEMI ASL (ConvNet)	40.57 $\pm$ 0.20	<b>22.49 <math>\pm</math> 0.15</b>	SESEMI ASL (ConvNet)	<b>22.49 <math>\pm</math> 0.15</b>	<b>22.49 <math>\pm</math> 0.15</b>
ImageNet-32 Fine-tuned	<b>32.44 <math>\pm</math> 0.27</b>	<b>22.22 <math>\pm</math> 0.25</b>	ImageNet-32 Fine-tuned	<b>22.22 <math>\pm</math> 0.25</b>	<b>22.22 <math>\pm</math> 0.25</b>
II Model SSL [22]	39.19 $\pm$ 0.36	26.32 $\pm$ 0.04	II Model SSL [22]	25.79 $\pm$ 0.17	25.43 $\pm$ 0.32
TempEns SSL [22]	<b>38.65 <math>\pm</math> 0.51</b>	26.30 $\pm$ 0.15	TempEns SSL [22]	23.62 $\pm$ 0.23	23.79 $\pm$ 0.24
SESEMI SSL (ConvNet)	<b>38.71 <math>\pm</math> 0.11</b>	<b>22.49 <math>\pm</math> 0.15</b>	SESEMI SSL (ConvNet)	<b>22.52 <math>\pm</math> 0.10</b>	<b>22.50 <math>\pm</math> 0.26</b>
SESEMI SSL (WRN)	<b>38.69 <math>\pm</math> 0.10</b>	23.42 $\pm$ 0.11	SESEMI SSL (WRN)	<b>22.65 <math>\pm</math> 0.30</b>	<b>22.62 <math>\pm</math> 0.24</b>

Source: Phi Vu Tran

„Exploring Self-Supervised Regularization for Supervised and Semi-Supervised Learning“

Flyreel AI Research

<https://arxiv.org/pdf/1906.10343.pdf>

# Semi-Supervised Learning

Dataset



MATT OP · UPDATED 6 MONTHS AGO



26

New Notebook




Download (12 MB)



## Panda or Bear Image Classification

AI Panda or Bear Binary Image Classification



## About Dataset

The dataset contains panda and bear images generated by DALL-E Mini, an AI model that draws images from any prompt. The task for this dataset is binary classification.

All images are scaled 256×256.

Source: <https://www.kaggle.com/datasets/mattop/panda-or-bear-image-classification>

# Semi-Supervised Learning

Self-supervised Task

Transformation:  
Rotation




0°

90°

180°

270°

Rotated Image



Neural  
Network

Target

0

1

2

3

# Semi-Supervised Learning

## SESEMI Architecture

- applies self-supervised task of predicting rotation

