




Experimental page: ratios of curve fit deaths to curve fit confirmed cases (CFR)
























Above based on Z score of two standard deviation from 2017-2019. What follows is cumulative plot of same.



Data in recent weeks are incomplete. Only 60% of death records are submitted to NCHS within 10 days of the date of death, and completeness $\,$ varies by jurisdiction. Data are not weighted and counts are likely

False Positives Demonstration



Prevalence estimated as avg. infected period of 2 weeks X incidence

Baseline	e set at Z = 0	exce	ss deaths		normalized to	
300 250 200 150 N 100 50	.00000000000000000000000000000000000000		22222000000000000000000000000000000000		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
-50	0 10	20	30 week	40	50	60
	cumulative	2020 • cumul	ative 2021 ● ze	roed cumulativ	ve 2021	

	Positive	Negative	
test pos	2.128%	4.888%	7.02%
test neg	0.112%	92.872%	92.98%
	2.240%	97.760%	100.00%

95% accuracy of test

Sensitivity
Probability of detection
where condition exists True + / (True + & False -)
True + / (True + & False -)
95%

0.16% X 14 = 2.240%

False pos. is more than	half of total positives.
TRUE +	2.128%/7.02%

Specificity Probability of not detecting condition doesn't exist True - / (True - & False +) 95%

30.3% FAISE + 4.888%/7.02% 69.7% 100.00% Total

US mortality vs. India 250:100,000 200:100.000 150:100,000 100:100,000 50:100,000 0:100,000 1-Dec 10-Mar 18-Jun 26-Sep 14-Apr 23-Jul 31-Oct 8-Feb US cum. fit per 100k India cum. fit per 100k

USA Excess Deaths, 2020 (from CDC data):

	Annualized on 52	weeks		
		All Cause	All Cause, excl. CV19	CV
3	yr average before 2020	859:100,000	859:100,000	-
	2020	1016:100,000	905:100,000	-
	Diff.	157:100,000	46:100,000	111:10

	3 yr average
	859:100,000
Diff	

29% of All-Cause excess deaths are non-CV19

USA Excess Deaths to date (from CDC data):

	37 weeks	All Cause	All Cause, excl. CV19	CV
3	yr average before 2020	606:100,000	606:100,000	-
	2021	718:100,000	624:100,000	-
	Diff.	112:100,000	17:100,000	95:10

	3 yr average
	859:100,000
Diff	

15% of All-Cause excess deaths are non-CV19

= 6.42

= 3.04





 $R > 1-1/R_{o}$

gamma = 0.171 $R_o = \exp(K/\text{gamma})$


R: 84% <=Herd imr 67%


gamma = 0.286 R is recovered variable.






CDC county data on week indicated new cases, by % fully vaccinated.







reporting jurisdictions not uniformly distributed; some data suppressed, for example, Texas









https://data.cdc.gov/NCHS/Weekly-Counts-of-Deaths-by-State-and-Select-Causes/muzy-jte6/data

an-22

-Jan-22

5-Jan-22

.

е

%

. .

%

where

719 ---00,000

719 --0,000

nunity