




# Experimental page: ratios of curve fit deaths to curve fit confirmed cases (CFR)

















# Excess deaths as a Z score:








Above based on  $\,$  Z score of two standard deviation from 2017-2019. What follows is cumulative plot of same.

# False Positives Demonstration

Use 0.15% as estimated daily incidence



Prevalence estimated as avg. infected period of 2 weeks X incidence


| Baseline set at <b>Z</b> = 0                       | excess deaths            | Excess normalized                       |       |
|--|--------------------------|---|-------|
| 400<br>350<br>300<br>250<br>200<br>150<br>100<br>0 |                          | 000000000000000000000000000000000000000 | ••••• |
| -50 0 10   | 20 a week                | 30 40                                   | 50    |
| • cumulative 20                                    | 20 • cumulative 2021 • z | reroed cumulative 2021                  |       |


|          | Positive | Negative |         |
|----------|----------|----------|---------|
| test pos | 1.995%   | 4.895%   | 6.89%   |
| test neg | 0.105%   | 93.005%  | 93.11%  |
|          | 2.100%   | 97.900%  | 100.00% |


95% accuracy of test

| Sensitivity                        |
|------------------------------------|
| Probability of detection           |
| where condition exists             |
| True + / (True + & False -)        |
| 95%                                |
| Specificity                        |
| Probability of not detecting where |
| condition doesn't exist            |
| True - / (True - & False +)        |
| 95%                                |

0.15% X 14 = 2.100%







## USA Excess Deaths, 2020 (from CDC data):

Annualized on 52 weeks

All Cause All Cause, excl. CV19 CV19

3 yr average before 2020 859:100,000 859:100,000 
2020 1016:100,000 905:100,000 
Diff. 157:100,000 46:100,000 111:100,000

| 3 yr average |   |
|--------------|---|
| 859:100,000  | 29% of All-Cause excess deaths are non-CV19 |
|              |   |

https://data.cdc.gov/NCHS/Excess-Deaths-Associated-with-COVID-19/xkkf-xrst/data

#### USA Excess Deaths to date (2021, from CDC data):

|   | 52 weeks               | All Cause    | All Cause, excl. CV19 | CV19        |
|---|------------------------|--------------|-----------------------|-------------|
| 3 | yr average before 2020 | 859:100,000  | 859:100,000           | -           |
|   | 2021                   | 1037:100,000 | 896:100,000           | -           |
|   | Diff.                  | 178:100,000  | 37:100,000            | 141:100,000 |

| 3 yr average |  |
|--------------|--|
| 859:100,000  |  |

21% of All-Cause excess deaths are non-CV19


https://data.cdc.gov/NCHS/Excess-Deaths-Associated-with-COVID-19/xkkf-xrst/data

K = 0.318  $R_o$ : R:


gamma = 0.171  $R_o = \exp(K/\text{gamma}) = 6.42$  84%

gamma = 0.286  $R > 1 - 1/R_o = 3.04$  67%


## R is recovered variable.





# Tri-Counties in Texas:




# Vaccination, % total pop vaccinated, and cases per 100k, USA









https://covid.cdc.gov/covid-data-tracker/#vaccination-case-rate