



As of 11 July 2020, the US Covid-19 epidemic looks like this, cumulative:<sup>1</sup>



The ratio of deaths to confirmed cases looks like this:




So, it appears that around 4.2% of deaths are classified as due to CV-19, which shows this is no common flu, regardless of discussions on how these are classified.<sup>2</sup> It also appears the previous downward trend is shifting upwards.

The distribution of this data could be applied locally, assuming the US case applies to the local situation in the Big Bend of Texas. This data has now been fitted with a combination of triangular and gamma distributions, since it has recently taken a dramatic turn for the worse, and this offered a way to illustrate it. The Big Bend apparently lags in time the urban populations by quite a bit (see local graphs on this site), but we're obviously trying to catch up (no masks here and we like to party; but now there is a mask law, finally). But since an epidemic is nothing but a deadly diffusion phenomenon, sooner or later it reaches some saturation level that is hard to predict, often claimed to be 60 to 70% of the population.


<sup>1</sup> <https://github.com/CSSEGISandData/COVID-19>

<sup>2</sup> The drop in the ratio could be attributed to more testing revealing more confirmed cases, though. Or better outcomes as treatments improve. Or both. As the cases ramp up, one would eventually expect to see this ratio begin to rise again, or at least slow its descent, unless this strain is a new one not as deadly. Not likely.

US appears like this, on a *daily* basis, not cumulative:




A measure of dispersion is the standard deviation of the residuals scaled to a relevant constant, such as the maximum value of the curve, or  $(y - \hat{y}) / \hat{y}_{\max}$ .  $y$  is data recorded (in this case, the difference between each pair of successive values on the US version of the previously shown *cumulative* data),  $\hat{y}$  (pronounced *wye hat*) is the predicted value at each date of the curve fit, and  $\hat{y}_{\max}$  is the maximum value of the distributed curve fit. The dispersion looks like this (below) and gives an idea of the variability of the data around the distribution. It is also now on an increasing trend, reflecting the strong upward trend.  $R^2$  is for goodness of fit, shown as “rsq” on the graph, 1.0 being a perfect fit. Notice that you can have a nearly perfect fit still with a lot of dispersion. Or vice versa.<sup>3</sup>




<sup>3</sup> As mentioned before, the gamma distribution was not fitting very well. That is why the data was switched to this hybrid.

The standard deviation of the dispersion values can be used to construct a three standard deviation boundary around the curve fit:




This has a double hump, and projects way off into the future. In any case, this data is for a population of 330 million then scaled to the Tri-County population of 18,000, in order to have an idea of what to expect here. The earlier comment on small sample size seems to be acting up in the Tri-County area—we have already jumped above the 9:1000 range of confirmed cases, and still rising.

Below is the above US curve scaled to the Tri-County area, showing the top dashed curve as +3 std deviations above the base curve. What follows are some illustrations of what it looks like when such a curve is flattened (time scale is uncompressed, in other words). It is becoming a moot point on flattened curves—it's apparent any successful strategy has to go way beyond just flattening a curve.



This example is compressed by a factor of 1.5; it's impossible to verify the real extent of compression, so this seemed like a reasonable assumption. Here is what that looks like:



The area under each curve is the same, there is no change in total cases. It's also worth looking at the cumulative version of the same data, to see what the time compression does to it. Notice it doesn't change the final, cumulative value.<sup>4</sup>

What seems apparent is trying to flatten a curve is an exercise in futility—what would make more sense is formulating a nation-wide strategy to tackle this (or at least state-wide), assuming no vaccine will ever appear. Lockdowns destroy jobs and the economy, so ought to be eliminated from the strategy, too.<sup>5</sup>

When we were children, our parents taught us to cover our mouths when we coughed. It made sense then, and makes sense now—we didn't need Dr Fauci or the President to tell us to do it. At this point, we have an extremely active and dangerous virus, so it would make sense to step up the covering of the mouth by wearing a mask. You don't need a scientific study to tell you it works (although there are many), or refer to history (Asians have been doing this with viruses since the beginning of the twentieth century) to just see the common sense of it: the velocity of the aerosol that comes out of your mouth is broken, just like when you cover your mouth, except more consistently. That way, the aerosol cloud that everyone creates by breathing, speaking, and coughing is much reduced in size. Furthermore, particle sizes are on the order of sub-micron size (viruses, and the larger water droplets they ride on), so the typical mask does *not* stop these at all from entering the wearer of it. So, no sense of false security, as many like to claim—assume there is *no* security against something passing through the mask to the wearer. It's all one way, from the wearer, to the rest of the world. In any case, there is finally an executive order for public face coverings in Texas.

<sup>4</sup> If one assumes the Tri-County is a sample of the US population, scaling it this way will likely increase its variability, since that is the nature of small samples. The rolling sum probably smooths that out enough that it is not significant, but that is not addressed here. Tri-County infections finally kicked in, and appear very differently than this.

<sup>5</sup> Example in this article: [https://www.wsj.com/articles/how-japan-beat-coronavirus-without-lockdowns-11594163172?mod=opinion\\_lead\\_pos5](https://www.wsj.com/articles/how-japan-beat-coronavirus-without-lockdowns-11594163172?mod=opinion_lead_pos5)

As far as Tri-County goes, the following tabulation shows what happens if the proposed US or Texas projections are scaled to our population:

max US daily	71,809	persons
equiv. max Tri-County	3.9	persons
max TX daily	13,656	persons
scaled to Tri-County	8.8	persons
max US cumulative	8,347,964	persons
equiv. max Tri-County	455	persons
incidence	25:1000	
max TX cumulative	969,306	persons
scaled to Tri-County	623	persons
incidence	35:1000	
Tri-County (current)	10:1000	7/10/2020

Tri-County has already busted through the highest daily number estimated above at 3.9 when it recorded 49 cases in one day. One can look at the accompanying graphs to see what the rest of the world is experiencing. Some places have already got rid of it—why not here?

Shutdowns, masks, and isolation are really attempts to lower  $R_0$ ,<sup>6</sup> but how much CV-19 is affected by lockdowns is not known well enough, and helps explain why the original introduction of lockdowns a few months ago only claimed to change duration and reduce maximum daily peak, not the total. An interesting experiment, probably influenced by the relative success of S. Korea, Taiwan, and New Zealand, is a state-wide regulation in Texas and Washington State, that anyone in public wears a mask, period. (This would have eliminated eating and drinking in indoor public places if it had been formulated properly.) This type of action may be what most contributed to the success of those countries listed.


It strikes me that the severe lockdowns were at least partially motivated on one political side as way to avoid targeting ethnic or so-called racial groups, which could be viewed as discriminatory. So it was applied to everyone. On the other hand, the other political side seems obsessed with maintaining the economy at all costs, and taking everything its leader says as right, even when it is nonsense. As mentioned, there are countries that got this under control without lockdowns. It would make more sense to park the ideologies for a minute and learn what worked from locales that managed it better.

---


<sup>6</sup> Basic Reproduction Rate.  $R_0$  is a measure of transmissibility:  $R_0 < 1$ , disease disappears;  $R_0 = 1$ , it's endemic;  $R_0 > 1$ , epidemic.

## Postscript

If Texas and the USA data are plotted as daily data concurrently, on a per capita basis, here is what you see:




Texas is clearly going off the charts at this point, as well as the US. It's interesting that the Texas ratio of deaths to confirmed cases is dropping, and always has been significantly less than the US numbers, which could mean better treatment of a growing number of confirmed cases, or more testing finding more cases, or some combination of that. It has an ominous upward tilt in the most recent days, though. The good news, in a world of bad news, is a drop in the ratio might decrease the fear and panic factor and lead to more rational decisions by people in authority. Since deaths lag cases, we'll soon see what effect this latest strong spike has on deaths. Arizona has a similar curve.




## P.S.S.

A few weeks ago the Wall Street Journal published data on annual causes of death which I have plotted with the USA CV-19 death statistics. The USA CV-19 death statistic is based on a triangular distribution curve fit of USA deaths that generates a cumulative maximum for a completed wave.




This distribution predicts 136,000 deaths, once this particular wave is over. We may get one or two more waves this year. This value is plotted as deaths per 100,000 with the WSJ data:



It's right up there with the major killers, although it's known many who died from CV-19 already had these potentially fatal issues. It's not clear where dying from old age fits in here, though. I suspect old age deaths would deduct from all these more or less equally, so the relative size remains unchanged.

NYC has suffered 274 deaths per 100,000 in this wave, while Texas has bumped up to 12 per 100,000. Those are estimates based on the maximums predicted by their respective curve fits. It's something to keep in mind when considering the desperation found in NYC and the northeast United States; they had every reason to be desperate. It's still a serious issue for Texas, no doubt, but one order of magnitude less than what NYC experienced. Certainly don't need to treat Texas like NYC, or, maybe we will have to, if people continue not to wear masks in public and to party like there is no tomorrow. Why do people need the Government to tell them to do what common sense should have told them already?


Using the estimator (the maximum value parameter from the gamma distribution curve fit, or the maximum cumulative value for the triangular fit), it's possible to do a bit of comparison of deaths around the world. Interestingly, two countries that did not do lockdowns (Sweden and Mexico) are mixed up in here. Mexico is not doing well at all, so far. I put NYC in here to show how much it skews the US data, since it is a bit more than a tenth of all the cases in the US. Not sufficient data to prove anything, but it does make one wonder, or I hope it makes one wonder.



For example, lockdowns put incredible stresses on people, losing jobs, being cooped up, maybe drinking too much. All of that stresses the immune system, and that makes people more susceptible to infection. In that case, lockdowns would not only *not* decrease the eventual number of infections, but might even increase them, due to the compromised immune systems.

### Trends in Confirmed Case Estimates

The confirmed case estimates are based on the maximum value parameter of a curve fit for a *completed* epidemic wave. The US was changed from a triangular distribution to a combination curve. The curve fit has been based on data that was in the process of being completed for the Spring 2020 CV-19 wave, so it's to be expected that the estimates might change. Here are confirmed case trends for a few select countries:







## Interesting Projections for Texas

It's anyone's guess where the Texas numbers will end. Corrective measures have been made that will include mandatory masks but no lockdowns. Unfortunately, Texas corrective still includes indoor restaurants being exempt from masks. Contact tracing is more prevalent, too.

Gamma distribution projection:



The sudden uptick that shows no sign of abating is certainly an issue for concern. So far, no corresponding increase in deaths—we hope it stays that way. Since the recent cases are primarily 20 to 30 year olds, perhaps that is the way it will go.




One other thing I hear a lot is the spread of CV19 from the protests is being downplayed for political reasons. Could be, but it's interesting to note that there are an estimated 63,000 bars, taverns and nightclubs in the US, and about 600,000 restaurants. If each of those establishments handled 15 customers per night on average (I think this is low ball), that is  $663,000 \times 15 \sim 10,000,000$  possible contacts, *per night*! Over three weeks, that is 210 million possible contacts. I know there were a lot of protesters and rioters, but I can't imagine it being in the hundreds of millions over three weeks. Roughly, 100 big riots with 100,000 in each riot or protest results in 10,000,000, one order of magnitude less. Also, the riots and protests were mostly outdoors.

## Explanation of statistic used for comparative purposes:

Often the generation of confirmed cases or deaths tend to be in a gamma distribution, which is a slightly skewed bell-shaped curve. Alternatively, the logistic distribution is used, as its parameters are less abstract than the gamma. Other times a triangular distribution better describes what's happening. A least squares procedure is used to get the closest fit to the data. Generally, the data is provided in a *cumulative* format, so the number increases each day, until the wave is over, at which point it is at its maximum and no longer changes. This can be converted to a daily format just by finding the difference between each pair of successive days. In mathematical terms, the daily format is the time derivative of the cumulative format. In any case, the area under the daily curve is identical to the last, largest and unchanging value in the cumulative format. This is the value that is used here as a comparative statistic, on a per capita basis. Each locale's "wave" has a different beginning, develops at a different rate, so comparison of values on a particular date among any given datasets doesn't tell you much.

Cases are usually described as incidents per thousandths; deaths are described as incidents per hundred thousandths. In this way, one can get a better feel for the relative performance of countries, continents, cities, states, counties, as long as the current population figure is available. It's also a way to gauge one's own personal risk—for example, the projected rate for Texas of 37 per 1000 (~4%) confirmed cases over several months is still a moderate risk for anything that's not fatal, despite being worse than average.<sup>7</sup> Keep in mind this statistic can and will change over time, not as a direct result of increasing cases or deaths, but because of the possible change in shape of the distribution. In some cases, particularly with the US, the distribution was changed from a gamma to a triangular because it fit better, which also changed the comparative statistic. It should be thought a qualitative measure, since it's impossible to put error bounds on it, at least in its earlier stages before its inflection point.

$R_0$ : If one can find the exponential part of the cumulative growth curve (a short section near the beginning of the curve, but loses validity if less than  $N = 100$  people), one finds the growth rate constant for an exponential, which is  $K = d \ln(N) / dt$ . (If plotted on semi-log paper, look for a straight line section near the beginning;  $K$  is its slope.)  $R_0 = e^{K\tau}$  where  $\tau$  is the average infectious period. Reduce  $K$  by reducing contacts, reduce  $\tau$  by isolation of infected individuals, for example. Here are some  $K$  values:



Example ( $R_0 = 2.6$ ,  $K_{TX} = 0.284$  / day)

$$R_0 = e^{K \cdot \tau}$$

$$\tau = \frac{\ln(R_0)}{K}, \quad \frac{\ln(2.6)}{0.284} = 3.4 \quad \text{days infectivity}$$

Example ( $R_0 = 1.0$ ,  $K_{TX} = 0.284$  / day)

$$\tau = \frac{\ln(1.0)}{0.284} = 0 \quad \text{days infectivity}$$

<sup>7</sup> As far as fatalities goes, 12:100,000 mortality estimated for Texas is a bit more than the 11:100,000 national rate for car fatalities. You have to ask yourself if you stay up at night worrying about getting killed in a car crash. Of course, those are all unconditional probabilities—given you're over 65 with significant health problems, it's a whole different story. And, this estimate could increase for Texas.