



Common causes of death, normalized to COVID. Pre-Covid: 1Q2017 thru 1Q2020, Post-Covid 2Q2020 thru 1Q2021, USA




Relative effect of COVID on various age groups, and compared to cause of death. These are all relative to COVID, which is 1.0 on each of four charts, USA













Texas and Tri-county comparisons










https://data.cdc.gov/NCHS/Conditions-contributing-to-deaths-involving-corona/hk9y-quqm/data



COVID-19 25.5% 74.5%

Conditions Contributing to COVID-19 Deaths, by State and Age, Provisional 2020-2022


This dataset shows health conditions and contributing causes mentioned in conjunction with deaths involving

74.0%

Under 65 Over 65

26.0%

Αll



2020-2022 data are provisional. False Positives Demonstration

Use 0.19% as estimated daily incidence

Prevalence estimated as avg. infected period of 2 weeks X incidence

All Cause

859:100,000


1016:100,000

157:100,000

coronavirus disease 2019 (COVID-19) by age group and jurisdiction of occurrence.

95%	95% accuracy of test			0.19% X 14 = 2.660%
	Positive	Negative		Sensitivity
test pos	2.527%	4.867%	7.39%	Probability of detection
test neg	0.133%	92.473%	92.61%	where condition exists
	2.660%	97.340%	100.00%	True + / (True + & False -)
				95%
False pos. is more than half of total positives.			Specificity	
TRUE +	2.527%/7.39%		34.2%	Probability of not detecting where
FALSE +	4.867%/7.39%		65.8%	condition doesn't exist
Total			100.00%	True - / (True - & False +)
				95%
Example only; sensitivity and specifity not necessarily equal.			d specifity not necessarily equal.	

Average and Excess Deaths (cont'd):



29% of All-Cause excess deaths are non-CV19

All Cause, excl. CV19

859:100.000

905:100,000

46:100,000

CV19

111:100,000

USA Excess Deaths, 2021 (from CDC data):

USA Excess Deaths, 2020 (from CDC data):

2020

Diff.

Annualized on 52 weeks

3 yr average before 2020

Annualized on 52 weeks			
	All Cause	All Cause, excl. CV19	CV19
3 yr average before 2020	859:100,000	859:100,000	-
2021	1052:100,000	909:100,000	-
Diff.	193:100,000	50:100,000	143:100,000

26% of All-Cause excess deaths are non-CV19


USA Excess Deaths to date (2022, from CDC data):


	Week 20	All Cause	All Cause, excl. CV19	CV19
3	yr average before 2020	346:100,000	346:100,000	-
	2022	405:100,000	354:100,000	-
	Diff.	58:100,000	7.7:100,000	51:100,000


Diff.	58:100,000	7.7:100,000	51:100,000
3 yr average		Linea	r Year Projection
859:100,000	13% of All-Caus	se excess deaths not CV19	132:100,000


https://data.cdc.gov/NCHS/Excess-Deaths-Associated-with-COVID-19/xkkf-xrst/data

9%				
5%				
0%				
5%	, ,			
5%	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\		
0	13	26	39	52
		week		












Data in recent weeks are incomplete. Only 60% of death records are submitted to NCHS within 10 days of the date of death, and completeness varies by jurisdiction. Data are not weighted and counts are likely underreported. The previous week's data is shown as dashed, to give an idea of the effect of the gradual update.


Recent exponential growth examples:














https://healthdata.gov/Health/COVID-19-Community-Profile-Report/gqxm-d9w9 https://github.com/CSSEGISandData/COVID-19/blob/master/csse covid 19 data/csse covid 19 dat