

### Experimental page: ratios of curve fit deaths to curve fit confirmed cases (CFR)










-United Kingdom cum. fit CFR ——Iran cum. fit CFR


Demonstration of SIR model where R  $_{e}$  is linearly reduced to 0.80 at the end of the sequence:





Reducing the  $R_e$  while keeping gamma constant is the same as reducing contact rate. Contact rate is reduced through isolation, lockdowns, and vaccinations. Seems to indicate timing of start of measures is a big factor. The orange data taken as without measures, but we know certain measures were taken. Hard to determine effect, without a basis of comparison.














0.21% X 14 = 2.940%

# False Positives Demonstration

Use 0.21% from US est. incidence above as estimated daily incidence Prevalence estimated as avg. infected period of 2 weeks X incidence

33% accuracy of test				
	Positive	Negative	İ	
test pos	2.911%	0.971%	3.88%	
test neg	0.029%	96.089%	96.12%	
	2 940%	97.060%	100 00%	

False pos. is a 1/4 of total positives.

TRUE + 2.911%/3.88% 75.0% FALSE + 0.971%/3.88% <u>25.0%</u> Total ------- 100.00%

Counter-act this tendency by increasing test sensitivity. However this may increase false negatives, the recipients of which may be positive, think they're negative, and go spread it around some more.

## **Provisional COVID-19 Death Counts** 85 years and over 75-84 years 65-74 years 55-64 years 45-54 years 35-44 years rsq = 0.99525-34 years 15-24 years https://data.cdc.gov/NCHS/Provisional-COVID-19-Death-Counts-5-14 years Show distribution of total avg annual deaths compared to deaths in 2020 attributed to CV19. 1-4 years Under 1 year 0.05 0 0.1 0.15 0.2 0.25 0.3 0.35 fraction of total deaths ■ Sum of Total Deaths ■ Sum of COVID-19 Deaths

#### USA Excess Deaths (from CDC data):

Annualized on 52 weeks

	All Cause	All Cause, excl. CV19	CV19
3 yr average before 2020	859:100,000	859:100,000	-
2020	1004:100,000	898:100,000	-
Diff.	148:100,000	39:100,000	109:100.000

3 yr average 859:100,000

26% of All-Cause excess deaths are non-CV19


https://data.cdc.gov/NCHS/Excess-Deaths-Associated-with-COVID-19/xkkf-xrst/data

K = 0.318


gamma = 0.171  $R_o$  = exp(K/gamma) = 6.42 gamma = 0.286  $R > [1-1/R_0]/N$  = 3.04


84% <=Herd immunity


R is recovered variable.





### Here are some demonstrations of SIR model, using R<sub>e</sub>, gamma, and beta























 $\underline{https://data.cdc.gov/NCHS/Weekly-Counts-of-Deaths-by-State-and-Select-Causes/muzy-jte6/data}$