




### Experimental page: ratios of curve fit deaths to curve fit confirmed cases (CFR)

















# Demonstration of SIR model where $R_{\,e}$ is linearly reduced to 0.80 at the end of the sequence:








Reducing the  $R_e$  while keeping gamma constant is the same as reducing contact rate. Contact rate is reduced through isolation, lockdowns, and vaccinations. Seems to indicate timing of start of measures is a big factor. The orange data taken as without measures, but we know certain measures were taken. Hard to determine effect, without a basis of comparison.

excess deaths

7 9 11 13 15 17 19 21 23 25 27 29 31 33 35 37 39 41 43 45 47 49 51

2020 --- 2021

## False Positives Demonstration



 99% accuracy of test

 Positive
 Negative

 test pos
 0.693%
 0.993%
 1.69%

 test neg
 0.007%
 98.307%
 98.31%

 0.700%
 99.300%
 100.00%

and a decomposition

Excess normalized to std dev

of 2017 - 2019 deaths.

False pos. is more than half of total positives.

TRUE + 0.693%/1.69% 41.1%

FALSE + 0.993%/1.69% 58.9%

LSE + 0.993%/1.69% <u>58.9%</u> Total ------ 100.00%

https://data.cdc.gov/NCHS/Excess-Deaths-Associated-with-COVID-19/xkkf-xrst/data

Baseline set at **Z** = 0

Counter-act this tendency by increasing test sensitivity. However this may increase false negatives, the recipients of which may be positive, think they're negative, and go spread it around some more.

# Provisional COVID-19 Death Counts 85 years and over 75-84 years 65-74 years 50-64 years 55-64 years rsq = 0.99245-54 years 35-44 years 25-34 years https://data.cdc.gov/NCHS/Provisional-COVID-19-Death-Counts-by-Sex-Age-and-S/9bhg-hcku/data 15-24 years 0% 10% 15% 20% 25% 30% ■ Total deaths ■ Covid deaths

### USA Excess Deaths (from CDC data):

Annualized on 52 weeks

	All Cause	All Cause, excl. CV19	CV19
3 yr average before 2020	859:100,000	859:100,000	-
2020	1013:100,000	903:100,000	-
Diff.	154:100,000	43:100,000	110:100.000

3 yr average 859:100,000


28% of All-Cause excess deaths are non-CV19

 $\underline{https://data.cdc.gov/NCHS/Excess-Deaths-Associated-with-COVID-19/xkkf-xrst/data}$ 


 $\begin{aligned} & K = 0.318 \\ \text{gamma} = 0.171 & R_o = \exp(K/\text{gamma}) & = 6.42 \\ \text{gamma} = 0.286 & R > \left[1 - 1/R_0\right]/N & = 3.04 \end{aligned}$ 


84% <=Herd immunity


R is recovered variable.





### Here are some demonstrations of SIR model, using Re, gamma, and beta























 $\underline{https://data.cdc.gov/NCHS/Weekly-Counts-of-Deaths-by-State-and-Select-Causes/muzy-jte6/data}$