

# Appendix 2: Imaginary Scalar Equation

Ing. David Jaroš  
*UBT Research Team*

**AI Assistants:** ChatGPT-4o (OpenAI), Gemini 2.5 Pro (Google)

## Motivation

In Appendix 1, we demonstrated that the real scalar part of our biquaternionic field equation reduces to the vacuum Einstein equations. This validates the classical gravitational limit of our theory. We now proceed to examine the *imaginary scalar part* of the same equation, which should yield new physics not captured by General Relativity.

## Field Decomposition

We decompose the tetrad  $e_\mu^a$  and connection  $\omega_\mu^{ab}$  into their real and imaginary parts:

$$e_\mu^a = e_\mu^{a(R)} + i e_\mu^{a(I)}, \quad \omega_\mu^{ab} = \omega_\mu^{ab(R)} + i \omega_\mu^{ab(I)}$$

where the superscripts  $(R)$  and  $(I)$  indicate real and imaginary parts respectively, with all components valued in real quaternions.

## Curvature and Contraction

The curvature two-form constructed from the connection is:

$$R_{\mu\nu}{}^{ab} = \partial_\mu \omega_\nu^{ab} - \partial_\nu \omega_\mu^{ab} + \omega_\mu^{ac} \omega_{\nu c}{}^b - \omega_\nu^{ac} \omega_{\mu c}{}^b$$

Substituting the decomposition, we collect terms linear in  $i$ , and retain only the scalar (trace) part after contraction with  $e_\nu^b$ . We define:

$$S := \text{ScalarPart} (e_\nu^b R_{\mu\nu ab})$$

Expanding and applying scalar extraction, we write:

$$S = \text{Re}(S) + i \text{Im}(S)$$

We are interested in the imaginary scalar part:

$$\text{Im}(S) = \text{Imag} [\text{ScalarPart} (e_\nu^{b(R)} R_{\mu\nu ab}^{(I)} + e_\nu^{b(I)} R_{\mu\nu ab}^{(R)})]$$

## Resulting Equation

The imaginary scalar field equation becomes:

$$\text{Im} \left[ \text{ScalarPart} \left( e_{\nu}^{b(R)} R_{\mu\nu ab}^{(I)} + e_{\nu}^{b(I)} R_{\mu\nu ab}^{(R)} \right) \right] + \text{Im}(R) = 0$$

where  $R$  is the scalar curvature (trace over  $e_a^{\mu} R_{\mu\nu}{}^{ab}$ ).

## Interpretation

This equation is nontrivial and describes a new dynamical constraint, potentially corresponding to a scalar field  $\phi(x)$  that couples to curvature. The appearance of  $e^{(I)}$  indicates a deviation from pure Riemannian geometry, possibly encoding quantum or informational degrees of freedom.

## Next Steps

- Analyze solutions of this equation on symmetric backgrounds (Minkowski, FRW).
- Determine whether this scalar has mass, source, or propagates.
- Explore its role in early universe cosmology or black hole interiors.

## Author's Note

This work was developed solely by Ing. David Jaroš. Large language models (ChatGPT-4o by OpenAI and Gemini 2.5 Pro by Google) were used strictly as assistive tools for calculations, LaTeX formatting, and critical review. All core ideas, equations, theoretical constructs and conclusions are the intellectual work of the author.