# Solution to the Scalar Constraint Equation (Priority P1)

#### Unified Biquaternion Theory Team

#### 1 Introduction

In the Unified Biquaternion Theory (UBT), the imaginary scalar part of the main field equation leads to a novel constraint:

$$\Im \left[ \partial_{\mu} \Theta^{\dagger} \, \partial^{\mu} \Theta \right] = 0,$$

where  $\Theta(q,\tau)$  is a biquaternion-valued field over complexified spacetime.

This constraint is not a wave equation but rather an algebraic or geometric condition that relates the amplitude and phase of the field.

### 2 Field Decomposition and Reformulation

Assume the field  $\Theta$  can be decomposed into amplitude and phase components:

$$\Theta = \rho(q) e^{i\phi(q)},$$

where  $\rho \in \mathbb{R}$  and  $\phi \in \mathbb{R}$  (local phase).

We compute:

$$\partial_{\mu}\Theta = (\partial_{\mu}\rho + i\rho\partial_{\mu}\phi)e^{i\phi},$$
$$\partial^{\mu}\Theta^{\dagger} = (\partial^{\mu}\rho - i\rho\partial^{\mu}\phi)e^{-i\phi},$$

Then:

$$\partial^{\mu}\Theta^{\dagger} \partial_{\mu}\Theta = (\partial^{\mu}\rho - i\rho\partial^{\mu}\phi)(\partial_{\mu}\rho + i\rho\partial_{\mu}\phi)$$
$$= \partial^{\mu}\rho\partial_{\mu}\rho + \rho^{2}\partial^{\mu}\phi\partial_{\mu}\phi + i(\rho\partial^{\mu}\rho\partial_{\mu}\phi - \rho\partial_{\mu}\rho\partial^{\mu}\phi)$$

The imaginary part yields:

$$\Im \left[ \partial^{\mu} \Theta^{\dagger} \, \partial_{\mu} \Theta \right] = 2\rho \, \eta^{\mu\nu} \, \partial_{\mu} \rho \, \partial_{\nu} \phi = 0$$

This gives the scalar constraint:

$$\eta^{\mu\nu}\,\partial_{\mu}\rho\,\partial_{\nu}\phi=0$$

which requires orthogonality between gradients of amplitude and phase.

## 3 Example: Spherical Symmetry

Consider  $\rho = \rho(r)$  and  $\phi = \phi(t)$ . Then:

$$\partial_{\mu}\rho = \frac{d\rho}{dr}\delta_{\mu}^{r}, \quad \partial_{\nu}\phi = \frac{d\phi}{dt}\delta_{\nu}^{t}$$

and the constraint becomes:

$$\eta^{\mu\nu}\partial_{\mu}\rho\partial_{\nu}\phi = \eta^{rt}\frac{d\rho}{dr}\frac{d\phi}{dt} = 0$$

so it's satisfied trivially, as  $\eta^{rt} = 0$ .

# 4 Interpretation

This constraint may act as a filter on allowed configurations of the field, excluding those where amplitude and phase gradients align. It may also relate to topological or informational conditions of spacetime geometry.

#### 5 Outlook

Future work will explore:

- $\bullet$  General solutions in FRW and Schwarzschild backgrounds
- $\bullet$  Topological classification of field configurations satisfying the constraint
- Role in quantum corrections and effective action