

Risk & Risk Aversion

Revised: September 29, 2015

Risk and risk aversion are fundamental building blocks for thinking about how risk is priced in markets. We say people are *risk averse* if they prefer a sure thing to a risky outcome with the same mean. The question is what form this risk aversion takes — what kinds of risks matter? We'll see instead that the entire distribution generally matters. If we think about this in terms of moments and cumulants, it's not just the variance that's relevant, but skewness and kurtosis, too.

A quick review follows. We start off abstractly and add more structure as we go. Some of the early parts might be unnecessary, but I thought looking at the issue from several different perspectives would give us deeper insight. We end up with what will become our workhorse: expected utility with a power utility function.

As we work through this, keep these questions in mind. What do we mean by risk aversion? How can we represent it? What kinds of risks do people dislike? Is it the variance of outcomes, or something more?

1 Risk

The risk we care about is the risk of outcomes, which we'll describe with our basic setup for random variables: states z drawn from a set \mathcal{Z} and probabilities $p(z)$. Suppose the outcome we care about is a random variable $c(z)$, which assigns the outcome “consumption in state z ” to every state z . We say the outcome is riskless or riskfree if $c(z)$ is the same for all z . Otherwise, it's risky. What kinds of risk are we concerned with? What risks would we prefer to avoid? That depends on our preferences, which we turn to next.

2 Basic concepts: utility functions and certainty equivalents

Utility functions are mathematical devices that we use to describe the preferences of an “economic agent,” a hypothetical individual who follows whatever rules we lay down. The function tells us the amount of utility (“happiness”) the agent gets from any combination of consumption quantities. For example, the function $U(a, b)$ might express preferences over quantities of apples and bananas. We assume — always! — that more is better: increasing a or b increases utility U . Other properties of U it might indicate whether the agent prefers apples or bananas, how many of one it takes to compensate for the loss of the other, and so on.

We use the same tool to describe preferences over risky consumption. Let us say that the set of possible states is finite: $\mathcal{Z} = \{1, 2, \dots, Z\}$. Nothing important depends on this, but it makes the notation simpler. The vector of possible consumption outcomes is therefore $[c(1), c(2), \dots, c(Z)]$. Utility over these outcomes might be written $U[c(1), c(2), \dots, c(Z)]$.

Again we would say that U is increasing in each of its arguments (more is better). Depending on other properties of U , the agent might prefer to invest different amounts in risky securities or take jobs with more or less risky income outcomes — any decision that involves risk. We’ve done this at a high level of abstraction, but it’s helpful nonetheless to give labels to things, even if we’re somewhat vague at this point about what they mean.

[Draw indifference curve for 2-state case. What is the 45-degree line?]

One way to assess the agent’s attitude toward risk is to compare the utility of a given set of consumption outcomes to that of a constant outcome. The *certainty equivalent* μ is the value of constant consumption that generates exactly the same utility:

$$U[c(1), c(2), \dots, c(Z)] = U(\mu, \mu, \dots, \mu). \quad (1)$$

The idea is to think about this as an equation that (implicitly) determines μ . Given the consumption outcomes, the lhs (left-hand side) is given. Since the utility function U is increasing in all its arguments, we can vary μ until it generates the same value. In a sense, μ converts the utility of the risky outcome into more handy consumption units. Note, too, that if consumption is constant, then the certainty equivalent equals that same constant.

[Back to 2-state case. Show 45-degree line and certainty equivalent.]

Even at this level of generality, we can talk about risk aversion. Consider these two objects related to a risky consumption outcome $\{c(z)\}$:

- The certainty equivalent μ , defined by (1).
- The mean consumption outcome,

$$\bar{c} = \sum_z p(z)c(z) = E(c).$$

We haven’t mentioned probabilities before, but we need them here to compute the mean outcome \bar{c} .

Comparing the certainty equivalent μ and the mean outcome \bar{c} tells us how much we dislike risk — whatever risk is built into the outcomes $c(z)$. If $\mu = \bar{c}$, then we don’t care about risk at all. Why? Because risky consumption gives us the same utility as constant consumption equal to \bar{c} . More generally, we say the agent is risk averse (dislikes risk) if the certainty equivalent of the risky outcome is less than the mean: $\mu < \bar{c}$. The difference between them measures how much we dislike the risky outcomes. A concrete example of such a measure is the *risk penalty*

$$rp = \log(\bar{c}/\mu). \quad (2)$$

It tells us how much of a consumption penalty we’d be willing to accept relative to the mean to have riskless consumption. The log form is arbitrary, but it will be convenient later on.

Example. Let’s say there are two states with probabilities $p(1) = p(2) = 1/2$. Suppose $c(1) = 2$ and $c(2) = 8$. Then $\bar{c} = 5$. What is the certainty equivalent μ ? We need to know

our preferences to do this, but let's say $\mu = 4$: we get the same utility from the consumption outcomes (2, 8) and (4, 4), even though the latter gives us less, on average. The risk penalty is therefore $rp = \log(\bar{c}/\mu) = \log(5/4) = 0.2231$. In words: You'd accept a 22% reduction in average consumption to eliminate the risk.

3 Concave functions, Jensen's inequality, and increasing risk

Here are some mathematical concepts that we'll use shortly, they come up a lot in economics and finance. We say a function $f(x)$ is *concave* if, for any two points x_1 and x_2 , a weighted average of the function at the two points is less than the function of a weighted average of the points:

$$wf(x_1) + (1 - w)f(x_2) < f[w x_1 + (1 - w)x_2] \quad (3)$$

for any number w between zero and one. [Draw a picture, that's clearer.] If f is differentiable, that means $f''(x) < 0$. We say $f(x)$ is *convex* if the inequality goes the other way. Equivalently, f is convex if $-f$ is concave. Sometimes people use weak inequalities and distinguish between strict and weak concavity/convexity, but we generally won't.

Examples. Which of the following are concave? Convex?

- (a) $f(x) = 27 - x^2$
- (b) $f(x) = \log x$
- (c) $f(x) = e^x$
- (d) $f(x) = x^{1-\alpha}/(1-\alpha)$
- (e) $f(x) = \max\{0, x - k\}$
- (f) $f(x) = x^2$.

Think about these, maybe draw them to see what they look like. Item (e) you might recognize as the payoff from a call option on x with strike price k .

We'll use two results about concave (convex) functions f of a random variable x . The first is *Jensen's inequality*: If f is concave, then

$$E[f(x)] \leq f[E(x)], \quad (4)$$

with equality only if x is constant. [Draw a concave function f and show what this looks like.] If f is convex, the inequality goes the other way. You should see a parallel here with (4), at least in the two-state case: think of the weight w as a probability. The difference between the left and right sides of (4) reflects the impact of risk, so you can see that this might be an essential tool in thinking about risk aversion.

We can use Jensen's inequality to show that the variance must be positive. The variance is $\text{Var}(x) = E(x^2) - [E(x)]^2$. Recall from item (f) above that $f(x) = x^2$ is convex. What does that imply for the relation between $E[f(x)]$ and $f[E(x)]$? Use it to show the variance is positive.

Our second result describes the impact of increasing risk. It's trickier than you think to describe an increase in risk — we can increase risk in lots of potentially different ways. We will say that $x + y$ is (unambiguously) riskier than x if y is not constant and has zero mean. (You might hear people refer to a *mean-preserving spread* or *second-order stochastic dominance*.) Then if f is concave, an increase in risk reduces the expected value of $f(y)$:

$$E[f(x + y)] < E[f(x)].$$

If f is convex, the inequality goes the other way.

Example (normal). Suppose x is normal with mean κ_1 and variance $\kappa_2 > 0$. Then

$$E(e^x) = e^{\kappa_1 + \kappa_2/2} > e^{\kappa_1},$$

with equality if $\kappa_2 = 0$ (x is constant at μ). [You should ask yourself: (i) Where does the first relation come from? (ii) What does the second have to do with Jensen's inequality?]

Example 2 (options). Consider the option payoff $f(x) = \max\{0, x - k\}$. How does $E(f(x))$ change if we add a mean-preserving spread to x ? Answer: Since f is convex, its expected value goes up. This is a classic feature of options: the more risk there is, the more they're worth.

4 Expected utility with rational expectations

Most work in economics and finance uses expected utility, a specific form of the utility function U that we'll define shortly. We'll be no different. But I think our long buildup is useful because it hints that other approaches are possible. In fact, it's an active topic of research, both in economics and psychology.

Expected utility gives U the additive form

$$U[c(1), c(2), \dots, c(Z)] = \sum_z p(z)u[c(z)] = E[u(c)]. \quad (5)$$

for some state-utility function u . This puts a lot of structure on preferences, but structure is good if it's sensible, it gives us more precise predictions.

Probabilities here are (in theory) subjective: they're positive numbers $p(z)$ that sum to one that reflect the agent's preferences. We go one step further and make the assumption of *rational expectations*: $p(z)$ is the true probability distribution over states z . There's been no end of debate about this, but it's incredibly useful when we implement expected utility and compare its predictions with evidence.

[Talk about Ellsberg paradox, ambiguity over the probabilities.]

The action in expected utility is in the function u . It controls the certainty equivalent, which here is the solution to

$$\sum_z p(z)u[c(z)] = \sum_z p(z)u(\mu) = u(\mu).$$

More on this shortly. Clearly u must be increasing (more is better): that is, $u'(c) > 0$. That means we can solve for the certainty equivalent:

$$\mu = u^{-1} \left(\sum_z p(z) u[c(z)] \right) = u^{-1} [Eu(c)].$$

The expression u^{-1} means the inverse function of u , so that $u^{-1}[u(c)] = c$. This is a little abstract at this point, but we'll put it to work in the next section.

Risk aversion is more complicated so we'll look at it a couple different ways. Both tell us that u is concave, which here means $u''(c) < 0$. The first is to look at the 2-state case. Suppose the two states occur with probability one-half each and consumption outcomes $c(1) < c(2)$. Mean consumption is therefore $\bar{c} = (1/2)c(1) + (1/2)c(2)$. Expected utility is

$$E[u(c)] = (1/2)u[c(1)] + (1/2)u[c(2)].$$

When is this less than $u(\bar{c})$? By Jensen's inequality, this is true if the function u is concave. So if $u'' < 0$, we have $E[u(c)] = u(\mu) < u(\bar{c})$ (risk aversion). And if we take u^{-1} of both sides, we have $\mu < \bar{c}$.

[As usual, it's easier if you draw a picture. Plot $u(c)$ v c . Show expected utility and certainty equivalent.]

So we've seen that a concave function u implies risk aversion. We get a sharper sense of what properties of u matter with a Taylor series expansion, a trick devised by Paul Samuelson. Recall that the Taylor series (if it exists) of a function f of a variable x around the point x^* is

$$f(x) = f(x^*) + f'(x^*)(x - x^*) + f''(x^*)(x - x^*)^2/2 + f'''(x^*)(x - x^*)^3/3! + \dots$$

The Taylor series expansion of u around mean consumption \bar{c} is

$$u(c) = u(\bar{c}) + u'(\bar{c})(c - \bar{c}) + u''(\bar{c})(c - \bar{c})^2/2 + u'''(\bar{c})(c - \bar{c})^3/3! + \dots$$

Expected utility is therefore

$$\begin{aligned} E[u(c)] &= u(\bar{c}) + u''(\bar{c})E(c - \bar{c})^2/2 + u'''(\bar{c})E(c - \bar{c})^3/3! + \dots \\ &= u(\bar{c}) + u''(\bar{c})\mu_2/2 + u'''(\bar{c})\mu_3/3! + u''''(\bar{c})\mu_4/4! + \dots, \end{aligned} \quad (6)$$

where μ_j is the j th central moment of the consumption outcome c . We'll refer to this as the Samuelson expansion. Note that the linear term disappears. It's sometimes said that expected utility agents don't care about small risks, because if the risks are small enough the other terms go to zero and $u(c) \approx u(\bar{c})$. Note too that increasing the variance reduces utility since $u'' < 0$, so variance is evidently a disliked component of risk. What about skewness or kurtosis, captured here by the third and fourth central moments, μ_3 and μ_4 ? The answer depends, apparently, on the third and fourth derivatives of u , whatever those might be.

5 Power utility and plausible risk aversion

Since we have a practical applied interest in this subject, we'd like to have a specific utility function we can put to work. That function is the power function. Applied to utility we would write

$$u(c) = c^{1-\alpha}/(1-\alpha)$$

for some parameter $\alpha > 0$. The parameter α controls sensitivity to risks of all kinds and is often referred to (for reasons we won't go into) as the *coefficient of relative risk aversion*. Larger values of α are associated with stronger aversion to risk. A small technical point: with this utility function, and most others in this class, we'll restrict consumption c to be positive.

What about its derivatives? The first two are

$$\begin{aligned} u'(c) &= c^{-\alpha} > 0 \\ u''(c) &= -\alpha c^{-\alpha-1} < 0, \end{aligned}$$

which have the signs we want. [Ask yourself why.] The third and fourth derivatives are

$$\begin{aligned} u'''(c) &= \alpha(\alpha+1)c^{-\alpha-2} > 0 \\ u''''(c) &= -\alpha(\alpha+1)(\alpha+2)c^{-\alpha-3} < 0. \end{aligned}$$

The Samuelson expansion (6) tells us, then, that power expected utility agents like positive skewness (lottery tickets?) and dislike positive kurtosis.

Power utility also allows us to compute the certainty equivalent from a formula:

$$\mu = \left(\sum_z p(z)c(z)^{1-\alpha} \right)^{1/(1-\alpha)} = [E(c^{1-\alpha})]^{1/(1-\alpha)}. \quad (7)$$

[If that's not clear, go back to the previous versions.] It's a little ugly, but at least we have a formula we can use — and we'll do that right now.

One question we might ask ourselves is what values of α are plausible. That's a tough question, but a useful starting point is to consider an example and apply introspection. Suppose you are given two choices for your career income, with the same income every year:

- Choice 1: probability one-half each of an income (= consumption) of 100k a year or 200k a year.
- Choice 2: a sure income (= consumption) of μ (your certainty equivalent).

The question for you (here's where introspection comes in) is: What value of μ generates the same utility as Choice 1? Given an answer, we can reverse engineer your risk aversion parameter α .

Here's a Matlab script that does the calculation:

```

% inputs
c = [100; 200];
p = [1/2; 1/2];
% introspective estimate of your certainty equivalent
mu = 125
% vary alpha until you hit your certainty equivalent
alpha = 2
mu_guess = sum(p.*c.^(1-alpha)).^(1/(1-alpha))

```

The idea is to keep guessing α until you match your value of μ . If your certainty equivalent is $\mu = 125$, then your implied value of α is about 3.25. You can figure this out by trying different values of α until you find one that gives you the same certainty equivalent. Or you could do this for a bunch of values of α at the same time (think of α as a grid) using Matlab's vector capabilities. Or you could use a numerical equation-solver, which we'll do later in the course.

6 Cumulant expansion of risk penalties

With power utility, there's a close connection between expected utility and the distribution of $x = \log c$. Why? Because $c^{1-\alpha} = e^{(1-\alpha)\log c} = e^{(1-\alpha)x}$. Let's repeat that, it will come up again:

$$c^{1-\alpha} = e^{(1-\alpha)\log c} = e^{(1-\alpha)x}$$

We're using the fact that \log and \exp are inverse functions, so that $c = e^{\log c}$, that that powers take the form $c^a = e^{a\log c}$. Load that into memory, we'll use it repeatedly.

Now where were we? If $k(s) = \log E(e^{sx})$ is the cumulant generating function of $x = \log c$, then $E(c^{1-\alpha})$ is k evaluated at $s = 1 - \alpha$. This is simply a convenient byproduct of power utility, but it allows us to connect expected utility and the risk penalty (2) to the risk aversion parameter and the cumulants of the **logarithm** of consumption. This parallels the Samuelson expansion (6), in which we connected expected utility to the derivatives of the utility function and the central moments of consumption itself.

Let's go through the calculation of the risk penalty one step at a time. The first ingredient of the risk penalty is mean consumption: $\bar{c} = E(c) = E(e^x) = \exp[k(1)]$. [Are you with me? Stop and think if you're not.]

The second ingredient is the certainty equivalent. Expected utility is connected to the cgf by

$$\begin{aligned}
E[u(c)] &= E(c^{1-\alpha})/(1-\alpha) \\
&= E(e^{(1-\alpha)x})/(1-\alpha) \\
&= \exp[k(1-\alpha)]/(1-\alpha).
\end{aligned}$$

The certainty equivalent follows from equating expected utility to the utility of constant consumption equal to μ :

$$\begin{aligned} u(\mu) &= E[u(c)] \\ \mu^{1-\alpha}/(1-\alpha) &= \exp[k(1-\alpha)]/(1-\alpha). \end{aligned}$$

That gives us

$$\mu = \{ \exp[k(1-\alpha)] \}^{1/(1-\alpha)} = \exp[k(1-\alpha)/(1-\alpha)].$$

This is a little mysterious, but it's nice compact notation, which is generally a good thing.

Putting our two calculations together gives us the risk penalty (2):

$$rp = \log(\bar{c}/\mu) = k(1) - k(1-\alpha)/(1-\alpha).$$

We see, for example, that it's zero when $\alpha = 0$: someone who does not dislike risk has no risk penalty, whatever that risk might be. [Think for a minute: What is the utility function when $\alpha = 0$?]

More useful to us is an analog of Samuelson's expansion. Recall that we can express the cgf in terms of its cumulants:

$$k(s) = \kappa_1 s + \kappa_2 s^2/2 + \kappa_3 s^3/3! + \dots,$$

where κ_j is the j th cumulant of $x = \log c$. That gives us

$$\begin{aligned} rp &= k(1) - k(1-\alpha)/(1-\alpha) \\ &= [1 - (1-\alpha)]\kappa_2/2 + [1 - (1-\alpha)^2]\kappa_3/3! + [1 - (1-\alpha)^3]\kappa_4/4! + \dots, \end{aligned} \quad (8)$$

If $x = \log c$ is normal, then only the first term appears, the rest are zero. The term says that the risk penalty is the product of risk aversion (α) and the variance over two ($\kappa_2/2$).

The other terms are more complicated. They show the roles of high-order cumulants: skewness, kurtosis, and so on. In each coefficient, the one is simply the impact on the mean: increasing any cumulant of $\log c$ raises the mean of c . Beyond that, the magnitude of the impact of a cumulant on the risk penalty depends on risk aversion α and risk κ_j . We see that higher skewness (κ_3) reduces the risk penalty if $\alpha > 2$. And so on.

Bottom line

In risky environments, utility depends on the complete set of consumption outcomes. With expected utility, we assign separate roles to the probability and utility of each outcome. Expected utility depends potentially on all of the moments and cumulants of outcomes: we need the whole distribution to assess risk. Power utility is a particularly handy functional form in which risk aversion is captured by a single parameter. In this case, expected utility is closely connected to the moment generating function for the log of consumption.

Practice problems

1. *Concave and convex functions.* Consider the following functions defined over positive values of x :

- (a) $f(x) = \log x$
- (b) $f(x) = \exp(x)$
- (c) $f(x) = x^\alpha$ for $\alpha = 2$
- (d) $f(x) = -x^\alpha$ for $\alpha = 2$
- (e) $f(x) = x^\alpha$ for $\alpha = 1$

For each one:

- State whether it's concave, convex, or something else.
- State whether $E[f(x)]$ is greater or less than $f[E(x)]$.
- Verify your previous answer by computing $E[f(x)]$ and $f[E(x)]$ for the Bernoulli random variable

$$x = \begin{cases} 100 & \text{with probability } 1/2 \\ 200 & \text{with probability } 1/2. \end{cases}$$

Answer. This is a check on Jensen's inequality.

- (a) Concave, (b) convex, (c) convex, (d) concave, (e) linear (on the edge between concave and convex).
- If concave $E[f(x)] < f[E(x)]$. If convex the reverse. If linear, they're equal.
- Summary:

	(a)	(b)	(c)	(d)	(e)
$E[f(x)]$	4.95	10^{86}	25,000	-25,000	150
$f[E(x)]$	5.01	10^{65}	22,500	-22,500	150

2. *Lognormal risks.* What is the *risk penalty* when consumption is lognormal (the log of consumption is normal)? To be concrete, let $x = \log c \sim \mathcal{N}(\kappa_1, \kappa_2)$ and $u(c) = c^{1-\alpha}/(1-\alpha)$ for $\alpha > 0$.

- (a) What is the moment generating function (mgf) of $x = \log c$?
- (b) Use the mgf to compute $\bar{c} = E(c) = E(e^x)$.
- (c) Use the mgf to compute expected utility $E[u(c)]$.
- (d) What is the certainty equivalent μ ?
- (e) What is the risk penalty? How does it depend on risk? Risk aversion?

Answer.

- (a) The mgf is (you should be getting used to this)

$$h(s) = E(e^{sx}) = \exp(s\kappa_1 + s^2\kappa_2/2).$$

- (b) The mean of c is $\bar{c} = E(c) = E(e^x) = h(1) = e^{\kappa_1 + \kappa_2/2}$.

- (c) Similarly, expected utility is

$$\begin{aligned} E[u(c)] &= E(c^{1-\alpha})/(1-\alpha) = E(e^{(1-\alpha)x})/(1-\alpha) \\ &= h(1-\alpha)/(1-\alpha) = e^{(1-\alpha)\kappa_1 + (1-\alpha)^2\kappa_2/2}/(1-\alpha). \end{aligned}$$

- (d) The certainty equivalent is the consumption μ that gives the same utility, namely $u(\mu) = \mu^{1-\alpha}/(1-\alpha) = E[u(c)]$. This implies

$$\mu = \exp[\kappa_1 + (1-\alpha)\kappa_2/2].$$

- (e) The risk penalty is

$$\log(\bar{c}/\mu) = \log \bar{c} - \log \mu = \alpha\kappa_2/2,$$

which depends on risk (captured here by the variance κ_2) and risk aversion (α).

3. *Option payoffs.* An option on the random variable y has a payoff of $f(y) = \max\{0, y - k\}$ for some strike price k .

Consider random variables y constructed from these independent inputs:

- x_1 takes on the values $\{4, 6\}$ with probability one-half each.
- x_2 takes on the values $\{-2, +2\}$ with probability one-half each.

We'll explore the expected payoff of options with strike price $k = 5$ and two versions of y : $y = x_1$ and $y = x_1 + x_2$.

- What is the expected value of $y = x_1$?
- What is the expected option payoff — that is, $E[f(y)]$ — in this case? How does it compare to $f[E(y)]$? What mathematical result does this illustrate?
- What values does $y = x_1 + x_2$ take on? With what probabilities? What is its expected value?
- What is the expected option payoff in this case?
- How does the option payoff differ when $y = x_1$ and $y = x_1 + x_2$? What mathematical result does this illustrate?

Answer.

- $E(y) = (1/2)(4) + (1/2)(6) = 5$.
- $E[f(y)] = (1/2)(0) + (1/2)(1) = 1/2$. $f[E(y)] = 0$. The former is greater because f is a convex function: Jensen's inequality in action.
- y takes on the values $\{2, 4, 6, 8\}$ with probability one-fourth each. The expected value is $E(y) = (1/4)(2 + 4 + 6 + 8) = 5$. That is: the mean hasn't changed, we've just spread out the distribution a bit. (Draw the two distributions if you like.)

- (d) The expected option payoff is $E[f(y)] = (1/2)(0) + (1/4)(1) + (1/4)(3) = 1$.
- (e) This is greater than the option payoff with $y = x_1$ because we've spread out the distribution. We don't have a name for this, but an increase in the variance holding constant the mean increases the expected value of a convex function.
4. *Risk aversion with upside risk.* Consider a three-state distribution for your lifetime income. The states occur with probabilities $(\omega, \omega, 1 - 2\omega)$ and involve lifetime annual incomes of $(100, 200, 1000)$. We'll assume you consume your entire income every year. We'll set $\omega = 0.495$, so that there's a one percent chance of a big upside: a lifetime income of a million a year. The question is how large the impact is on your attitude toward income risk.
- (a) What is mean consumption?
- (b) If you have power utility with $\alpha = 5$, what is your certainty equivalent?
- (c) What is your risk penalty?
- (d) The question is how important the upside risk is to your risk penalty. One way to approach this question is with the cumulant expansion (8). What is the first term in the expansion? How does it compare to the total?

Answer.

- (a) Mean consumption is 158.5.
- (b) Your certainty equivalent is 117.4.
- (c) Your risk penalty is $\log(158.5/117.4) = 0.2999$.
- (d) The variance is $\kappa_2 = 0.1568$, so the first term in the expansion is $\alpha\kappa_2/2 = 0.3920$. See Matlab code below. This tells us that the rest of the distribution — the upside risk — lowers the risk penalty from 0.3920 (the variance term) to 0.2999 (the total). What's going on? Power utility agents like upside risk, including positive skewness, even after we take into account its impact on the mean in the risk penalty, so they're willing to accept a smaller penalty in return.

Matlab code:

```
% inputs
c = [100; 200; 1000];
omega = 0.495;
p = [omega; omega; 1-2*omega];

% calculations
cbar = sum(p.*c)
alpha = 5;
mu = sum(p.*c.^(1-alpha)).^(1/(1-alpha))
rp = log(cbar/mu)

% cumulant expansion
kappa1 = sum(p.*log(c))
kappa2 = sum(p.*(log(c)-kappa1).^2)
varianceterm = alpha*kappa2/2
```

5. *Exponential risks.* We know that when $x = \log c$ is normal, the risk penalty for power utility agents is $\alpha\kappa_2/2$, where κ_2 is the variance of x . What happens when $x = -\log c$ is exponential? The connection between c and x implies $c = e^{\log c} = e^{-x}$. The minus sign gives us negative skewness, which power utility agents dislike. Our mission is to see how this shows up in the risk penalty. [What would you guess?]

The pdf for an exponential random variable x is

$$p(x) = \lambda e^{-\lambda x}$$

for $x \geq 0$ and $\lambda > 0$. The cgf is

$$k(s) = -\log(1 - s/\lambda).$$

In terms of x , the mean of c is $\bar{c} = E(c) = E(e^{-x})$.

- Use the cgf to compute the variance, skewness, and excess kurtosis of x . How do they compare to those of the normal distribution?
- What are the variance, skewness, and excess kurtosis of $-x$?
- Use the cgf to compute \bar{c} .
- Choose the value of λ that sets the variance of x equal to 0.02^2 .
- Now consider the risk penalty of a power utility agent. If x is normal, this is $\alpha\kappa_2/2$. What is it when $-x$ is exponential? Compute both for $\alpha = 2, 10, 20$.
- How do the normal and exponential cases differ? Why?

Comment: the minus sign in $\log c = -x$ introduces a subtle change in the problem. If you find this confusing, use $\log c = x$. The answer is similar, but the effect is the opposite: the risk penalty is smaller than in the normal case, because power utility agents like positive skewness.

Answer.

- The first four cumulants of x are $\kappa_1 = 1/\lambda$, $\kappa_2 = 1/\lambda^2$, $\kappa_3 = 2/\lambda^3$, and $\kappa_4 = 6/\lambda^4$. Skewness and excess kurtosis are therefore $\gamma_1 = 2$ and $\gamma_2 = 6$.
- They're the same, except we flip the sign of skewness: the minus sign in $-x = \log c$ makes skewness $\gamma_1 = -2$. That's true, by the way of all the odd cumulants.
- If $k(s)$ is the cgf of x , then $\log \bar{c} = k(-1)$ (k evaluated at $s = -1$): $k(-1) = -\log(1 + 1/\lambda)$.
- We solve $0.02^2 = 1/\lambda^2$ or $\lambda = 1/0.02 = 50$.
- The risk penalties are

	$\alpha = 2$	$\alpha = 10$	$\alpha = 20$
lognormal	0.0004	0.0020	0.0040
exponential	0.0004	0.0022	0.0054

The point is that departures from normality matter, although they're not especially large here. The numbers suggest that the impact increases with risk aversion α . This may seem mysterious now, but note the role of α in the cumulant expansion of the risk penalty (8). Amir Yaron refers to this as a “bazooka,” since it allows you to take a little nonnormality and generate enormous risk premiums. More on this kind of thing later in the course.

6. *Exponential utility.* Another common utility function is $u(c) = -\alpha^{-1}e^{-\alpha c}$, with $\alpha > 0$. It's a convenient functional form for evaluating attitudes toward risk. We'll combine this with a Poisson distribution for consumption: $c = \delta z$ with probability $\omega^z e^{-\omega}/z!$ for $z = 0, 1, 2, \dots$ and $\omega, \delta > 0$.

- (a) Verify that utility u is increasing and concave.
- (b) What is the mgf of c ? What is mean consumption?
- (c) Use the mgf to compute expected utility.
- (d) What is the certainty equivalent μ ?
- (e) What is the risk penalty?

Answer.

- (a) The first two derivatives are

$$\begin{aligned} u'(c) &= e^{-\alpha c} > 0 \\ u''(c) &= -\alpha e^{-\alpha c} < 0. \end{aligned}$$

- (b) The mgf is (see the notes on random variables)

$$h(s) = E(e^{sc}) = E(e^{s\delta z}) = e^{\omega(e^{\delta s}-1)}.$$

The mean is $E(c) = \omega\delta$.

- (c) Expected utility is

$$-\alpha^{-1}E(e^{-\alpha c}) = -\alpha^{-1}h(-\alpha) = -\alpha^{-1}e^{\omega(e^{-\delta\alpha}-1)}.$$

- (d) The certainty equivalent solves $u(\mu) = E[u(c)]$, which here implies

$$\mu = \alpha^{-1}\omega(1 - e^{-\delta\alpha}).$$

- (e) The risk penalty is

$$rp = \log[E(c)/\mu] = \log(\delta\alpha) - \log(1 - e^{-\delta\alpha}).$$

The point is that we have a combination of risk and risk aversion, but it's not nearly as simple as in the lognormal case. In a sense, the lognormal case misleads us into thinking this has to be simple.

Matlab code

To access related Matlab code, download this document as a pdf, open it in Adobe Reader or the equivalent, and click on the pushpin: 