

Models of Bond Prices

Revised: December 1, 2014

We define bond prices and related objects and describe the connection between bond prices and the pricing kernel in arbitrage-free economies. Formally, we apply the no-arbitrage theorem in a dynamic setting. One version: there exists a positive pricing kernel m that satisfies

$$E_t(m_{t+1}r_{t+1}^j) = 1 \quad (1)$$

for gross returns r^j on all assets j .

Our application is bonds. We show that properties of the pricing kernel, particularly its dynamics, determine those of bond prices. We then use observed properties of bond prices (mean, standard deviation, autocorrelation) to infer parameter values for some popular models. All of our examples are loglinear; they're what have come to be called *exponential-affine* models. The convenience of linearity should be clear from our earlier work.

Built into our approach is the idea that variation in bond prices and others things over time is variation in the state. The state evolves through time in some specified way. Bond prices are functions of the state, so they vary through time as well. But the variation comes from their connection to the state.

1 Definitions: bond prices, yields, and forward rates

Bond prices: q_t^n is the price at date t of one unit at date $t+n$. One unit of what? For now, dollars, but we can reconsider units later. Some people refer to these prices as *discount factors* or prices of *zeros*, meaning zero-coupon bonds.

What about coupons? Same thing, but apply the appropriate price to each payment.

Yields are a convention for reporting prices. The continuously-compounded yield is connected to the price by

$$q_t^n = \exp(-ny_t^n) \Leftrightarrow y_t^n = -n^{-1} \log q_t^n. \quad (2)$$

It's the average rate of discount over the interval $[t, t+n]$. Sometimes it's more useful to apply a different rate to each period:

$$q_t^n = \exp[-(f_t^0 + f_t^1 + \cdots + f_t^{n-1})] \Leftrightarrow f_t^n = \log q_t^n - \log q_t^{n+1}. \quad (3)$$

We refer to f_t^j as the j -period ahead *forward rate*. Together we have

$$y_t^n = n^{-1} (f_t^0 + f_t^1 + \cdots + f_t^{n-1}).$$

In words: yields are averages of forward rates. Yields and forwards are analogous to average and marginal cost in microeconomics.

[Draw time line, show what periods yields and forwards apply to.]

[Plot $-\log b_t^n$ versus maturity n . Show yields and forwards.]

Sometimes for convenience we'll refer to the *short rate* $f_t^0 = y_t^1$. This is continuously compounded, not the same as the return on a one-period bond (we'll get to returns shortly).

Evidently we can report bond prices q_t^n (one number for each maturity n), yields y_t^n , or forward rates f_t^n . Once we know one, we can compute the others. Forwards are mathematically simpler, but yields are more common.

*** Forward contracts

*** Coupon bonds

One last thing: bond prices and returns have units. Typically the units are dollars (or other currency): bonds are claims to dollars, prices are measured in dollars, and returns are dollars later per dollar now. We could use other units, but those are the standard one.

2 Pricing kernels and bond prices

The simplicity and elegance of bond pricing comes from the lack of an uncertain dividend. Since the cash flows are known — that's why we call bonds and related securities as “fixed income” — prices depend only on the pricing kernel. To make the point absolutely clear: the pricing kernel alone determines bond prices. Period.

We price assets as we did before: using the no-arbitrage theorem. In a dynamic setting, this is equation (1). The difference with our earlier work is that m is now a stochastic process.

[Note units: m has inverse units to r . If r_{t+1} is dollars tomorrow for dollars today, then m_{t+1} has units of 1/dollars tomorrow for 1/dollars today. That way the units cancel and we're left with the unit-free “1” on the rhs.]

What are the *bond returns* we plug into this pricing relation? The relevant returns are sometimes called *holding period returns* for a holding period of one. If we buy an $(n+1)$ -period bond at t and hold it for one period, we're left with an n -period bond at $t+1$. Our (gross) return is

$$r_{t+1}^{n+1} = q_{t+1}^n / q_t^{n+1}. \quad (4)$$

Same object for bonds as the returns we've computed on other assets.

Now put this to work. If we substitute the return (4) into the pricing relation (1) we have

$$q_t^{n+1} = E_t(m_{t+1} q_{t+1}^n). \quad (5)$$

So if we know the price of an n -period bond, we can compute the price of an $(n + 1)$ -period bond. We do this recursively starting with $q_t^0 = 1$ (one now costs one). The first one is what we've been doing all along: $q_t^1 = E_t(m_{t+1}q_{t+1}^0) = E_t(m_{t+1})$. Long-maturity bonds follow from the same logic repeated: given the price of an n -period bond, use (5) to find the price of an $n + 1$ -period bond.

**** Do big M thing, show how relative price can be computed sequentially

Optional digression. We've done this recursively, but you can imagine doing it "all at once." The price of a two-period bond, for example, can be written

$$\begin{aligned} q_t^2 &= E_t(m_{t+1}q_{t+1}^1) \\ &= E_t(m_{t+1}E_{t+1}[m_{t+2}]) \\ &= E_t(m_{t+1}m_{t+2}). \end{aligned}$$

The last line follows from the law of iterated expectations. Repeating the same logic, we find

$$q_t^n = E_t(m_{t+1}m_{t+2} \cdots m_{t+n}).$$

If this seems overly mysterious, just leave it alone.

Our focus will be on the dynamics of m . To make the point that dynamics are needed to produce realistic bond prices, consider the case of an iid pricing kernel. The one-period bond price is, as we've seen,

$$q_t^1 = E_t(m_{t+1}).$$

Since m is iid, this is just a number q^1 , the same in all date- t states. Now let's do the same thing again. Since q^1 is a number, we have

$$q_t^2 = E_t(m_{t+1}q^1) = q^1 E_t(m_{t+1}) = (q^1)^2.$$

Using the same logic over and over again gives us

$$q^n = (q^1)^n.$$

If we apply their definitions, we would see that bond yields and forward rates are the same across maturities and constant over time. Any way you look at it, there's no interest rate risk if m is iid.

The conclusion, evidently, is that we need dynamics in m to generate reasonable bond prices. But what kind of dynamics? We'll start simple and add complexity when called for.

3 The moving average pricing kernel (skip)

If we need dynamics, one idea that may come to mind is to use our linear dynamic models, specifically the infinite moving average. Whether it comes to mind or not, that's what we're going to do.

Let us say, then, that the pricing kernel has the form

$$\log m_t = \delta + \sum_{j=0}^{\infty} a_j w_{t-j}, \quad (6)$$

where $\{w_t\}$ is a sequence of iid standard normal random variables and the a_j 's are square-summable moving average coefficients. [Remind yourself what this means.] If $a_j = 0$ for $j \geq 1$ the pricing kernel is iid, otherwise its dynamics are governed by the moving average coefficients. The log is essential and guarantees that m is strictly positive, as required by the no-arbitrage theorem.

Let's look at the one-period "short" rate and see how it works. If the pricing kernel is (6), then next period's pricing kernel is

$$\log m_{t+1} = \delta + \sum_{j=0}^{\infty} a_{1+j} w_{t-j} + a_0 w_{t+1}.$$

The first two terms are known at t , the last one is not. As of date t , the log pricing kernel is normal with conditional mean and variance

$$\begin{aligned} E_t(\log m_{t+1}) &= \delta + \sum_{j=0}^{\infty} a_{1+j} w_{t-j} \\ \text{Var}_t(\log m_{t+1}) &= a_0^2. \end{aligned}$$

The usual "mean plus variance over two" gives us

$$\log q_t^1 = \log E_t(m_{t+1}) = \delta + \sum_{j=0}^{\infty} a_{1+j} w_{t-j} + a_0^2/2,$$

which has the same infinite moving average form as the pricing kernel. Note, too, the moving average coefficients: we simply moved them over one place.

Can we express long-term bond prices in similar fashion? The answer is yes, but it's easiest to start with the solution:

Proposition. If the pricing kernel is (6), forward rates are

$$-f_t^n = \delta + A_n^2/2 + \sum_{j=0}^{\infty} a_{n+1+j} w_{t-j}, \quad (7)$$

where $A_n = a_0 + a_1 + \dots + a_n = \sum_{j=0}^n a_j$. Bond prices and yields follow from their definitions.

Now how did we get there? Suppose bond prices have the form

$$\log q_t^n = \delta^n + \sum_{j=0}^{\infty} b_j^n w_{t-j}$$

with parameters δ^n and $\{b_j^n\}$ to be determined. Since $q_t^0 = 1$, we have $\delta^0 = b_j^0 = 0$. Given parameters for some maturity n , we use the pricing relation (5) to find the parameters of maturity $n + 1$.

Here's a typical step. The pricing relation uses the conditional distribution of

$$\log m_{t+1} + \log q_{t+1}^n = (\delta + \delta^n) + \sum_{j=0}^{\infty} (a_{1+j} + b_{j+1}^n) w_{t-j} + (a_0 + b_0^n) w_{t+1}.$$

As before the first two terms on the right are known at date t and the last one is not. The conditional distribution is therefore normal with mean and variance

$$\begin{aligned} E_t(\log m_{t+1} + \log q_{t+1}^n) &= (\delta + \delta^n) + \sum_{j=0}^{\infty} (a_{1+j} + b_{j+1}^n) w_{t-j} \\ \text{Var}_t(\log m_{t+1} + \log q_{t+1}^n) &= (a_0 + b_0^n)^2. \end{aligned}$$

The usual “mean plus variance over two” gives us

$$\begin{aligned} \log q_t^{n+1} &= (\delta + \delta^n) + \sum_{j=0}^{\infty} (a_{1+j} + b_{j+1}^n) w_{t-j} + (a_0 + b_0^n)^2/2 \\ &= \delta^{n+1} + \sum_{j=0}^{\infty} b_j^{n+1} w_{t-j}. \end{aligned}$$

Lining up terms gives us

$$\begin{aligned} \delta^{n+1} &= \delta + \delta^n + (a_0 + b_0^n)^2/2 \\ b_j^{n+1} &= b_{j+1}^n + a_{j+1}, \end{aligned}$$

two recursions that we need to beat into more useful shape.

The trick is to be patient and work this out step by step. Let's take the second one. For $n = 0$, we have $b_j^0 = 0$ all j . For $n = 1$, we have

$$b_j^1 = b_{j+1}^0 + a_{j+1} = 0 + a_{j+1}.$$

That's what we saw earlier: we simply shift the a_j 's over one. For $n = 2$, we have

$$b_j^2 = b_{j+1}^1 + a_{j+1} = a_{2+j} + a_{j+1},$$

and for $n = 3$ we have

$$b_j^3 = b_{j+1}^2 + a_{j+1} = a_{3+j} + a_{2+j} + a_{j+1}.$$

With a little work, we see that

$$b_j^n = A_{n+j} - A_j,$$

and we're done with the b 's.

Now the δ 's. We start again with $n = 0$, in which case $\delta^0 = 0$. We'll need $b_0^n = A_n - A_0$, which implies $a_0 + b_0^n = A_n$. We find, in order,

$$\begin{aligned}\delta^1 &= \delta + \delta^0 + a_0^2/2 = \delta + a_0^2/2 \\ \delta^2 &= 2\delta + a_0^2/2 + A_1^2/2 \\ \delta^3 &= 3\delta + a_0^2/2 + A_1^2/2 + A_2^2/2 \\ \delta^n &= n\delta + A_0^2/2 + A_1^2/2 + \cdots + A_{n-1}^2/2.\end{aligned}$$

That does it for bond prices.

The solution is simpler if we express it in terms of forward rates, as we did in the proposition. We can always reconstitute bond prices from (3). From the definition,

$$\begin{aligned}-f_t^n &= \log q_t^{n+1} - \log q_t^n \\ &= (\delta^{n+1} - \delta^n) + \sum_{j=0}^{\infty} (b_j^{n+1} - b_j^n) w_{t-j} \\ &= \delta + A_n^2/2 + \sum_{j=0}^{\infty} a_{n+1+j} w_{t-j},\end{aligned}$$

as stated in the proposition.

Properties. Here's a list:

- The iid case revisited. In the iid case, $a_j = 0$ for $j \geq 0$ and $A_n = A_0$ for all n . As a result, f^n is constant and equal for all n . Ditto yields (averages of forwards).
- Mean forward rates. Since the w 's have zero mean, mean forward rates are

$$-E(f_t^n) = \delta + A_n^2/2.$$

The only term here that varies with n is the last one, so the shape of the mean forward rate curve depends on the a 's through the partial sums A_n . The mean forward rate spread is

$$E(f^n - f^0) = (A_0^2 - A_n^2)/2. \tag{8}$$

You might think about how we might generate an upward-sloping mean forward rate curve. What does that imply for the a 's?

- Interest rate dynamics. The dynamics of forward rates also depend on the a 's, but through the coefficients of w_{t-j} . Note that as we increase maturity n , we shift the coefficients (increase the subscript).

- We see, therefore, that the dynamics of the pricing kernel, reflected by its moving average coefficients, determines both the shape of the average yield curve and the dynamics of forward rates. This interaction between cross-section and time-series properties is inherent to bond pricing.
- What happens as we increase maturity n ? If the a 's go to zero, as they must, then the forward rate becomes constant: its dependence on the w 's goes away. This is a fairly general result: that forward rates converge to a constant at long enough maturities.

4 The Vasicek model

The Vasicek model is a good illustration of how bond-pricing models work. We can add bells and whistles without end, but most other models have at their hearts a similar structure. We outline the basic structure and go on to connect the model's parameters to what we know about the behavior of interest rates.

In the previous section, we found bond prices and forward rates from the pricing kernel. Here we do that, but we also do the reverse: We use what we know about forward rates to estimate the parameters of the pricing kernel. So what do we know? We have both time-series and cross-section information. Time-series information includes the autocorrelations of interest rates. Cross-section information includes the mean forward rate curve: that long rates are on average greater than short rates. These seem like basic features of interest rates that we would like any reasonable model to reproduce.

Model. The model consists of the two equations

$$\begin{aligned}\log m_{t+1} &= \delta - x_t + \lambda w_{t+1} \\ x_{t+1} &= \varphi x_t + \sigma w_{t+1},\end{aligned}$$

with $\{w_t\} \sim \text{NID}(0, 1)$. It's essential here that the same random variable w_t shows up in both equations. We'll see later that w_t reflects interest rate risk. The coefficient λ in the pricing kernel equation is often referred to as the *price of risk* — here, evidently, the price of interest rate risk. It tells us how much weight the pricing kernel gives to the risk w_t . This model, like the others we study, delivers bond prices whose logs are linear in the state variable x_t . Therefore yields and forward rates are linear in the state as well.

One more thing: If we substitute for x_t , we see that $\log m_t$ is

$$\log m_t = \delta + \lambda w_t - \sigma \sum_{j=1}^{\infty} \varphi^{j-1} w_{t-j}.$$

Since the coefficients decline at a geometric rate after the first one, this is an ARMA(1,1). [Think about this if it isn't clear.]

Recursions. We build up bond prices one at a time from the pricing relation

$$q_t^{n+1} = E_t(m_{t+1} q_{t+1}^n),$$

starting with $q_t^0 = 1$ (a dollar now is worth a dollar). Let's get warmed up with the short rate f_t^0 , corresponding to $n = 0$:

$$\begin{aligned} q_t^1 &= E_t m_{t+1} \\ -f_t^0 &= \log q_t^1 = \log E_t m_{t+1}. \end{aligned}$$

We'll solve this with the usual "mean plus variance over two" formula for lognormal random variables. As of date t , the conditional distribution of $\log m_{t+1}$ is normal with mean and variance

$$\begin{aligned} E_t(\log m_{t+1}) &= \delta - x_t \\ \text{Var}_t(\log m_{t+1}) &= \lambda^2. \end{aligned}$$

The short rate is therefore $f_t^0 = x_t - (\delta + \lambda^2/2)$. The short rate is x_t plus a constant, so it inherits its variance and autocorrelation. The disturbance w_t therefore represents interest rate risk: an increase in w_t corresponds to an increase in the short rate of σw_t .

For bonds of higher maturity, we guess prices of "exponential-affine" form

$$\log q_t^n = A_n + B_n x_t$$

for some coefficients $\{A_n, B_n\}$ to be determined. (And no, A_n isn't the cumulative sum as it was previously, it's a stand-alone coefficient.) Think about this for some particular maturity n . The pricing relation tells us we need to find the conditional mean of the product $m_{t+1} q_{t+1}^n$. We do this the usual way: take logs, then apply the "mean plus variance over two" formula for lognormal random variables. Taking logs gives us

$$\log m_{t+1} + \log q_{t+1}^{n+1} = (\delta + A_n) + (\varphi B_n - 1)x_t + (\lambda + B_n \sigma)w_{t+1}.$$

The conditional mean and variance are

$$\begin{aligned} E_t(\log m_{t+1} + \log q_{t+1}^{n+1}) &= (\delta + A_n) + (\varphi B_n - 1)x_t \\ \text{Var}_t(\log m_{t+1} + \log q_{t+1}^{n+1}) &= (\lambda + B_n \sigma)^2. \end{aligned}$$

Now apply the formula:

$$\begin{aligned} \log q_t^{n+1} &= (\delta + A_n) + (\varphi B_n - 1)x_t + (\lambda + B_n \sigma)^2/2 \\ &= A_{n+1} + B_{n+1}x_t. \end{aligned}$$

Lining up terms, we have

$$\begin{aligned} A_{n+1} &= A_n + \delta + (\lambda + B_n \sigma)^2/2 \\ B_{n+1} &= \varphi B_n - 1. \end{aligned}$$

Given values for the parameters $(\delta, \varphi, \sigma, \lambda)$ we compute these one at a time, starting with $A_0 = B_0 = 0$. It's easy to do this in (say) Matlab, or even a spreadsheet program.

Parameters. Let's choose parameters that match some of the observed properties of forward rates. Some ballpark numbers are reported in Table 1. The numbers are computed from

Table 1. Properties of forward rates

Forward rate f_t^n	Mean	Std Dev	Autocorr
f_t^0	6.683	2.703	0.959
f_t^{12}	7.921	2.495	0.969
f_t^{120}	8.858	1.946	0.980

monthly data for US Treasuries over the period 1970-1992. They're reported as annual percentages, something that will show up in our calculations. Annual means we multiplied them by 12, and percentage means we multiplied them by 100, so we multiplied them by 1200 altogether.

Now let's put these numbers to work. The time interval for our analysis will be one month, so the short rate is the one-month rate — f^0 in the table.

- Autocorrelation. Because f_t^0 is linear in x_t , and x_t is an AR(1), the autocorrelation of the short rate is φ . So we set φ equal to the observed autocorrelation of the short rate in the data. From the table, we have $\varphi = 0.959$. [You might think to yourself: What about the autocorrelations of other rates?]
- Variance. Similarly, the variance of the short rate is the variance of x , which is $\sigma^2/(1-\varphi^2)$. Using data from the same table gives us

$$\text{Var}(f^0) = (2.703/1200)^2 = \sigma^2/(1-\varphi^2) \Rightarrow \sigma = 6.38 \times 10^{-4}.$$

Note that we have converted the numbers in the table from annual percentages to monthly interest.

- Long forward rates. Next we have λ , which controls the pricing of interest rate risk and therefore the slope of the forward rate curve. Recall that forward rates are

$$f_t^n = \log(q_t^n/q_t^{n+1}) = (A_n - A_{n+1}) + (B_n - B_{n+1})x_t.$$

Since x_t has a zero mean, we have

$$\begin{aligned} E(f^n - f^0) &= (A_n - A_{n+1}) - (A_0 - A_1) \\ &= [\lambda^2 - (\lambda + B_n\sigma)^2] / 2. \end{aligned}$$

We solve this numerically. We choose values for $(\varphi, \sigma, \lambda)$, compute the A_n 's and B_n 's, and vary λ until we hit the observed mean forward spread: $(8.858 - 6.683)/1200$. The value that works is $\lambda = 0.125$.

- Mean short rate. This doesn't really matter, but the mean short rate is

$$E(f^0) = -(\delta + \lambda^2/2).$$

Given our value of λ , we choose δ to match the observed mean short rate.

If any of this seems mysterious, see the Matlab program.

Alternative parameterization (optional). Suppose we change the model (slightly) to

$$\begin{aligned}\log m_{t+1} &= -\lambda^2/2 - x_t + \lambda w_{t+1} \\ x_{t+1} &= (1 - \varphi)\delta + \varphi x_t + \sigma w_{t+1}.\end{aligned}$$

Show that the short rate is now exactly x_t . The model is equivalent to the previous one, we've simply moved the mean to a different part of the model.

5 Interest rate risk and duration

We can use the Vasicek model as a laboratory for thinking about interest rate risk. If we were in a world where the model generated interest rates, how should we think about interest rate risk? Risk in this model stems entirely from variation in the state variable x_t . The log bond price is a linear function of x_t :

$$\log q_t^n = A_n + B_n x_t.$$

Variation in bond prices is driven by the state x_t , period. Since x_t is (except for a constant) the short rate, the coefficient B_n summarizes sensitivity to interest rate risk.

We can be more specific if we look at B_n . The recursion $B_{n+1} = \varphi B_n - 1$ starts with $B_0 = 0$, which gives us

$$B_n = -(1 + \varphi + \varphi^2 + \cdots + \varphi^{n-1}) = -(1 - \varphi^n)/(1 - \varphi).$$

This increases with n , so long bonds are more sensitive to interest rate risk. The yield is $y_t^n = -n^{-1} \log q_t^n = -A_n/n - (B_n/n)x_t$. If $0 < \varphi < 1$, B_n/n will decline with maturity.

Let's compare this to *duration*. Prices of zeros are connected to yields by

$$q_t^n = \exp(-ny_t^n).$$

Duration is defined by

$$D = -\frac{\partial \log q_t^n}{\partial y_t^n} = n.$$

This is particularly clean with continuous compounding, but you get something similar with other kinds of compounding.

All of this is fine, but think about how duration is used. We typically ignore the superscript n in the yield and consider an increase in yields at all maturities. This is clear when we compute duration for coupon bonds from the relation between the price and the yield to maturity. In principle we should discount coupons with the rate appropriate to the dates they're paid, but we use the yield to maturity of the bond to discount all payments. We then interpret D as sensitivity to generalized interest rate risk.

In the real world, interest rates aren't locked together. Ten-year interest rate risk isn't the same as one-year interest rate risk. In the Vasicek model, there's only one kind of risk — risk to x_t — but sensitivity varies by maturity. But note that sensitivity B_n isn't proportional to maturity, as it is with duration. With mean reversion ($0 < \varphi < 1$), sensitivity B_n increases more slowly than n . We get $B_n = n$ only in the limiting case $\varphi = 1$. Otherwise, mean reversion moderates the sensitivity of long rates to movements in the short rate. Where did we go wrong? We really need sensitivity to x_t ,

$$-\frac{\partial \log q_t^n}{\partial y_t^n} \cdot \frac{\partial \log y_t^n}{\partial x_t} = n \cdot (B_n/n) = B_n.$$

This is an indication that duration isn't really the right tool for the job. It's a shortcut that has been used for decades, but it's not really a measure of interest rate sensitivity.

6 The theory of long rates

***** ????

Perron-Frobenius stuff ???

7 The Cox-Ingersoll-Ross model

Model. Here's a popular variant of the Vasicek model in which risk and risk premiums move around. More on that shortly. The model is

$$\begin{aligned} \log m_{t+1} &= -(1 + \lambda^2/2)x_t + \lambda x_t^{1/2} w_{t+1} \\ x_{t+1} &= (1 - \varphi)\delta + \varphi x_t + \sigma x_t^{1/2} w_{t+1}, \end{aligned} \tag{9}$$

with (as usual) independent standard normal innovations w_t . Here x_t plays two roles: It governs the conditional mean of the pricing kernel, as it did before, but it also governs the conditional variance.

The so-called “square-root” process (9) guarantees that it remains positive — at least it does in continuous time. The idea is that the variance shrinks as x_t gets close to zero. As a result, the change in x_t near zero comes from the mean reversion term,

$$x_{t+1} - x_t \approx (1 - \varphi)\delta > 0.$$

As long as $\delta > 0$, that pushes x_t away from zero and keeps it positive.

Despite the square-root process, x_t is still an AR(1). Its mean is

$$E(x_t) = (1 - \varphi)\delta + \varphi E(x_{t-1}) \Rightarrow E(x) = \delta.$$

The variance is

$$\begin{aligned} \text{Var}(x) &= E(x_t - \delta)^2 = E\left[\varphi(x_{t-1} - \delta) + \sigma x_{t-1}^{1/2} w_t\right]^2 \\ &= \varphi^2 \text{Var}(x) + E(\sigma^2 x_{t-1}) = \varphi^2 \text{Var}(x_t) + \sigma^2 \delta, \end{aligned}$$

or

$$\text{Var}(x) = \sigma^2 \delta / (1 - \varphi^2).$$

What about the autocovariance? The first autocovariance is

$$\begin{aligned} \text{Cov}(x_t, x_{t-1}) &= E[(x_t - \delta)(x_{t-1} - \delta)] \\ &= E\left\{[\varphi(x_{t-1} - \delta) + \sigma x_{t-1}^{1/2} w_t](x_{t-1} - \delta)\right\} \\ &= \varphi \text{Var}(x). \end{aligned}$$

The first autocorrelation is therefore φ . [For practice, show that the k th autocorrelation is φ^k , the same as an AR(1) with iid disturbances.]

Recursions. We follow the same logic as in the Vasicek model, starting with the short rate

$$-f_t^0 = \log E_t m_{t+1}.$$

The conditional distribution of $\log m_{t+1}$ is normal with mean and variance

$$\begin{aligned} E_t m_{t+1} &= -(1 + \lambda^2/2)x_t \\ \text{Var}_t m_{t+1} &= \lambda^2 x_t. \end{aligned}$$

The new ingredient is that the variance is now linear in x_t . The short rate is therefore $f_t^0 = x_t$. That's why we started with a somewhat odd coefficient of x_t in the pricing kernel — so this would work out.

For bonds of arbitrary maturity, we use the guess $\log q_t^n = A_n + B_n x_t$. That gives us

$$\log m_{t+1} + \log q_t^{n+1} = [A_n + (1 - \varphi)\delta] + [\varphi B_n - (1 + \lambda^2/2)]x_t + (\lambda + B_n \sigma)x_t^{1/2} w_{t+1}.$$

The conditional mean and variance are

$$\begin{aligned} E_t (\log m_{t+1} + \log q_{t+1}^n) &= [A_n + B_n(1 - \varphi)\delta] + [\varphi B_n - (1 + \lambda^2/2)]x_t \\ \text{Var}_t (\log m_{t+1} + \log q_t^{n+1}) &= (\lambda + B_n \sigma)^2 x_t. \end{aligned}$$

The “mean plus variance over two” formula gives us

$$\begin{aligned} \log q_t^{n+1} &= [A_n + B_n(1 - \varphi)\delta] + [\varphi B_n - (1 + \lambda^2/2)]x_t + [(\lambda + B_n \sigma)^2/2]x_t \\ &= A_{n+1} + B_{n+1}x_t. \end{aligned}$$

Lining up terms, we have

$$\begin{aligned} A_{n+1} &= A_n + B_n(1 - \varphi)\delta \\ B_{n+1} &= \varphi B_n - (1 + \lambda^2/2) + (\lambda + B_n \sigma)^2/2. \end{aligned}$$

This is a mess, but it's easy to program, which is what we'll do. We start, as always, with $A_0 = B_0 = 0$. [Remind yourself why.]

Estimation. Now let's estimate parameters from the properties of forward rates reported in Table 1.

- Autocorrelation. We set φ equal to the observed autocorrelation of the short rate in the data, just as we did before. From the table, that gives us $\varphi = 0.959$.
- Mean. We set δ equal to the mean short rate: $\delta = 6.683/1200$.
- Variance. Similarly, the variance of the short rate is the variance of x_t , which is $\sigma^2\delta/(1 - \varphi^2)$. Given values for φ and δ , the variance implies $\sigma = 8.6 \times 10^{-3}$.
- Long forward rates. Again, λ controls the mean forward rate curve. Recall that forward rates are

$$f_t^n = \log(q_t^n/q_t^{n+1}) = (A_n - A_{n+1}) + (B_n - B_{n+1})x_t.$$

Since x_t has a mean of δ , we have

$$E(f^n - f^0) = [(A_n - A_{n+1}) - (A_0 - A_1)] + [(B_n - B_{n+1}) - (B_0 - B_1)]\delta.$$

We set $\lambda = 1.32$, which gives us the right mean forward spread.

See the Matlab program for details.

8 Term premiums and predictable returns

We step back now and consider the predictability excess returns. There's a mountain of work documenting what seem to be predictable patterns in excess returns, which in principle can be used to motivate active investment strategies. We review some of the work on bond returns and go on, in subsequent sections, to see whether we can build bond-pricing models that reproduce what we know about bond returns.

We define *term premiums* tp by

$$f_t^n = E_t f_{t+n}^0 + tp_t^n \tag{10}$$

and *bond premiums* bp by

$$bp_t^n = E_t(\log r_{t+1}^n - \log r_{t+1}^1).$$

The question we ask of each is whether they are predictable: if we regressed them on variables known at date t , how much, if any, of the variation can we attribute to those variables?

It's helpful here to have a benchmark. We have two, but they'll turn out to be the same. One is whether excess returns are predictable. The other is whether the term premium is predictable. Our benchmark in both cases is that they're not predictable. Our theory doesn't suggest this, in general, but it's a useful basis of comparison.

The strongest version of this is the *expectations hypothesis* or EH, the assumption that the term premium tp_t^n is zero, or at least constant. Constant is all we care about, but zero gives us a particularly clean form. If term premiums are zero, then we have

$$f_t^n = E_t f_{t+n}^0.$$

This implies, if we do it period by period, that $(f_t^n, f_{t+1}^{n-1}, \dots, f_{t+n}^0)$ is a martingale sequence:

$$f_t^j = E_t f_{t+1}^{j-1}.$$

Note that each of these rates applies to the same period, the period between $t + n$ and $t + n + 1$. What's different is that they're rates quoted at different times. The idea is that the rate quoted today is a good predictor of the rate quoted next period.

This idea goes back a long ways. Fifty years ago lots of people thought it was a good idea, now it's the starting point for more sophisticated theories of term premiums. Here's why. We can see how well it works by running the regression

$$f_{t+1}^{n-1} = a_n + b_n f_t^n.$$

If the EH is true, we should find that $b_n = 1$. We should also find $a_n = 0$, but allowing it to be nonzero would take care of any constant term premiums. [Can you see why?] For technical reasons, we typically run the alternative

$$f_{t+1}^{n-1} - f_t^0 = a_n + b_n (f_t^n - f_t^0).$$

If the EH is true, we should again find that $b_n = 1$.

What do we find? We find for monthly US data that $b_1 = 0.5$, $b_3 = 0.75$, $b_{12} = 0.90$, and $b_{60} = 0.96$. As we increase maturity, the EH looks better and better. But for short maturities it's not very good.

So what's going on? We'll look at short maturities, since that seems to be where the action is. If we raise the forward rate f_t^1 (relative to f_t^0), we see that the future short rate f_{t+1}^0 goes up by 0.5, not the 1.0 implied by the EH. Equation (10) for $n = 1$ tells us

$$f_t^1 = E_t f_{t+1}^0 + t p_t^1.$$

The difference must be a change in the term premium. If we increase the left side by 1.0, then both terms on the right increase by about one-half.

You might also show how this works with excess returns. Define returns in terms of forwards and see what they imply.

9 Predictability in the Vasicek and CIR models

We're interested in the equation

$$f_{t+1}^0 - f_t^0 = a_1 + b_1 (f_t^1 - f_t^0).$$

With data, we get $b_1 \approx 1/2$. What do we get in models? The idea is that both the lhs variable $f_{t+1}^0 - f_t^0$ and the rhs variable $f_t^1 - f_t^0$ can be expressed in terms of a state variable x_t , which allows us to deduce what the regression coefficient b_1 is.

Vasicek. Recall that we had $B_1 = -1$ and $B_2 = -(1 + \varphi)$. The first two forward rates are

$$\begin{aligned} f_t^0 &= \text{constants} + x_t \\ f_t^1 &= \text{constants} + (B_1 - B_2)x_t = \text{constants} + \varphi x_t. \end{aligned}$$

That gives us a rhs variable $f_t^1 - f_t^0 = (\varphi - 1)x_t$. The lhs is

$$f_{t+1}^0 - f_t^0 = \text{constants} + x_{t+1} - x_t = \text{constants} + (\varphi - 1)x_t + \sigma w_{t+1}.$$

Since w_{t+1} is independent of the rhs (in fact of anything dated t or before), we're effectively regressing $(\varphi - 1)x_t$ on itself. The coefficient is therefore $b_1 = 1$.

This model, in short, fails to account for the evidence against the expectations hypothesis. More work would show us that term premiums in this model are constant: there's no variation in either risk or the price of risk, so premiums are constant. We need something else.

CIR. This model has variation in risk at its core, so we have a chance of doing better. Note that $B_1 = -1$ and $B_2 = -(1 + \varphi) + \sigma(\lambda + \sigma/2)$. That implies

$$\begin{aligned} f_t^0 &= x_t \\ f_t^1 &= \text{constants} + (B_1 - B_2)x_t = \text{constants} + [\varphi - \sigma(\lambda + \sigma/2)]x_t, \end{aligned}$$

which gives us the rhs variable

$$f_t^1 - f_t^0 = \text{constants} + [\varphi - 1 - \sigma(\lambda + \sigma/2)]x_t.$$

The lhs variable is

$$f_{t+1}^0 - f_t^0 = \text{constants} + (\varphi - 1)x_t + \sigma x_t^{1/2} w_{t+1}.$$

The regression coefficient is therefore

$$b_1 = \frac{\varphi - 1}{\varphi - 1 - \sigma(\lambda + \sigma/2)}.$$

This can deliver lots of values of b_1 , including our preferred value $b_1 = 1/2$. But with the parameter value we chose earlier, we get $b_1 = 1.384$. So we've deviated from the EH, but in the wrong direction.

The issue is λ . We can choose λ to get $b_1 = 1/2$:

$$\lambda = (1 - \varphi)/\sigma - \sigma/2.$$

But now the mean forward rate curve declines with maturity — it slopes the wrong way.

10 Another “exponential-affine” model

We’ll take one last shot at predictability. The model is

$$\begin{aligned}\log m_{t+1} &= -(\lambda_0 + \lambda_1 x_t)^2/2 + \delta - x_t + (\lambda_0 + \lambda_1 x_t)w_{t+1} \\ x_{t+1} &= \varphi x_t + \sigma w_{t+1}.\end{aligned}$$

This structure is cleverly rigged to deliver loglinear bond prices. If $\lambda_1 = 0$, we’re back to Vasicek.

We solve it the usual way. We guess $\log q_t^n = A_n + B_n x_t$ and substitute into the pricing relation. The conditional mean and variance are

$$\begin{aligned}E_t(\log m_{t+1} + \log q_{t+1}^n) &= -(\lambda_0 + \lambda_1 x_t)^2/2 + \delta + (\varphi B_n - 1)x_t \\ \text{Var}_t(\log m_{t+1} + \log q_{t+1}^n) &= [B_n \sigma + (\lambda_0 + \lambda_1 x_t)]^2.\end{aligned}$$

The “mean plus variance over two” formula gives us, eventually, the recursions

$$\begin{aligned}A_{n+1} &= A_n + \delta + B_n \sigma (B_n \sigma / 2 + \lambda_0) \\ B_{n+1} &= \varphi B_n - 1 + B_n \sigma \lambda_1.\end{aligned}$$

This implies $B_1 = -1$ and $B_2 = -(1 + \varphi) - \sigma \lambda_1$.

After the usual manipulations, we find the regression coefficient

$$b_1 = \frac{\varphi - 1}{\varphi - 1 + \sigma \lambda_1}.$$

This model has one clear advantage over the previous ones: we have two parameters governing the price of risk, λ_0 and λ_1 . We can, in principle, choose λ_1 to reproduce the regression coefficient and λ_0 to reproduce the mean forward rate curve.

Here’s how that might work:

- Set $\varphi = 0.959$, as before, to reproduce the autocorrelation of the short rate.
- Set $\delta = -6.683/1200$ to reproduce the mean short rate.
- Set $\sigma^2 = (2.703/1200)^2(1 - \varphi^2)$.

All of this is similar to what we’ve done before. Now add

- Set $\lambda_1 = -63.5$ to reproduce the regression coefficient b_1 . If you plot the forward rate curve you’ll see it has little effect on it.
- Now set λ_0 to hit the long forward rate. I get $\lambda_0 = 0.234$. You’ll notice there’s more curvature to the mean forward rate curve, something we might comment on in class.

Bottom line

Bond pricing is a classic application of dynamic asset pricing. We get to use what we've learned about stochastic processes to characterize bond prices of all maturities as functions of the state. These prices follow, as always, from the no-arbitrage theorem. We developed several exponential-affine models in which bond prices are loglinear functions of the state and the state is an interest rate. The latter is special, but illustrates how the dynamics of the state, typically captured by the autoregressive parameter φ , are reflected in long-maturity bond prices. Mean reversion, for example, tends to reduce the sensitivity of long bond prices to the state. In this sense, the cross section of bond prices incorporates the time series behavior of interest rates.

We can use similar methods to price other assets. The new ingredient with other assets is cash flows, which themselves might be modeled as functions of the state.

Practice problems

1. *Bond basics.* Consider the bond prices at some date t :

Maturity n	Price q_t^n
0	1.0000
1 year	0.9512
2 years	0.8958
3 years	0.8353
4 years	0.7788
5 years	0.7261

- (a) What are the yields y_t^n ?
- (b) What are the forward rates f_t^{n-1} ?
- (c) Suppose f_t^1 rises by 1 percent. How does y_t^1 change? How does y_t^2 change?

Answer.

Maturity n	Price q_t^n	Yield y_t^n	Forward f_t^{n-1}
0	1.0000		
1 year	0.9512	0.0500	0.0500
2 years	0.8958	0.0550	0.0600
3 years	0.8353	0.0600	0.0700
4 years	0.7788	0.0625	0.0700
5 years	0.7261	0.0640	0.0700

- (a) See above.
- (b) See above.
- (c) If f_t^1 rises by 1%, then $y_t^1 = f_t^0$ doesn't change and $y_t^2 = (f_t^0 + f_t^1)/2$ rises by 0.5%.

2. *Moving average bond pricing.* Consider the bond pricing model

$$\begin{aligned}\log m_{t+1} &= -\lambda^2/2 - x_t + \lambda w_{t+1} \\ x_t &= \delta + \sigma(w_t + \theta w_{t-1}).\end{aligned}$$

- (a) What is the short rate f_t^0 ?
- (b) Suppose bond prices take the form

$$\log q_t^n = A_n + B_n w_t + C_n w_{t-1}.$$

Use the pricing relation to derive recursions connecting $(A_{n+1}, B_{n+1}, C_{n+1})$ to (A_n, B_n, C_n) . What are (A_n, B_n, C_n) for $n = 0, 1, 2, 3$?

- (c) Express forward rates as functions of the state (w_t, w_{t-1}) . What are f_t^1 and f_t^2 ?
- (d) What is $E(f^1 - f^0)$? What parameters govern its sign?

Answer.

- (a) The short rate is

$$f_t^0 = -\log E_t m_{t+1} = \lambda^2/2 + x_t - \lambda^2/2 = x_t.$$

The second equality is the usual “mean plus variance over two” with the sign flipped (as indicated by the first equality). In other words: the usual setup. In what follows, we’ll kill off x_t by substituting.

- (b) Bond prices follow from the pricing relation,

$$q_t^{n+1} = E_t(m_{t+1} q_{t+1}^n),$$

starting with $n = 0$ and $q_t^0 = 1$. The state in this case is (w_t, w_{t-1}) , a simple example of a two-dimensional model, hence the extra term in the form of the bond price. We need

$$\log(m_{t+1} q_{t+1}^n) = A_n - (\lambda^2/2 + \delta) + (\lambda + B_n)w_{t+1} + (C_n - \sigma)w_t - \sigma\theta w_{t-1}.$$

The (conditional) mean and variance are

$$\begin{aligned}E_t[\log(m_{t+1} q_{t+1}^n)] &= A_n - (\lambda^2/2 + \delta) + (C_n - \sigma)w_t - \sigma\theta w_{t-1} \\ \text{Var}_t[\log(m_{t+1} q_{t+1}^n)] &= (\lambda + B_n)^2.\end{aligned}$$

Using “mean plus variance over two” and lining up terms gives us

$$\begin{aligned}A_{n+1} &= A_n - (\lambda^2/2 + \delta) + (\lambda + B_n)^2/2 \\ &= A_n - \delta + \lambda B_n + (B_n)^2/2 \\ B_{n+1} &= C_n - \sigma \\ C_{n+1} &= -\sigma\theta\end{aligned}$$

for $n = 0, 1, 2, \dots$. That gives us

n	A_n	B_n	C_n
0	0	0	0
1	$-\delta$	$-\sigma$	$-\sigma\theta$
2	$-2\delta - \lambda\sigma + \sigma^2/2$	$-\sigma(1 + \theta)$	$-\sigma\theta$
3	X	$-\sigma(1 + \theta)$	$-\sigma\theta$

with $X = -3\delta - \lambda(2 + \theta) + [1 + (1 + \theta)^2]\sigma^2/2$.

(c) In general, forward rates are

$$f_t^n = (A_n - A_{n+1}) + (B_n - B_{n+1})w_t + (C_n - C_{n+1})w_{t-1}.$$

That gives us

$$\begin{aligned} f_t^0 &= \delta + \sigma w_t + \sigma\theta w_{t-1} \\ f_t^1 &= \delta + \lambda\sigma - \sigma^2/2 + \sigma\theta w_t \\ f_t^2 &= \delta - (1 + \theta)^2\sigma^2/2 + \lambda\sigma(1 + \theta). \end{aligned}$$

(d) The means are the same with $w_t = w_{t-1} = 0$, their mean. Therefore

$$E(f^1 - f^0) = \lambda\sigma - \sigma^2/2.$$

Therefore we need $\lambda\sigma > \sigma^2/2$, so a necessary condition is that λ and σ have the same sign.

3. *Expected returns on bonds.* Consider the bond pricing model

$$\begin{aligned} \log m_{t+1} &= -(\lambda_0 + \lambda_1 w_t)^2/2 + \delta - x_t + (\lambda_0 + \lambda_1 w_t)w_{t+1} \\ x_t &= \delta + \sigma(w_t + \theta w_{t-1}), \end{aligned}$$

where the w_t 's are independent standard normal random variables.

(a) Suppose bond prices take the form

$$\log q_t^n = A_n + B_n w_t + C_n w_{t-1}.$$

How is $(A_{n+1}, B_{n+1}, C_{n+1})$ connected to (A_n, B_n, C_n) ? What are the values of (A_n, B_n, C_n) for $n = 0, 1, 2$?

(b) Express the expected log excess return on a two-period bond as a function of the coefficients (A_n, B_n, C_n) for $n = 1, 2$. Use your solution for the coefficients to describe how expected log excess returns vary with the interest rate innovation w_t .

Answer.

(a) We use the usual formula, $q_t^{n+1} = E_t(m_{t+1}q_{t+1}^n)$. Then with substitutions,

$$\begin{aligned} \log(m_{t+1}q_{t+1}^n) &= A_n - \delta + (C_n - \sigma)w_t - \sigma\theta w_{t-1} - (\lambda_0 + \lambda_1 w_t)^2/2 \\ &\quad + [B_n + (\lambda_0 + \lambda_1 w_t)]w_{t+1}. \end{aligned}$$

The first line on the rhs gives us the conditional mean, the second line gives us the variance. Some intensive algebra gives us

$$\begin{aligned} A_{n+1} &= A_n - \delta + B_n^2/2 + B_n\lambda_0 \\ B_{n+1} &= C_n - \sigma + B_n\lambda_1 \\ C_{n+1} &= -\sigma\theta. \end{aligned}$$

That gives us

n	A_n	B_n	C_n
0	0	0	0
1	$-\delta$	$-\sigma$	$-\sigma\theta$
2	$-2\delta - \lambda_0\sigma + \sigma^2/2$	$-\sigma(1 + \theta + \lambda_1)$	$-\sigma\theta$

(b) The log excess return is

$$\begin{aligned} \log r_{t+1}^2 - \log r_{t+1}^1 &= \log q_{t+1}^1 - \log q_t^2 + \log q_t^1 \\ &= (2A_1 - A_2) + (C_1 + B_1 - B_2)w_t + (C_1 - C_2)w_{t-1} \\ &\quad + B_1w_{t+1}. \end{aligned}$$

The expected excess return knocks out the last term.

If we substitute our solutions, we have

$$E_t(\log r_{t+1}^2 - \log r_{t+1}^1) = (\sigma\lambda_0 + \sigma^2/2) + (\sigma\lambda_1)w_t.$$

So the key parameter is λ_1 : the sensitivity of the “price of risk” to w_t .

4. *Stochastic volatility and equity pricing (40 points).* The Cox-Ingersoll-Ross model of bond pricing consists of the equations

$$\begin{aligned} \log m_{t+1} &= -(1 + \lambda^2/2)x_t + \lambda x_t^{1/2}w_{t+1} \\ x_{t+1} &= (1 - \varphi)\delta + \varphi x_t + \sigma x_t^{1/2}w_{t+1}, \end{aligned}$$

with the usual independent standard normal disturbances w_t . We add to it an equation governing the dividend d_t paid by a one-period equity-like claim:

$$\log d_{t+1} = \alpha + \beta x_t + \gamma x_t^{1/2}w_{t+1}.$$

Here x_t plays the role of the state: if we know x_t , we know the conditional distributions of $(m_{t+1}, x_{t+1}, d_{t+1})$.

- Conditional on x_t , what are the mean and variance of $\log m_{t+1}$? What is its distribution?
- What is the price q_t^1 of a one-period bond? What is its return $r_{t+1}^1 = 1/q_t^1$?
- What is the price q_t^e of equity, a claim to the dividend d_{t+1} ? What is its return r_{t+1}^e ?
- Conditional on x_t , what is the expected log excess return on equity, $E_t(\log r_{t+1}^e - \log r_{t+1}^1)$?

Answer.

- (a) Conditional on x_t , $\log m_{t+1}$ is normal with mean and variance

$$\begin{aligned} E_t(\log m_{t+1}) &= -(1 + \lambda^2/2)x_t \\ \text{Var}_t(\log m_{t+1}) &= \lambda^2 x_t. \end{aligned}$$

- (b) The price uses the “mean plus variance over two” formula:

$$\log q_t^1 = -x_t.$$

The log return is $\log r_{t+1}^1 = x_t$.

- (c) The price of equity is

$$\begin{aligned} \log q_t^e &= \log E_t(m_{t+1}d_{t+1}) \\ &= \alpha + [\beta - (1 + \lambda^2/2)]x_t + [(\gamma + \lambda)^2/2]x_t \\ &= \alpha + (\beta - 1 + \gamma^2/2 + \gamma\lambda)x_t. \end{aligned}$$

The return is

$$\log r_{t+1}^e = \log d_{t+1} - \log q_t^e = (1 - \gamma^2/2 - \gamma\lambda)x_t + \gamma x_t^{1/2} w_{t+1}.$$

- (d) Conditional on x_t , the expected excess return is

$$E_t(\log r_{t+1}^e - \log r_{t+1}^1) = -(\gamma^2/2 + \gamma\lambda)x_t.$$

5. *Exponential-affine equity valuation.* We explore variation in expected excess returns (“risk premiums”) in an environment like the one we used for bond pricing. We say a return or expected return is predictable if it depends on the state. If we know the state, we can use it to “predict” the return. In the asset management business, you might imagine strategies to exploit such information. For example, you might invest more in assets when their expected returns are high, and less when they’re low.

Here’s the model. The pricing kernel is

$$\begin{aligned} \log m_{t+1} &= -(\lambda_0 + \lambda_1 x_t)^2/2 - x_t + (\lambda_0 + \lambda_1 x_t)w_{t+1} \\ x_{t+1} &= (1 - \varphi)\delta + \varphi x_t + \sigma w_{t+1}, \end{aligned}$$

where $\{w_t\}$ is (as usual) a sequence of independent standard normal random variables. This model differs from Vasicek in having a price of risk λ that depends on the state x_t . The dependence is carefully designed to deliver loglinear (“exponential-affine”) bond prices.

- (a) What is the (stationary) mean of x_t ? The variance?
 (b) What is the price q_t^1 of a one-period bond? What is its (gross) return r_{t+1}^1 ?
 (c) What is the mean log return $E(\log r_{t+1}^1)$? What parameter(s) govern its value in the model?
 (d) Now consider the price of “equity,” a claim to the dividend

$$\log d_{t+1} = \alpha + \beta w_{t+1}.$$

What is its price q_t^e ? Its (gross) return r_{t+1}^e ?

- (e) What is the expected excess log return $E_t(\log r_{t+1}^e - \log r_{t+1}^1)$ in state x_t ? In what states is it high? In what states low?
- (f) Which equation is responsible for the predictability of the expected return?

Answer. The point is that we can generate predictable excess returns for equity just as we did for bonds.

- (a) x_t is an AR(1). The mean is δ and the variance is $\sigma^2/(1 - \varphi^2)$.
- (b) The model is set up to deliver

$$\begin{aligned}\log q_t^1 &= \log E_t(m_{t+1}) = -x_t \\ \log r_{t+1}^1 &= -\log q_t^1 = x_t.\end{aligned}$$

- (c) The mean log return is the mean of x_t , namely δ .
- (d) The price is

$$\log q_t^e = \log E_t(m_{t+1}d_{t+1}) = \alpha - x_t + \beta^2/2 + \beta(\lambda_0 + \lambda_1 x_t).$$

The return is

$$\log r_{t+1}^e = \log d_{t+1} - \log q_t^e = x_t - \beta^2/2 - \beta(\lambda_0 + \lambda_1 x_t) + \beta w_{t+1}.$$

- (e) The expected excess return is

$$E_t(\log r_{t+1}^e - \log r_{t+1}^1) = -\beta^2/2 - \beta(\lambda_0 + \lambda_1 x_t)$$

The second term is predictable through x_t .

6. Bond pricing with nonnormal innovations. ???