

Instructions for running the individual-based Dynamic Energy Budget *Schistosoma* population model (SIDEB) on Mac OSX

Matthew Malishev^{1*} & David J. Civitello¹

¹ *Department of Biology, Emory University, 1510 Clifton Road NE, Atlanta, GA, USA, 30322*

Contents

Overview	3
Set system to run C toolchain	3
Java tests	3
Running RNetLogo	3
Install rJava	3
Install JGR	3
References	4

Date: 2018-10-23

R version: 3.5.0

*Corresponding author: matthew.malishev@gmail.com

This document can be found at <https://github.com/darwinanddavis/SchistoIBM/tree/master/mac>

R session info

R version 3.5.0 (2018-04-23)

Platform: x86_64-apple-darwin15.6.0 (64-bit)

Running under: OS X El Capitan 10.11.6

Matrix products: default

BLAS: /Library/Frameworks/R.framework/Versions/3.5/Resources/lib/libRblas.0.dylib

LAPACK: /Library/Frameworks/R.framework/Versions/3.5/Resources/lib/libRlapack.dylib

locale:

[1] en_US.UTF-8/en_US.UTF-8/en_US.UTF-8/C/en_US.UTF-8/en_US.UTF-8

attached base packages:

[1] stats graphics grDevices utils datasets methods base

loaded via a namespace (and not attached):

[1]	compiler_3.5.0	backports_1.1.2	magrittr_1.5	rprojroot_1.3-2	tools_3.5.0	htmltools_0.3.6
[7]	pillar_1.2.3	tibble_1.4.2	yaml_2.2.0	Rcpp_0.12.18	stringi_1.2.3	rmarkdown_1.10
[13]	knitr_1.20	stringr_1.3.1	digest_0.6.15	rlang_0.2.1	evaluate_0.10.1	

Overview

Follow the instructions to run the simulation model from R or RStudio. All reports and bugs should be addressed to matthew.malishev@gmail.com.

Set system to run C toolchain

1. Follow the steps for compiling a toolchain and running C code in R outlined at [Installing compiler toolchain for Mac OSX](#). See also [4] if the above steps don't work. Thanks to the www.thecoatlessprofessor.com.

Java tests

Diagnostics for testing you have the correct version of Java on your computer. Tests are sequential (from [5]).

1. Open R and run the following code.

```
# test java is working
require(RCurl)
script <- getURL("https://raw.githubusercontent.com/darwinanddavis/SchistoIBM/master/mac/java_test.R", )
eval(parse(text = script))
capture.output(errorlist()) # read error message from java_test.R output
```

If you get an error message beginning with 'Failed Test ...', move onto ["Install JGR"](#).

Running RNetLogo

Load the 'DEB_IBM.R' file into your R session.

Install rJava

If an rJava error occurs in your R session, open Terminal (Applications > Terminal) and run the following in Terminal (sourced from [1] and [2])

```
sudo ln -s $(/usr/libexec/java_home)/jre/lib/server/libjvm.dylib /usr/local/lib
```

Install JGR

1. Check you have the latest version of [Java/Oracle](#).
2. Install JGR by running the following code in your R session (from [3]):

```
install.packages('JGR',, 'http://www.rforge.net/')
library(JGR)
JGR::JGR()
```

Now load the 'DEB_IBM.R' file into your R session to run the simulation model.

For up to date troubleshooting running RNetLogo on R v. 6.0 or higher, see [Running Netlogo 6.0.+](#).

References

- ¹ [rJava load error in RStudio/R after “upgrading” to OSX Yosemite](#)
- ² [Run rJava with RStudio using OSX 10.10](#)
- ³ [Installing JGR](#)
- ⁴ [GCC compiler in R](#)
- ⁵ [Test for working version of Java on your computer](#)