Infant formula with iron

Product Information: Similac® For Supplementation NON-GMO

Infant formula with iron

- 1 A 19 Cal/fl oz, nutritionally complete, milk-based, iron-fortified, non-GMO^{*} formula for breastfeeding moms who choose to introduce formula. For a gentle introduction to formula.
- 1 A non-GMO option for breastfeeding moms.
- OptiGRO™ is our exclusive blend of DHA, lutein and vitamin E: these important ingredients are found in breast milk.
 - O DHA for brain and eye development.
 - Lutein to support eye health.
 - O Vitamin E, an important nutrient found in breast milk to support developing cells.
- 1 Our exclusive formula has:
 - O Calcium for strong bones no palm olein oil.
 - O Nucleotides to help support the immune system.
 - O Prebiotics to help promote digestive health.
 - O Carotenoids like those naturally found in breast milk.
- Gluten-free.
- 1 Kosher.
- 1 Halal.

Safety Precautions

- Never use a microwave oven to warm formula. Serious burns can result.
- 1 Powdered infant formulas are not sterile and should not be fed to premature infants or infants who might have immune problems unless directed and supervised by your baby's doctor.
- 1 Not for use by infants or children with galactosemia.

Ingredients

Powder Unflavored:

Nonfat Milk, Lactose, Whey Protein Concentrate, High Oleic Safflower Oil, Soy Oil, Coconut Oil, Galactooligosaccharides. Less than 2% of: C. Cohnii Oil, M. Alpina Oil, Beta-Carotene, Lutein, Lycopene, Potassium Citrate, Calcium Carbonate, Soy Lecithin, Ascorbic Acid, Potassium Chloride, Magnesium Chloride, Ferrous Sulfate, Choline Bitartrate, Choline Chloride, Ascorbyl Palmitate, Salt, Taurine, m-Inositol, Zinc Sulfate, Mixed Tocopherols, d-Alpha-Tocopheryl Acetate, Niacinamide, Calcium Pantothenate, L-Carnitine, Vitamin A Palmitate, Cupric Sulfate, Thiamine Chloride Hydrochloride, Riboflavin, Pyridoxine Hydrochloride, Folic Acid, Manganese Sulfate, Phylloquinone, Biotin, Sodium Selenate, Vitamin D3, Cyanocobalamin, Calcium Phosphate, Potassium Phosphate, Potassium Hydroxide, and Nucleotides (Adenosine 5'-Monophosphate, Cytidine 5'-Monophosphate, Disodium Guanosine 5'-Monophosphate, Disodium Uridine 5'-Monophosphate).

Allergens: Contains milk and soy ingredients.

Availability

, it amainting	
List Number	Item
62990	Similac For Supplementation Non-GMO Ready to Feed / 2-fl-oz (59-mL) bottle / 6 x 8 ct
63013	Similac For Supplementation Non-GMO Powder / 1.45-LB (638-g) SimplePac / 4 ct
63092	Similac For Supplementation Non-GMO Ready to Feed / 2-fl-oz (59-mL) bottle / 48 ct





^{*} Ingredients not genetically engineered.

Infant formula with iron

Nutrition Information - Powder Unflavored

utrition Information - Powder Unflavored							
		100 Cal (5.3 fl oz, prepared as directed)		1000 mL (1.1 QT, prepared as directed)			
	Value	%RDI / %DV	Value	%RDI / %DV			
Calories	100		643				
Volume, mL	155.5		1000				
Protein, g	2.07		13.31				
Fat, g	5.60		36.08				
Carbohydrate, g	10.8		69.58				
Water, g	141		907				
Linoleic Acid, mg	1000		6431				
Vitamin A, IU	300		1929				
Vitamin D, IU	75		482				
Vitamin E, IU	1.5		9.6				
Vitamin K, mcg	8		51				
Thiamin (Vitamin B1), mcg	100		643				
Riboflavin (Vitamin B2), mcg	160		1029				
Vitamin B6, mcg	63		405				
Vitamin B12, mcg	0.26		1.67				
Niacin, mcg	1100		7074				
Folic Acid (Folacin), mcg	16		103				
Pantothenic Acid, mcg	470		3023				
Biotin, mcg	4.6		29.6				
Vitamin C (Ascorbic Acid), mg	9		58				
Choline, mg	24		154				
Inositol, mg	4.9		31.5				
Calcium, mg	82		527				
Calcium, mEq	4.1		26.4				
Phosphorus, mg	44		283				
Magnesium, mg	6		39				
Iron, mg	1.9		12.2				
Zinc, mg	0.79		5.08				
Manganese, mcg	5		32				
Copper, mcg	95		611				
lodine, mcg	6		39				
Selenium, mcg	2		13				
Sodium, mg	25		161				
Sodium, mEq	1.1		7.1				
Potassium, mg	110		707				
Potassium, mEq	2.8		18				
Chloride, mg	68		437				
Chloride, mEq	1.9		12.2				

For more information, contact your Abbott Nutrition Representative or visit www.abbottnutrition.com



Infant formula with iron

Preparation

Powder:

Your baby's health depends on carefully following these directions. Proper hygiene, handling and storage are important when preparing infant formula. Failure to follow these directions could result in severe harm. Ask your baby's doctor if you need to use cooled, boiled water for mixing and if you need to boil (sterilize) bottle, nipple and ring before use.

- 1 Wash your hands, surfaces and utensils.
- 1 Pour water into clean bottle (see mixing guide).
- 1 Add 1 unpacked level scoop (8.3 g) to each 2 fl oz of water.
- 1 Return dry scoop to holder in lid.
- 1 Cap bottle; shake well; attach nipple.
- 1 Once feeding begins, use within 1 hour or discard.

Powder Mixing Guide

Measure water	+	Add scoop(s) of <i>unpacked</i> level powder using enclosed scoop	=	Finished bottle (approx)
2 fl oz		1 scoop (8.3 g)		2 fl oz
4 fl oz		2 scoops		4 fl oz
6 fl oz		3 scoops		6 fl oz
8 fl oz		4 scoops		8 fl oz

Ready to Feed:

Ready to feed formula if mixed with water may not provide proper nutrition, and repeated use of such feedings could cause illness.

- 1 Do not use if breakaway ring is missing or broken.
- Do not add water.
- 1 Shake very well.
- 1 Twist off cap.
- 1 Twist on nipple and ring.
 - 1 Use clean hands to attach nipple and ring.
 - 1 Use sterile nipple and ring if directed.
- 1 Once feeding begins, use within 1 hour or discard.

Storage & Handling

Powder:

- Once mixed, store bottles in refrigerator and feed to baby within 24 hours.
- Store unopened or opened container at room temperature; avoid extreme temperatures.
- 1 Use opened can contents within 1 month.
- 1 Do not reuse container.

Ready to Feed:

- 1 Avoid prolonged exposure of bottles to light
- 1 Store unopened at room temperature; avoid extreme temperatures.
- 1 Store in carton until ready for use.
- Do not reuse bottle.

