

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for profile\_info.blade.php

### Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by   Nenhum ficheiro selecionado

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

- Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 1; to line 2, column 24

```
<@extends('user.profile')<@sec
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

- Error** The character encoding was not declared. Proceeding using `windows-1252`.

- Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.

From line 1, column 1; to line 2, column 24

```
<@extends('user.profile')<@sec
```

- Error** Element `head` is missing a required instance of child element `title`.

From line 1, column 1; to line 2, column 24

```
<@extends('user.profile')<@sec
```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one

is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

5. **Warning** Attribute `$user-` is not serializable as XML 1.0.

From line 9, column 21; to line 9, column 41

```
<img src = {{ $user->profil
```

6. **Error** Bad value `{{` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

From line 9, column 21; to line 9, column 41

```
<img src = {{ $user->profil
```

7. **Error** Attribute `$user-` not allowed on element `img` at this point.

From line 9, column 21; to line 9, column 41

```
<img src = {{ $user->profil
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

8. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 9, column 21; to line 9, column 41

```
<img src = {{ $user->profil
```

9. **Error** Element `figcaption` not allowed as child of element `div` in this context. (Suppressing further errors from this subtree.)

From line 10, column 21; to line 10, column 32

```
<figcaption>{{ $us
```

Contexts in which element [figcaption](#) may be used:

As the first or last child of a [figure](#) element.

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

10. **Error** Element `p2` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 16, column 21; to line 16, column 24

```
<p2> User
```

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

11. **Error** Element `p3` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 16, column 42; to line 16, column 45

```
ame:</p2> <p3> {{ $
```

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

12. **Error** Element `p2` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 17, column 21; to line 17, column 24

```
<p2> Emai
```

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

13. **Error** Element `p3` not allowed as child of element `div` in this context.

(Suppressing further errors from this subtree.)

From line 17, column 40; to line 17, column 43

```
il: </p2> <p3> {{ $
```

Content model for element [div](#):

If the element is a child of a [dl](#) element: one or more [dt](#) elements followed by one or more [dd](#) elements, optionally intermixed with [script-supporting elements](#).

If the element is not a child of a [dl](#) element: [flow content](#).

### Document checking completed.

Used the HTML parser.

Total execution time 10 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 22.1.25