

IDE-IT aka Integrated Development Environments - Intelligent Tutorials

Backend Team

Motivation

Integrated Development Environments (IDEs) are software applications that provide tools and facilities for developers to write and test software. They are designed to be beneficial to developers by providing features like static code analysis as well as automating some common tasks that the developer would otherwise have to do manually. However, those features are essentially worthless if the user does not know they exist. A number of studies have shown that the discoverability of existing IDE tools and plugins is a common issue. Some survey results suggest that developers often use only a small number of IDE functionalities out of the total set available [4]. Another study found that developers may not use tools and features built into their IDEs because they are unaware of the variety of tools offered within the IDEs, find the tools to be too complex, or the tools are not easily accessible [1]. Likewise, developers find that many tools in their IDEs are not trivial to configure, and this prevents them from using the tool at all [2]. In one case study, developers reported that sometimes it is difficult just to get to the menu where the options for configuring a particular feature are, and developers shared stories where they could not figure out how to customize a tool and ended up having to search the web to find out where the tool's preferences were [2]. Specifically discussing the Eclipse IDE, it has a vast plug-in ecosystem which offers rich rewards, but only for developers who know how to find these "gems".

For the reasons previously described, we propose a tool which improves discoverability of existing tools and settings for IDEs, specifically Eclipse. IDE Intelligent Tutorials (IDE-IT) would be an Eclipse IDE plugin that automatically provides relevant information regarding the tools and configuration settings available within the IDE. The goals of our proposed project are to teach users about the features of the Eclipse IDE that they may not be aware of. IDE-IT will detect when users are not taking advantage of the many features it includes and provide them a notification or tutorial to make them aware of it, all while presenting only relevant information.

The closest existing plugin to what we have planned is called MouseFeed. MouseFeed works by generating a popup notification any time the user clicks a button in the toolbar or a menu item, reminding them of the hotkey shortcut for that feature. This works great if a user already knows that a feature exists, but falls short as a full solution as it requires the user to be aware that a feature exists in the first place. Web searches are a common way to discover useful tools and plugins, but third party and built-in tool suggestions can be buried in the form of long videos, cumbersome webpages, forums, and "Top 20 best features for..." articles. This also requires the user to proactively search for such information; if the user is not aware they are missing out on any tool functionality, then they may not even know what to search for in the first place. Thus, it's difficult to know a feature exists in an IDE for something that a developer would find incredibly useful, unless they stumble upon it (e.g. being told by a colleague, or getting frustrated with a tedious task and searching for an easier solution, etc.). Additionally, most IDEs have some form of tips, usually tips of the day, that try to convey some of their features to the

user. However, those tips can be irrelevant to the user's goals, are randomly selected, and/or are more of an annoyance than a help. Other tools in Eclipse slightly similar to this proposal are the "content assist" and "parameter hints". However, these are mostly composed of suggestions in auto completion, variable names, and parameters. None of these options address the issue of a developer not knowing the issue at hand, and thus not being aware of what keywords to search, settings to turn on, or tools to enable. IntelliJ comes with an "IDE Features Trainer" module that provides tutorials to the user on how to use certain IDE features/hotkeys within IntelliJ. This module can help users to discover the IDE's tools and features, but is limited to IntelliJ and does not actively monitor the user's action within a document to make sure they stay reminded of such features.

The key difference between previous approaches to this problem and IDE-IT is that rather than teaching users more about features they already use, having the user spend their time navigating tutorials, or relying on random daily "tips" to increase user awareness of features, IDE-IT will teach users about the existence of features that are actually relevant to the way they use Eclipse. IDE-IT will continuously track user action such as document changes, key presses, and mouse clicks, and report in real-time when it determines that features are not being utilized. Through non-invasive notifications when users neglect to use relevant features, we provide a simple reminder that allows them to understand how they can make their work easier without interrupting it.

IDE-IT will improve the discoverability of IDE tools and features, which users can leverage to increase the speed at which they write their code. It will do so in a way that is hassle-free and relevant to the end user, without the need for the user to actively search through manuals, web posts, or various tutorials to find features useful to them. Users who are new to Eclipse in particular will benefit from the information provided by IDE-IT as they are entering an unfamiliar environment with many available features, and seasoned developers will discover features they may have never known about.

Our project will create a back end service for IDE-IT, which will consist of tracking user input and changes made in an Eclipse document editor, and evaluating those input and changes to determine if Eclipse's features are being neglected. A simple interface for our plugin will allow a front end plugin developer to easily access the information calculated by our service, and determine how they would like to present the information to the user.

Approach

For the backend aspect of IDE-IT, we handle monitoring and evaluating the user's input and then notifying any registered observers attached to our service. We plan to track mouse input, keyboard input, content of document changes, and abstract syntax tree (AST) changes. When document changes are detected, information from these inputs will be passed to a series of evaluation functions. Each IDE feature that IDE-IT supports will have its own evaluation function, which will check for a specific sequence of user actions and/or document changes that

signal that the user has neglected to use the feature. The IDE features we will focus on are the ones that we find helpful for developers, but may not be obvious how to use, or even knowing that the feature exists. For example, Eclipse allows users to comment out an entire block of code at once, instead of doing it line by line. This is a feature we will have an evaluation function for that will detect when the user is commenting multiple sequential lines, and then send out a notification that the user may want to be aware of block commenting. An example of another feature we plan to support is being able to automatically change the name of a variable throughout your entire program, instead of manually changing each variable name.




Figure 1. Proposed overview of modules (blue elements indicate modules of IDE-IT back end)

We will use the terms features, evaluations, and triggers liberally throughout this document. The following are the definitions of these terms in the context of this project.

Feature

A task, hot key, or menu option that Eclipse provides to the user. Most features are tasks that Eclipse can automate and save the developer time, but only if the developer is aware of it and knows how to use it. IDE-IT will focus on IDE features that we believe are beneficial to users, but can be easily overlooked.

Evaluation

A function that checks for a specific sequence of user action and/or document changes. This specific sequence of user actions / document changes represents how a user would act when trying complete a task manually instead of using the built in functionality of Eclipse.

Trigger

The term trigger is used for when a feature's evaluation function requirements are met. When this occurs, the front end will be notified via an interface as described below.

The following list of features are currently prioritized by the IDE-IT team to be implemented:

1. Block commenting
2. Adding import statements using "shift-cmd-o"
3. Removing unnecessary/unused import statements using "shift-cmd-o"
4. Correcting indentation
5. Refactor code base by renaming a variable throughout the entire project

To detect user input, we will have listeners for user key input, user mouse input, document changes, and AST changes as the user works in Eclipse. There will be some overlap in these listeners and it's not clear yet if all of these listeners will be needed in the final product. If we can achieve the same results but with less listeners (for example if document changes can provide all of the same information as user key input), then we would look into reducing the amount of listeners to increase efficiency.

The listeners will provide the data to the evaluation functions and the evaluation functions will be responsible for checking a set sequence of user action and/or document changes against the data provided by the listeners. For example, if a user comments out multiple sequential lines of code in their project, then the listeners would pass that information to the evaluators. One of those evaluators will check for when multiple sequential lines of code are commented out. The evaluator would recognize that sequence of actions and trigger a feature suggestion for block commenting.

For the scope of this project, our team is focusing almost entirely on the back end development. In order to ensure good encapsulation and minimal coupling, we will provide an interface for other plugins to use. This was designed specifically with the frontend team of IDE-IT, but is general enough that any plugin could take advantage of the interface. This allows other plugins to use our listeners, evaluations, and notifications as a service. The interface is set up as an Listener and Observer model, where the observers are notified whenever an evaluation function triggers.

Architecture

The backend service for IDE-IT will provide the following interface. This will allow other plugins (the frontend for IDE-IT, for instance) to use our plugin as a dependency by creating their own class that extends our FeatureSuggestionObserver class and register itself with our FeatureSuggestionInterface:

```
FeatureSuggestionObserver  
void notify(String featureID)
```

All observers will be notified with the featureID (a unique string identifier) of an Eclipse feature when an evaluation function triggers.

FeatureSuggestionInterface

boolean registerObserver(FeatureSuggestionObserver obs)

Register an observer with our service to be updated when any evaluation functions trigger.

boolean removeObserver(FeatureSuggestionObserver obs)

Removes a registered observer with our service.

void start()

Starts the backend service. Observers will receive notifications when they are triggered

void stop()

Stops the backend server. Observers will no longer receive notifications.

boolean isRunning()

Provides a check to see the current state of the backend service

List<String> getAllFeatureIDs()

Provides a list of all featureIDs. This is designed to be used so frontend services can check against this list for accuracy and verification.

This interface will allow any plugins which use our service to create their own observer and register it with through the FeatureSuggestionInterface. Since we only notify observers with a string that uniquely represents a supported feature, we will be working with the frontend team to create and share a list of the supported features and their featureIDs. We plan on providing the list of featureIDs in a file accessible by developers who wish to use our backend service, so they can implement support for those feature notifications.

The backend of the IDE-IT plugin will use the architecture outlined in figure 2. Inputs from the user (key presses and mouse clicks) and document changes will both be registered by listeners. These listeners will be the means of interfacing directly with eclipse and will act as the first measure to detect user interaction. Note that both primary and secondary changes are tracked here because simple changes can be easier to detect through primary inputs, while more complicated ones may not be possible at all to detect through mouse and keyboard input (e.g. the user using some combination of other plugins and/or shortcuts to make the document changes.) These listeners will then pass their input to the feature evaluators which, given listener output, will determine if an intelligent tutorial or notification is relevant to the user's actions. Finally, the evaluator will send any successful evaluations to the front end interface to signal that a tutorial or notification can potentially be triggered.




Figure 2: Proposal of internal architecture

We will also use various eclipse APIs to help with detecting user input, parsing AST, managing plugin lifetime, and displaying the tutorials for the features themselves. The main API that we will be using is the Eclipse PDE (Plug-in Development Environment) which is used for developing, testing, and debugging eclipse plugins. We will also be taking advantage of the Eclipse 4.x SDK and its underlying API. In addition to the APIs we are using, the release will eventually involve packaging the plugin in Eclipse's standard plugin packaging system and potentially making it available in tandem with the front end on the Eclipse marketplace, an online package repository for Eclipse.

Challenges/Risks

There are a handful of expected challenges and risks with this proposed Eclipse plugin. The most challenging aspects of this project is to create a plugin that's helpful to developers, correctly identifies and evaluations when the user could use information about a certain Eclipse feature, and does not produce false positive suggestions. An example of a false positive would be if a user was typing Javadoc comments above a method and our tool evaluated the action and triggered a block commenting suggestion.

To determine whether a feature provided by Eclipse has been neglected by the user, we need to take into account the changes made inside the document editor as well as the user mouse and key press actions that contributed to the change. Combining information from these input sources to accurately make this determination without triggering false positives will be difficult. As an example, if a user types two `"/"` slashes, are they commenting out an entire line or just part of the line? If they are only commenting part of the line, it would not be correct to tell them about the `cmd-/"` shortcut to comment a line out, as this would comment the entire line. Also, are they commenting out an existing line, or starting a new line as a comment? Though using `cmd-/"` will comment the line out in either case, it is normal for users to manually type `"/"` to comment out a fresh line, and constantly triggering this warning each time they do might be overkill. Thus the difficulty is not only figuring out how to evaluate if a given feature has been ignored, but also defining for each feature exactly what it means for the user to ignore it.

Evaluating whether a given feature has been ignored will also require unique evaluation code for each feature. This means that boilerplate evaluation code will not be possible, and that as the number of features we evaluate for grows, the amount of time we will spend writing evaluation code will grow as well. Certain features will likely also be more difficult to evaluate for than others. For example, determining whether the user has ignored the `cmd-/"` shortcut to comment a line out will likely be easier than determining whether the user has neglected the `Refactor->Rename` feature of Eclipse (which could involve complex evaluation of the document's AST). To mitigate these challenges, it will help to think carefully about how to divide the work of writing evaluation code among the team. It will also help to organize our code/modules in such a way as to simplify the process of adding a new feature evaluation.

Responsibilities

Infrastructure and Testing: David

Public facing interface and evaluation functionality: John

Implementing key/mouse/document listeners: Eric

Schedule

Week	Tasks
Week 4	<ul style="list-style-type: none">• Write specification• Determine list of Eclipse functionality to evaluate for• Determine an interface to connect with the front end• Compile list of documentation and resources• Identify the extension points we need to integrate the plugin• Create a basic framework for a working Eclipse plug-in
Week 5	<ul style="list-style-type: none">• Write functions that read user input within the document editor, including key presses and mouse actions• Write functions that listen for changes to the document in the document editor• Create presentation slides• Create user manual<ul style="list-style-type: none">◦ Include where list of featureID strings are located
Week 6	<ul style="list-style-type: none">• Write framework for evaluation of user input and document changes<ul style="list-style-type: none">◦ Listens for document changes and sends relevant information to all feature evaluation functions
Week 7	<ul style="list-style-type: none">• Interface with front end to produce a working prototype of plugin• Determine any plugin issues, both aesthetically and functionally• Have 3-4 working feature evaluations
Week 8	<ul style="list-style-type: none">• Fix any issues reported from previous week• Include additional feature evaluations• Go through thorough review process with the team to discuss current usability• Determine what is feasible to fix and what is not in time remaining
Week 9	<ul style="list-style-type: none">• Polish: include updates from previous week's discussion• Continue to add additional feature evaluations as needed• Complete rough drafts of final documentation• Should have an almost fully functional plugin• Further usability discussion and testing
Week 10	<ul style="list-style-type: none">• Finalize everything• Refine specification• Prepare presentation materials

Works Cited

1. Albusays, Khaled and Ludi, Stephanie. (2016). "Eliciting Programming Challenges Faced by Developers with Visual Impairments: Exploratory Study." *IEEE/ACM Cooperative and Human Aspects of Software Engineering*, 82-85.
2. Johnson, Yoonki Song, Murphy-Hill, & Bowdidge. (2013). "Why don't software developers use static analysis tools to find bugs?" *Software Engineering (ICSE), 2013 35th International Conference on Software Engineering*, 672-681.
3. Khoo, Y., Foster, J., Hicks, M., & Sazawal, V. (2008). "Path projection for user-centered static analysis tools." *Proceedings of the 8th ACM SIGPLAN-SIGSOFT workshop on program analysis for software tools and engineering*, 57-63.
4. Kline, R., Seffah, A., Javahery, H., Donayee, M., & Rilling, J. (2002). Quantifying developer experiences via heuristic and psychometric evaluation. *Proceedings IEEE 2002 Syposia on Human Centric Computing Languages and Environments 2002*, 34-36.
5. Oberhuber, Martin. "Recommended Compiler Warnings." *The Eclipse Foundation*.
6. Styger, Erich. (2013). "Top 10 Customization of Eclipse Settings." *DZone*.