MAT 352 Assignment

Computer Science Department

March 2023

Question

- 1. Prove that
 - (a) $0 \le P(E) \le 1$
 - (b) $P[(A\cap B)\cup (A\cap C)\cup (B\cap C)]=P(A\cap B)+P(A\cap C)+P(B\cap C)-2P(A\cap B\cap C)$
 - (c) $P(x = x) = q^{x-1}p$ where x = 1, 2 and q = 1 p

a. Prove that $0 \le P(E) \le 1$

Proof:

Let S be the sample space, and let A be any event.

Remember that:

- **Axiom 1:** $P(A) \ge 0$
- **Axiom 2:** P(S) = 1

Note that by Axiom 1, $P(A) \ge 0$.

Then $S = A \cup (S \setminus A)$, where $(S \setminus A)$ means everything in S but not in A.

NB: $P(A) + P(S \setminus A)$ means A and $(S \setminus A)$ are mutually exclusive.

By Axiom 1: P(A) > 0

$$P(A) + P(S \setminus A) \ge P(A) + 0$$

$$P(S) \ge P(A) + P(S \setminus A)$$

$$P(S) \ge P(A)$$

NB: P(S) = 1 i.e Axiom 2 probability of simple space= 1

Thus,
$$P(S) \ge P(A)$$

$$P(A) \leq 1$$

Thus, since Axiom 1: $P(A) \ge 0$

And by Axiom 2: $P(A) \leq 1$

Therefore $0 \le P(A) \le I$

b. Prove that
$$P[(A \cap B) \cup (A \cap C) \cup (B \cap C)] = P(A \cap B) + P(A \cap C) + P(B \cap C) - 2P(A \cap B \cap C)$$

Since $(A \cup B \cup C) = P(A) + P(B) + P(C) - P(A \cap B) - P(A \cap C) - P(B \cap C) + P(A \cap B \cap C)$

Then

$$P((A\cap B)\cup (A\cap C)\cup (B\cap C))=P(A\cap B)+P(A\cap C)+P(B\cap C)-P((A\cap B)\cap (A\cap C))-P((A\cap B)\cap (B\cap C))+P((A\cap B)\cap (A\cap C)\cap (B\cap C))$$

Recall




Figure 1: Venn Diagram

instead of labeling the shaded area, you can do the below! Let the shaded area be T From the Venn diagram, it can be seen that

- $\bullet \ (A\cap B)\cap (A\cap C)=T$
- $(B \cap B) \cap (B \cap C) = T$
- $(A \cap C) \cap (B \cap C) = T$
- $(A \cap B \cap C) = T$

Therefore,

 $(A\cap B)\cap (A\cap C)=(A\cap B)\cap (B\cap C)=(A\cap C)\cap (B\cap C)=A\cap B\cap C\\=P(A\cap B)+P(A\cap C)+P(B\cap C)-P(A\cap B\cap C)-P(A\cap B\cap C)-P(A\cap B\cap C)\\=P(A\cap B\cap C)+P(A\cap B\cap C)$

$$= P(A \cap B) + P(A \cap C) + P(B \cap C) - 2P(A \cap B \cap C)$$