Beginner's Python Cheat Sheet — Pygal

What is Pygal?

Data visualization involves exploring data through visual representations. Pygal helps you make visually appealing representations of the data you're working with. Pygal is particularly well suited for visualizations that will be presented online, because it supports interactive elements.

Installing Pygal

Pygal can be installed using pip.

Pygal on Linux and OS X

\$ pip install --user pygal

Pygal on Windows

> python -m pip install --user pygal

Line graphs, scatter plots, and bar graphs

To make a plot with Pygal, you specify the kind of plot and then add the data.

Making a line graph

To view the output, open the file squares.svg in a browser.

```
import pygal
x_values = [0, 1, 2, 3, 4, 5]
squares = [0, 1, 4, 9, 16, 25]

chart = pygal.Line()
chart.force_uri_protocol = 'http'
chart.add('x^2', squares)
chart.render_to_file('squares.svg')
```

Adding labels and a title

```
--snip--
chart = pygal.Line()
chart.force_uri_protocol = 'http'
chart.title = "Squares"
chart.x_labels = x_values
chart.x_title = "Value"
chart.y_title = "Square of Value"
chart.add('x^2', squares)
chart.render_to_file('squares.svg')
```

Line graphs, scatter plots, and bar graphs (cont.)

Making a scatter plot

The data for a scatter plot needs to be a list containing tuples of the form (x, y). The stroke=False argument tells Pygal to make an XY chart with no line connecting the points.

```
import pygal

squares = [
      (0, 0), (1, 1), (2, 4), (3, 9),
      (4, 16), (5, 25),
      ]

chart = pygal.XY(stroke=False)
chart.force_uri_protocol = 'http'
chart.add('x^2', squares)
chart.render_to_file('squares.svg')
```

Using a list comprehension for a scatter plot

A list comprehension can be used to effficiently make a dataset for a scatter plot.

```
squares = [(x, x**2) \text{ for } x \text{ in range}(1000)]
```

Making a bar graph

A bar graph requires a list of values for the bar sizes. To label the bars, pass a list of the same length to x_labels.

```
import pygal

outcomes = [1, 2, 3, 4, 5, 6]
frequencies = [18, 16, 18, 17, 18, 13]

chart = pygal.Bar()
chart.force_uri_protocol = 'http'
chart.x_labels = outcomes
chart.add('D6', frequencies)
chart.render_to_file('rolling_dice.svg')
```

Making a bar graph from a dictionary

Since each bar needs a label and a value, a dictionary is a great way to store the data for a bar graph. The keys are used as the labels along the x-axis, and the values are used to determine the height of each bar.

```
import pygal

results = {
    1:18, 2:16, 3:18,
    4:17, 5:18, 6:13,
    }

chart = pygal.Bar()
chart.force_uri_protocol = 'http'
chart.x_labels = results.keys()
chart.add('D6', results.values())
chart.render_to_file('rolling_dice.svg')
```

Multiple plots

You can add as much data as you want when making a visualization.

Plotting squares and cubes

```
import pygal

x_values = list(range(11))
squares = [x**2 for x in x_values]
cubes = [x**3 for x in x_values]


chart = pygal.Line()
chart.force_uri_protocol = 'http'
chart.title = "Squares and Cubes"
chart.x_labels = x_values

chart.add('Squares', squares)
chart.add('Cubes', cubes)
chart.render to file('squares cubes.svg')
```

Filling the area under a data series

Pygal allows you to fill the area under or over each series of data. The default is to fill from the x-axis up, but you can fill from any horizontal line using the zero argument.

```
chart = pygal.Line(fill=True, zero=0)
```



Online resources

The documentation for Pygal is available at http://www.pygal.org/.

Enabling interactive features

If you're viewing svg output in a browser, Pygal needs to render the output file in a specific way. The force_uri_protocol attribute for chart objects needs to be set to 'http'.

Python Crash Course

Covers Python 3 and Python 2



nostarchpress.com/pythoncrashcourse

Styling plots

Pygal lets you customize many elements of a plot. There are some excellent default themes, and many options for styling individual plot elements.

Using built-in styles

To use built-in styles, import the style and make an instance of the style class. Then pass the style object with the style argument when you make the chart object.

```
import pygal
from pygal.style import LightGreenStyle

x_values = list(range(11))
squares = [x**2 for x in x_values]
cubes = [x**3 for x in x_values]

chart_style = LightGreenStyle()
chart = pygal.Line(style=chart_style)
chart.force_uri_protocol = 'http'
chart.title = "Squares and Cubes"
chart.x_labels = x_values

chart.add('Squares', squares)
chart.add('Cubes', cubes)
chart.render_to_file('squares_cubes.svg')
```

Parametric built-in styles

Some built-in styles accept a custom color, then generate a theme based on that color.

```
from pygal.style import LightenStyle
--snip--
chart_style = LightenStyle('#336688')
chart = pygal.Line(style=chart_style)
--snip--
```

Customizing individual style properties

Style objects have a number of properties you can set individually.

```
chart_style = LightenStyle('#336688')
chart_style.plot_background = '#CCCCCC'
chart_style.major_label_font_size = 20
chart_style.label_font_size = 16
--snip--
```

Custom style class

You can start with a bare style class, and then set only the properties you care about.

```
chart_style = Style()
chart_style.colors = [
    '#CCCCCC', '#AAAAAA', '#888888']
chart_style.plot_background = '#EEEEEE'

chart = pygal.Line(style=chart_style)
--snip--
```

Styling plots (cont.)

Configuration settings

Some settings are controlled by a Config object.

```
my_config = pygal.Config()
my_config.show_y_guides = False
my_config.width = 1000
my_config.dots_size = 5
chart = pygal.Line(config=my_config)
--snip--
```

Styling series

You can give each series on a chart different style settings.

```
chart.add('Squares', squares, dots_size=2)
chart.add('Cubes', cubes, dots size=3)
```

Styling individual data points

You can style individual data points as well. To do so, write a dictionary for each data point you want to customize. A 'value' key is required, and other properies are optional.

```
import pygal
repos = [
        'value': 20506,
        'color': '#3333CC',
        'xlink': 'http://djangoproject.com/',
    },
    20054,
   12607.
   11827,
chart = pygal.Bar()
chart.force uri protocol = 'http'
chart.x labels = [
    'django', 'requests', 'scikit-learn',
    'tornado',
chart.y title = 'Stars'
chart.add('Python Repos', repos)
chart.render_to_file('python_repos.svg')
```



Plotting global datasets

Pygal can generate world maps, and you can add any data you want to these maps. Data is indicated by coloring, by labels, and by tooltips that show data when users hover over each country on the map.

Installing the world map module

The world map module is not included by default in Pygal 2.0. It can be installed with pip:

```
$ pip install --user pygal_maps_world
```

Making a world map

The following code makes a simple world map showing the countries of North America.

```
from pygal.maps.world import World

wm = World()
wm.force_uri_protocol = 'http'
wm.title = 'North America'
wm.add('North America', ['ca', 'mx', 'us'])

wm.render to file('north america.svg')
```

Showing all the country codes

In order to make maps, you need to know Pygal's country codes. The following example will print an alphabetical list of each country and its code.

```
from pygal.maps.world import COUNTRIES

for code in sorted(COUNTRIES.keys()):
    print(code, COUNTRIES[code])
```

Plotting numerical data on a world map

To plot numerical data on a map, pass a dictionary to add() instead of a list.

```
from pygal.maps.world import World

populations = {
    'ca': 34126000,
    'us': 309349000,
    'mx': 113423000,
    }

wm = World()
wm.force_uri_protocol = 'http'
wm.title = 'Population of North America'
wm.add('North America', populations)

wm.render_to_file('na_populations.svg')
```

More cheat sheets available at ehmatthes.qithub.io/pcc/