
$Combined\ eps\ figures\ from\ /Users/jingxiaoxian/Documents/GitHub/L2_Sensitivity$

Pavel Nadolsky Department of Physics, Southern Methodist University, Dallas, TX 75275, USA (Dated: April 29, 2020)

CJ15nlo, HERA Combined (34), Q=2 GeV




 $FIG.\ 1:\ 34_CJ15nlo_L2_q2_Sf_1.pdf$

CJ15nlo, HERA Combined (34), Q=100 GeV 10 5 $\Delta \chi^2 (L_2 \text{ sensitivity})$ ā 0 -5 -10 0.7 0.01 0.2 0.5 10-3 0.02 0.05 0.1 10^{-4} х


 $FIG.~2:~34_CJ15nlo_L2_q100_Sf_1.pdf$

CJ15nlo, HERA Combined (34), Q=10 GeV




 $FIG.~3:~34_CJ15nlo_q10_Sf_2.pdf$

CJ15nlo, HERA Combined (34), Q=2 GeV



 $FIG.~4:~34_CJ15nlo_q2_Sf_2.pdf$

CJ15nlo, HERA Combined (34), Q=100 GeV



 $FIG.\ 5:\ 34_CJ15nlo_q100_Sf_2.pdf$