

Mass Discharge - Outlet Alteck. 2016

PAZ

27 octobre 2016

Purpose

This file computes the discharged mass observed at the outlet. To do that it imports the weekly discharge summary and lab results for isotopes (^{13}C) and s-metolachlor concentrations.

Imports:

- **WeeklyHydro_R.csv** (R generated)
- **fluxAlteck2016_R.csv** (R generated)
- **OutletConc_W0toW17.csv**
- **MESAlteckWater.csv** (Concentration in filters)
- **Outlet_Isotopes_W0toW17.csv**
- **MESAlteck_FilterIsotopes.csv** (Isotopes in filters)
- **Outlet_ESAOXA_W0toW17.csv**
- **AO-Hydrochem.csv**

Generates:

- **WeeklyHydroContam_R.csv**

Required R-packages:

```
library("stringr")
library("plyr")
library("dplyr")
library("zoo")
```

Working directory

```
# setwd("D:/Documents/these_pablo/Alteckendorf2016/R")
# setwd("/Users/DayTightChunks/Documents/PhD/Routput/Alteck/R")
# setwd("D:/Documents/these_pablo/Alteckendorf2016/00_TransparencyFolder")
getwd()
```

```
## [1] "D:/Documents/these_pablo/Alteckendorf2016/HydrologicalMonitoring"
```

Outlet Data - Alteckendorf 2016

1. Hydrological data on a subweekly basis

```

weeklyhydro = read.csv2("Data/WeeklyHydro_R.csv", header = TRUE)
colnames(weeklyhydro)[colnames(weeklyhydro) == "ID"] <- "WeekSubWeek"
head(weeklyhydro)

```

```

##   WeekSubWeek AveDischarge.m3.h Volume.m3 Sampled.Hrs   Sampled
## 1      W0-0x      1.204775   14.41714    11.96667 Not Sampled
## 2      W0-1      1.213511  100.15508    82.53333   Sampled
## 3      W0-2x      1.284719   48.34827    37.63333 Not Sampled
## 4      W1-1     14.316647  390.36726    27.26667   Sampled
## 5      W1-2     15.529299  359.24445    23.13333   Sampled
## 6      W1-3x      9.107720  877.37700    96.33333 Not Sampled

```

```

weeklyflux = read.csv2("Data/fluxAlteck2016_R.csv", header = TRUE)
head(weeklyflux)

```

```

##   WeekSubWeek          ti          tf      iflux      fflux
## 1      W0-0x 2016-03-25 00:04:00 2016-03-25 12:02:00  1.248600  1.129227
## 2      W0-1 2016-03-25 12:04:00 2016-03-28 22:36:00  1.124382  1.313125
## 3      W0-2x 2016-03-28 22:38:00 2016-03-30 12:16:00  1.308100  1.456349
## 4      W1-1 2016-03-30 12:18:00 2016-03-31 15:34:00  1.456080  16.445436
## 5      W1-2 2016-03-31 15:36:00 2016-04-01 14:44:00  16.334349  15.184536
## 6      W1-3x 2016-04-01 14:46:00 2016-04-05 15:06:00  15.203629  5.856380
##   changeflux      maxQ      minQ Duration.Hrs chExtreme
## 1 -0.1193728  1.248600  1.118296      11.96667 -0.1303036
## 2  0.1887431  1.380388  1.082199      82.53333  0.2560062
## 3  0.1482496  1.637782  0.929055      37.63333  0.3296817
## 4 14.9893566 38.399790  1.448977      27.26667 36.9437102
## 5 -1.1498131 18.668972 13.201113      23.13333 -3.1332355
## 6 -9.3472489 15.895640  5.471042      96.33333 -9.7325862

```

2. Concentration data (dissolved and suspended solids) on a subweekly basis

```

outletConc = read.csv2("Data/OutletConc_W0toW17.csv", header = T)
outletConc$ID4 <- as.character(outletConc$ID4)
outletConc <- outletConc[outletConc$ID4 != "J+7", ]
outletConc <- outletConc[,c("WeekSubWeek", "Conc.mug.L", "Conc.SD")]
head(outletConc)

```

```

##   WeekSubWeek Conc.mug.L Conc.SD
## 1      W0-1  0.2456594 0.01931
## 2      W1-1  6.7882463 0.28942
## 3      W1-2  6.5609982 0.19064
## 4      W2-1  9.4443019 0.33354
## 5      W2-2  1.0421883 0.03904
## 6      W3-1  8.8357358 0.47086

```

```

filters = read.csv2("Data/MESAlteckWater.csv")
filters$MO.mg.L = ifelse(filters$MO.mg.L < 0, 0.0001, filters$MO.mg.L)
head(filters)

```

```

##   WeekSubWeek MES.mg.L MES.sd MO.mg.L Conc.Solids.mug.gMES
## 1      W0-1  53.44444    NA  0.0000      0.64472899
## 2      W1-1  62.50000    NA  0.0010      0.12588974
## 3      W1-2  22.50000    NA  0.0001      0.43578716
## 4      W2-1  22.50000    NA  0.0001      0.07935267
## 5      W2-2   5.00000    NA  0.0001      0.05075270
## 6      W3-1 197.50000    NA  0.0058      0.08177487

```

```

# MESA/MOXA data cleaning
outletESAOXA = read.csv2("Data/Outlet_ESAOXA_W0toW17.csv", header = T)
outletESAOXA$ID <- as.character(outletESAOXA$ID)
split <- strsplit(outletESAOXA$ID, "-", fixed = TRUE)
outletESAOXA$ESA_OXA_SD <- sapply(split, "[", 4)
split_vor <- strsplit(outletESAOXA$ID, "-SD", fixed = TRUE)
outletESAOXA$ESA_OXA_Mean <- sapply(split_vor, "[", 1)

means_temp <- subset(outletESAOXA, is.na(outletESAOXA$ESA_OXA_SD))
sd_temp <- subset(outletESAOXA, !is.na(outletESAOXA$ESA_OXA_SD))
means_temp$ID <- NULL
sd_temp$ID <- NULL

head(sd_temp)

##      MOXA.ugL  MESA.ugL ESA_OXA_SD ESA_OXA_Mean
## 2    1.1414453 3.4972206          SD      AO-W0-1
## 4   10.1852510 3.0369845          SD      AO-W1-1
## 6    0.2430544 0.8533820          SD      AO-W1-2
## 8    1.1526489 2.8261924          SD      AO-W2-1
## 10   0.6100011 0.1910419          SD      AO-W2-2
## 12   2.6589421 0.3268637          SD      AO-W3-1

head(means_temp)

##      MOXA.ugL  MESA.ugL ESA_OXA_SD ESA_OXA_Mean
## 1     4.824094 18.05531      <NA>      AO-W0-1
## 3    30.531235 45.98364      <NA>      AO-W1-1
## 5    32.492465 41.28052      <NA>      AO-W1-2
## 7   104.541255 98.56782      <NA>      AO-W2-1
## 9    26.885849 51.95245      <NA>      AO-W2-2
## 11   45.080673 24.04717      <NA>      AO-W3-1

outletESAOXA <- merge(means_temp, sd_temp, by = "ESA_OXA_Mean", all = T)
outletESAOXA$ESA_OXA_SD.x <- NULL
outletESAOXA$ESA_OXA_SD.y <- NULL
split_ID <- strsplit(outletESAOXA$ESA_OXA_Mean, "AO-", fixed = T)
outletESAOXA$ID <- sapply(split_ID, "[", 2)
outletESAOXA$ESA_OXA_Mean <- NULL
outletESAOXA <- outletESAOXA[, c("ID", "MOXA.ugL.x", "MOXA.ugL.y", "MESA.ugL.x", "MESA.ugL.y")]
colnames(outletESAOXA) <- c("WeekSubWeek", "OXA_mean", "OXA_SD", "ESA_mean", "ESA_SD")
outletESAOXA$WeekSubWeek <- as.factor(outletESAOXA$WeekSubWeek)

head(outletESAOXA)

##   WeekSubWeek  OXA_mean      OXA_SD ESA_mean      ESA_SD
## 1          W0-1  4.824094  1.14144531 18.05531  3.4972206
## 2          W1-1 30.531235 10.18525095 45.98364  3.0369845
## 3          W1-2 32.492465  0.24305444 41.28052  0.8533820
## 4         W10-1 21.311423  0.05168437 82.87549  1.8167218
## 5         W10-2 13.095046  0.17703516 12.02387  0.3057521
## 6         W10-3 45.605808  1.92663562 11.31492  0.1763479

```

3. Isotope data

Isotopes selected were cleaned according to the following rules:

- The isotope shift was not largely beyond (2x) Streitwieser theoretical limits (i.e. > 10)
- Isotope shift was non-negative
- Nanograms of carbon > 2.0.

Outlet isotope data:

```
outletIso = read.csv2("Data/Outlet_Isotopes_W0toW17.csv", header = T)
head(outletIso)
```

```
##      FileHeader..Filename ID Week Wnum SubWeek WeekSubWeek Repl d.13C.12C
## 1      AO_W0_1-1.dxf AO   W0    0      1      W0-1      1 -26.035
## 2      AO_W0_1-2.dxf AO   W0    0      1      W0-1      2 -27.740
## 3 AO_W0_1-3_-0001.dxf AO   W0    0      1      W0-1      3 -26.219
## 4      AO_W2_2-1_.dxf AO   W2    2      2      W2-2      1 -28.609
## 5      AO_W2_2-2_.dxf AO   W2    2      2      W2-2      2 -28.894
## 6      AO_W2_2-3_.dxf AO   W2    2      2      W2-2      3 -28.503
##      DD13...31.21. Ave...STDEV      Rt Ampl...44 Std.Ampl.      ng..C.
## 1      5.175      0.9357993 2651.2      239      858 8.356643
## 2      3.470              NA 2649.3      296      858 10.349650
## 3      4.991              NA 2649.7      302      858 10.559441
## 4      2.601      0.2022136 2656.2      127      658 5.790274
## 5      2.316              NA 2656.2      163      658 7.431611
## 6      2.707              NA 2655.3      176      658 8.024316
```

```
colnames(outletIso)[colnames(outletIso) == "DD13...31.21."] <- "DD13"
colnames(outletIso)[colnames(outletIso) == "ng..C."] <- "ngC"
outletIso <- subset(outletIso, DD13 > 0 & DD13 < 10 & ngC >= 2)
```

Filter isotope data:

```
filtersIso = read.csv2("Data/MESAlteck_FilterIsotopes.csv", header = T)
filtersIso$WeekSubWeek = paste(filtersIso$Week, filtersIso$Num, sep = "-")
filtersIso <- filtersIso[filtersIso$Levl != "J+7", ]
head(filtersIso)
```

```
##      ID Week Wnum Num Levl Repl d.13C.12C WeekSubWeek
## 1 AFP   W2    1    1      1 -25.154      W2-1
## 2 AFP   W2    1    1      2 -28.187      W2-1
## 3 AFP   W2    1    1      3 -28.283      W2-1
## 4 AFP   W2    2    2      1 -30.618      W2-2
## 5 AFP   W2    2    2      2 -26.304      W2-2
## 6 AFP   W2    2    2      3 -26.024      W2-2
```

4. Hydrochemistry Data

```
hydroChem = read.csv2("Data/A0-Hydrochem.csv", header = T)
hydroChem = hydroChem[, c("WeekSubWeek",
                          "NH4.mM",
                          "TIC.ppm.filt",
                          "Cl.mM",
                          "NO3...mM",
                          "PO4..mM",
                          "NPOC.ppm" ,
                          "TIC.ppm.unfilt",
                          "TOC.ppm.unfilt" )]
head(hydroChem)
```

```
##      WeekSubWeek NH4.mM TIC.ppm.filt Cl.mM NO3...mM PO4..mM NPOC.ppm
## 1      W1-1      0.05      51.8      1.48 616.00      NA      4.0
```

```
## 2      W1-2      NA      44.8 1574.00  778.00      NA      4.4
## 3      W10-1     NA      60.1   1.17  964.00      NA      2.0
## 4      W10-2    9.00      57.1 1013.00 1174.00     13      5.2
## 5      W10-3     NA      58.2  858.00   1.23      NA      5.0
## 6      W10-4   15.00      26.4  355.00 1409.00      NA      6.4
##    TIC.ppm.unfilt TOC.ppm.unfilt
## 1          44.8          4.7
## 2          26.4          5.4
## 3          63.2          2.0
## 4          55.9          4.0
## 5          60.4          4.3
## 6          24.5          6.4
```

Summarizing IRMS data

```
isoOutSummary = ddply(outletIso, c("WeekSubWeek"), summarise,
                      N      = length(d.13C.12C),
                      diss.d13C = mean(d.13C.12C),
                      SD.d13C = sd(d.13C.12C),
                      se.d13C = SD.d13C / sqrt(N))

head(isoOutSummary)
```

```
##    WeekSubWeek N diss.d13C  SD.d13C  se.d13C
## 1      W0-1 3 -26.66467 0.9357993 0.54028398
## 2      W1-1 3 -30.46867 0.1060016 0.06120004
## 3      W1-2 3 -30.61967 0.1513550 0.08738484
## 4      W10-1 2 -29.47350 1.9905056 1.40750000
## 5      W10-2 3 -29.27067 0.6003202 0.34659502
## 6      W10-3 3 -29.76967 0.3411749 0.19697744
```

```
isoFiltSummary = ddply(filtersIso, c("WeekSubWeek"), summarise,
                      N      = length(d.13C.12C),
                      filt.d13C = mean(d.13C.12C),
                      filt.SD.d13C = sd(d.13C.12C),
                      filt.se.d13C = filt.SD.d13C / sqrt(N))

head(isoFiltSummary)
```

```
##    WeekSubWeek N filt.d13C filt.SD.d13C filt.se.d13C
## 1      W2-1 3 -27.20800 1.779464 1.0273738
## 2      W2-2 3 -27.64867 2.575326 1.4868653
## 3      W6-3 3 -28.00667 1.593462 0.9199856
## 4      W9-1 2 -26.79150 1.745847 1.2345000
## 5      W9-2 3 -27.69633 2.013989 1.1627772
## 6      W9-3 3 -26.94633 1.685361 0.9730434
```

Merging and data wrangling steps

1. Merge all data sets by the *WeekSubWeek* column ID, including:

```
# Dissolved
out.CoIs = merge(outletConc, outletESAOXA, by = "WeekSubWeek", all = T)
out.CoIs = merge(out.CoIs, isoOutSummary, by = "WeekSubWeek", all = T)
```

```

# Filters (MES, Conc.MES)
out.CoIs = merge(out.CoIs, filters, by = "WeekSubWeek", all = T)
out.CoIs = merge(out.CoIs, isoFiltSummary, by= "WeekSubWeek", all = T)

# Pure and cuve isotope average
d13Co = -31.21

# Lab enrichment:
# epsilon = -1.61

# Lab enrichment:
# Alteck
epsilon_max = -1.5 # +/- 0.3 (@ 20C, 20% vwc)
epsilon_min = -2.0 # +/- 0.2 (@ 20C, 40% vwc)
epsilon_mean = -1.75

# Remaining fraction
out.CoIs$DD13C.diss <- (out.CoIs$diss.d13C - (d13Co))
out.CoIs$DD13C.filt <- (out.CoIs$filt.d13C - (d13Co))

out.CoIs$f.diss <- (((10**(-3)*out.CoIs$diss.d13C + 1)/(10**(-3)*d13Co + 1))**(1000/(epsilon_mean)))
out.CoIs$f.filt <- (((10**(-3)*out.CoIs$filt.d13C + 1)/(10**(-3)*d13Co + 1))**(1000/(epsilon_mean)))

out.CoIs$B.diss <- (1 - out.CoIs$f.diss)*100
out.CoIs$B.filt <- (1 - out.CoIs$f.filt)*100
#out.CoIs$invf <- 1/out.CoIs$f

# Discharge times
out.CoIs = merge(weeklyhydro, out.CoIs, by = "WeekSubWeek", all = T)

# Discharge summary
out.CoIs = merge(weeklyflux, out.CoIs, by = "WeekSubWeek", all = T)

# Hydrochemistrty
out.CoIs = merge(out.CoIs, hydroChem, by= "WeekSubWeek", all = T)

out.CoIs$tf <- as.POSIXct(out.CoIs$tf, "%Y-%m-%d %H:%M", tz = "EST")
out.CoIs$ti <- as.POSIXct(out.CoIs$ti, "%Y-%m-%d %H:%M", tz = "EST")
class(out.CoIs$tf)

## [1] "POSIXct" "POSIXt"

sum(is.na(out.CoIs$tf))

## [1] 7

# Temporarily remove Weeks 16 & 17 (need to get discharge data)
# No discharge data yet avaiabble to multiply against...
out.CoIs <- out.CoIs[!is.na(out.CoIs$tf), ]

```

2. Weekly Exported Solids (Kg)

```

# V[m3] * MES [mg/L] * 1000 [L/m3] * [1 Kg/106 mg]
out.CoIs$ExpMES.Kg = out.CoIs$Volume.m3*out.CoIs$MES.mg.L/1000

```

Section to UPDATE!!!

3. Weekly exported S-metolachlor mass (mg)

This section converts the observed S-metolachlor concentrations to [mg] in dissolved water and suspended solids. For non-sampled subsets a linear interpolation value based on the trailing and leading observed concentrations was assumed. An approximative model will be tested at a later stage.

```
# Assume first observation is equivalent to second for all measured values
out.CoIs[1, c("Conc.mug.L")] <- out.CoIs[2, c("Conc.mug.L")]
out.CoIs[1, c("OXA_mean")] <- out.CoIs[2, c("OXA_mean")]
out.CoIs[1, c("ESA_mean")] <- out.CoIs[2, c("ESA_mean")]
out.CoIs[1, c("Conc.Solids.mug.gMES")] <- out.CoIs[2, c("Conc.Solids.mug.gMES")]
out.CoIs[1, c("ExpMES.Kg")] <- out.CoIs[2, c("ExpMES.Kg")]

# Assign linear approximation of trailing and leading observed values
out.CoIs <- out.CoIs[with(out.CoIs , order(ti)), ]
out.CoIs$Conc.mug.L <- na.approx(out.CoIs$Conc.mug.L)
out.CoIs$OXA_mean <- na.approx(out.CoIs$OXA_mean)
out.CoIs$ESA_mean <- na.approx(out.CoIs$ESA_mean)
out.CoIs$Conc.Solids.mug.gMES <- na.approx(out.CoIs$Conc.Solids.mug.gMES)
out.CoIs$ExpMES.Kg <- na.approx(out.CoIs$ExpMES.Kg)

# Assign trailing observed value
# out.CoIs$Conc.mug.L.sim = na.locf(out.CoIs$Conc.mug.L.sim, na.rm = TRUE)

# Dissolved - [mg] S-metolachlor exported per sub-week
# Conc. [mu.g s-meto/L H2O] * Vol[m3] * [10^3 L/m^3] * [1 mg/10^3 mu.g]
out.CoIs$DissSmeto.mg = out.CoIs$Conc.mug.L*out.CoIs$Volume.m3
out.CoIs$DissOXA.mg = out.CoIs$OXA_mean*out.CoIs$Volume.m3
out.CoIs$DissESA.mg = out.CoIs$ESA_mean*out.CoIs$Volume.m3

# Solids - [mg] S-metolachlor in solids exported per sub-week
# Conc. [mu.g s-meto / g MES] * Kg MES * [10^3 g/Kg] * [1 mg/10^3 mu.g]
out.CoIs$FiltSmeto.mg = out.CoIs$Conc.Solids.mug.gMES*out.CoIs$ExpMES.Kg

# Total
out.CoIs$TotMassOut.mg = out.CoIs$DissSmeto.mg + out.CoIs$FiltSmeto.mg

# Proportion in dissolved and suspended solids
out.CoIs$FracDiss = out.CoIs$DissSmeto.mg/out.CoIs$TotMassOut.mg
out.CoIs$FracFilt = out.CoIs$FiltSmeto.mg/out.CoIs$TotMassOut.mg
```

4. Add the application dates and merge the total mass to the nearest discharge event

The five application dates were:

- 2016-03-20
- 2016-04-05
- 2016-04-13 and 2016-04-14
- 2016-05-26

So the total applied mass mass is merged at the nearest sampling time marker available :

```

ti = c(as.POSIXct('2016-03-25 00:04:00' , tz="EST"),
      as.POSIXct('2016-04-05 15:08:00' , tz="EST"),
      as.POSIXct('2016-04-14 13:52:00' , tz="EST"),
      as.POSIXct('2016-05-31 12:00:00' , tz="EST"))

Appl.Mass.g = c(6369.396, 3128.475, 4744.571, 4982.038)

applics = as.data.frame(ti)
applics$Appl.Mass.g = Appl.Mass.g

out.CoIs = merge(out.CoIs, applics, by = "ti", all = T)
out.CoIs$Appl.Mass.g <- ifelse(is.na(out.CoIs$Appl.Mass.g), 0.0, out.CoIs$Appl.Mass.g)

# Cumulative (Continuous)
out.CoIs$CumAppMass.g = cumsum(out.CoIs$Appl.Mass.g)

```

Section to UPDATE!!!

5. This section is based on approximate carried-last-observation for the observed concentration data (if no model has been conducted yet).

```

# First simulate a mass out to deal with missing values
# Option 1, just assume 0.0
out.CoIs$SimOutDiss.g = out.CoIs$DissSmeto.mg/103
out.CoIs$SimOutFilt.g = out.CoIs$FiltSmeto.mg/103
out.CoIs$SimOutOXA.g = out.CoIs$DissOXA.mg/103
out.CoIs$SimOutESA.g = out.CoIs$DissESA.mg/103

out.CoIs$SimOutDiss.g = ifelse(is.na(out.CoIs$SimOutDiss.g), 0.0, out.CoIs$SimOutDiss.g)
out.CoIs$SimOutFilt.g = ifelse(is.na(out.CoIs$SimOutFilt.g), 0.0, out.CoIs$SimOutFilt.g)
out.CoIs$SimOutSmeto.g = out.CoIs$SimOutDiss.g + out.CoIs$SimOutFilt.g

mw.SM <- 283.796 # g/mol
mw.MOXA <- 279.33 # g/ml
mw.MESA <- 329.1 # g/mol
out.CoIs$SimMELsm.g <- out.CoIs$SimOutSmeto.g + out.CoIs$SimOutOXA.g * (mw.SM/mw.MOXA) + out.CoIs$SimOutESA.g

# Cumulative OUT
out.CoIs$CumOutDiss.g = cumsum(out.CoIs$SimOutDiss.g)
out.CoIs$CumOutFilt.g = cumsum(out.CoIs$SimOutFilt.g)
out.CoIs$CumOutSmeto.g = out.CoIs$CumOutDiss.g + out.CoIs$CumOutFilt.g
out.CoIs$CumOutMELsm.g = cumsum(out.CoIs$SimMELsm.g)

# Balance
out.CoIs$BalMassDisch.g = out.CoIs$CumAppMass.g - out.CoIs$CumOutMELsm.g

# Mass fraction
massOUT = tail(out.CoIs$CumOutSmeto.g, n=1)
MELsmOUT = tail(out.CoIs$CumOutMELsm.g, n=1)

TotAppl = tail(out.CoIs$CumAppMass.g, n=1)

out.CoIs$prctMassOut = (out.CoIs$SimOutSmeto.g / massOUT)

```



```

out.CoIs$FracDeltaOut = (out.CoIs$SimOutSmeto.g / massOUT)*out.CoIs$diss.d13C
out.CoIs$FracDeltaOut = ifelse(is.na(out.CoIs$FracDeltaOut), 0.0, out.CoIs$FracDeltaOut)

BulkDeltaOut = sum(out.CoIs$FracDeltaOut)

```

The total mass discharged (up to Week 15) and bulk isotope signature (up to week 11) was:

```

# Cumulative S-metolachlor [g] discharged (before correction)
cat("SM mass sampled: " , as.character(91.10687))

```

```
## SM mass sampled: 91.10687
```

```

# Cumulative S-metolachlor [g] discharged
cat("SM mass sampled and non-sampled: ", as.character(massOUT))

```

```
## SM mass sampled and non-sampled: 140.392784358867
```

```

# Cumulative MEL-sm [g] discharged
cat("MEL-sm [g] sampled and non-sampled: ", as.character(MELsmOUT))

```

```
## MEL-sm [g] sampled and non-sampled: 3096.82107110515
```

```
cat("% Mass applied in discahrge [MEL-sm]: ", (MELsmOUT/TotAppl)*100)
```

```
## % Mass applied in discahrge [MEL-sm]: 16.10874
```

```
# Bulk isotope signature
```

```
BulkDeltaOut
```

```
## [1] -18.24983
```

6. Testing a regression tree (ommitted for now)

Save files

```
head(out.CoIs)
```

```
##          ti WeekSubWeek          tf      iflux      fflux
## 1 2016-03-25 00:04:00      W0-0x 2016-03-25 12:02:00  1.248600  1.129227
## 2 2016-03-25 12:04:00      W0-1 2016-03-28 22:36:00  1.124382  1.313125
## 3 2016-03-28 22:38:00      W0-2x 2016-03-30 12:16:00  1.308100  1.456349
## 4 2016-03-30 12:18:00      W1-1 2016-03-31 15:34:00  1.456080  16.445436
## 5 2016-03-31 15:36:00      W1-2 2016-04-01 14:44:00  16.334349  15.184536
## 6 2016-04-01 14:46:00      W1-3x 2016-04-05 15:06:00  15.203629  5.856380
##  changeflux      maxQ      minQ Duration.Hrs chExtreme AveDischarge.m3.h
## 1 -0.1193728  1.248600  1.118296      11.96667 -0.1303036      1.204775
## 2  0.1887431  1.380388  1.082199      82.53333  0.2560062      1.213511
## 3  0.1482496  1.637782  0.929055      37.63333  0.3296817      1.284719
## 4 14.9893566 38.399790  1.448977      27.26667 36.9437102      14.316647
## 5 -1.1498131 18.668972 13.201113      23.13333 -3.1332355      15.529299
## 6 -9.3472489 15.895640  5.471042      96.33333 -9.7325862      9.107720
##  Volume.m3 Sampled.Hrs      Sampled Conc.mug.L Conc.SD  OXA_mean
## 1  14.41714      11.96667 Not Sampled  0.2456594      NA  4.824094
## 2 100.15508      82.53333      Sampled  0.2456594  0.01931  4.824094
## 3  48.34827      37.63333 Not Sampled  3.5169528      NA 17.677665
## 4 390.36726      27.26667      Sampled  6.7882463  0.28942 30.531235
## 5 359.24445      23.13333      Sampled  6.5609982  0.19064 32.492465

```

## 6	877.37700	96.33333	Not Sampled	8.0026500	NA	68.516860	
##	OXA_SD	ESA_mean	ESA_SD	N.x	diss.d13C	SD.d13C	se.d13C MES.mg.L
## 1	NA	18.05531	NA	NA	NA	NA	NA
## 2	1.1414453	18.05531	3.497221	3	-26.66467	0.9357993	0.54028398 53.44444
## 3	NA	32.01948	NA	NA	NA	NA	NA
## 4	10.1852510	45.98364	3.036985	3	-30.46867	0.1060016	0.06120004 62.50000
## 5	0.2430544	41.28052	0.853382	3	-30.61967	0.1513550	0.08738484 22.50000
## 6	NA	69.92417	NA	NA	NA	NA	NA
##	MES.sd	MO.mg.L	Conc.Solids.mug.g	MES N.y	filt.d13C	filt.SD.d13C	
## 1	NA	NA	0.6447290	NA	NA	NA	
## 2	NA	0e+00	0.6447290	NA	NA	NA	
## 3	NA	NA	0.3853094	NA	NA	NA	
## 4	NA	1e-03	0.1258897	NA	NA	NA	
## 5	NA	1e-04	0.4357872	NA	NA	NA	
## 6	NA	NA	0.2575699	NA	NA	NA	
##	filt.se.d13C	DD13C.diss	DD13C.filt	f.diss	f.filt	B.diss	B.filt
## 1	NA	NA	NA	NA	NA	NA	NA
## 2	NA	4.5453333	NA	0.06892489	NA	93.10751	NA
## 3	NA	NA	NA	NA	NA	NA	NA
## 4	NA	0.7413333	NA	0.64590754	NA	35.40925	NA
## 5	NA	0.5903333	NA	0.70603206	NA	29.39679	NA
## 6	NA	NA	NA	NA	NA	NA	NA
##	NH4.mM	TIC.ppm.filt	Cl.mM	NO3...mM	P04..mM	NPOC.ppm	TIC.ppm.unfilt
## 1	NA	NA	NA	NA	NA	NA	NA
## 2	NA	NA	NA	NA	NA	NA	NA
## 3	NA	NA	NA	NA	NA	NA	NA
## 4	0.05	51.8	1.48	616	NA	4.0	44.8
## 5	NA	44.8	1574.00	778	NA	4.4	26.4
## 6	NA	NA	NA	NA	NA	NA	NA
##	TOC.ppm.unfilt	ExpMES.Kg	DissSmeto.mg	DissOXA.mg	DissESA.mg		
## 1	NA	5.352733	3.541705	69.54963	260.3058		
## 2	NA	5.352733	24.604033	483.15756	1808.3308		
## 3	NA	14.875343	170.038598	854.68456	1548.0863		
## 4	4.7	24.397953	2649.909084	11918.39439	17950.5083		
## 5	5.4	8.083000	2357.002211	11672.73795	14829.7964		
## 6	NA	7.935755	7021.341115	60115.11746	61349.8588		
##	FiltSmeto.mg	TotMassOut.mg	FracDiss	FracFilt	Appl.Mass.g		
## 1	3.451062	6.992766	0.5064812	0.4935188248	6369.396		
## 2	3.451062	28.055095	0.8769898	0.1230101641	0.000		
## 3	5.731609	175.770206	0.9673915	0.0326085349	0.000		
## 4	3.071452	2652.980536	0.9988423	0.0011577363	0.000		
## 5	3.522468	2360.524679	0.9985078	0.0014922393	0.000		
## 6	2.044012	7023.385126	0.9997090	0.0002910294	0.000		
##	CumAppMass.g	SimOutDiss.g	SimOutFilt.g	SimOutOXA.g	SimOutESA.g		
## 1	6369.396	0.003541705	0.003451062	0.06954963	0.2603058		
## 2	6369.396	0.024604033	0.003451062	0.48315756	1.8083308		
## 3	6369.396	0.170038598	0.005731609	0.85468456	1.5480863		
## 4	6369.396	2.649909084	0.003071452	11.91839439	17.9505083		
## 5	6369.396	2.357002211	0.003522468	11.67273795	14.8297964		
## 6	6369.396	7.021341115	0.002044012	60.11511746	61.3498588		
##	SimOutSmeto.g	SimMELsm.g	CumOutDiss.g	CumOutFilt.g	CumOutSmeto.g		
## 1	0.006992766	0.3021264	0.003541705	0.003451062	0.006992766		
## 2	0.028055095	2.0783329	0.028145738	0.006902124	0.035047862		
## 3	0.175770206	2.3790960	0.198184336	0.012633733	0.210818068		

```
## 4 2.652980536 30.2413655 2.848093419 0.015705185 2.863798604
## 5 2.360524679 27.0082117 5.205095630 0.019227652 5.224323282
## 6 7.023385126 121.0040582 12.226436745 0.021271664 12.247708409
## CumOutMELsm.g BalMassDisch.g prctMassOut FracDeltaOut
## 1 0.3021264 6369.094 4.980859e-05 0.000000000
## 2 2.3804594 6367.016 1.998329e-04 -0.005328477
## 3 4.7595554 6364.636 1.251989e-03 0.000000000
## 4 35.0009209 6334.395 1.889684e-02 -0.575761639
## 5 62.0091326 6307.387 1.681372e-02 -0.514830439
## 6 183.0131909 6186.383 5.002668e-02 0.000000000
```

```
write.csv2(out.CoIs,
           'Data/WeeklyHydroContam_R.csv', row.names = F)

# out.CoIs = read.csv2("Data/WeeklyHydroContam_R.csv")
# out.CoIs$ti = as.POSIXct(out.CoIs$ti, "%Y-%m-%d %H:%M", tz = "EST")
```