

Mass Discharge - Outlet Alteck. 2016

PAZ

27 octobre 2016

Purpose

This file computes the discharged mass observed at the outlet. To do that it imports the weekly discharge summary and lab results for isotopes (^{13}C) and s-metolachlor concentrations.

Imports:

- **WeeklyHydro_R.csv** (R generated)
- **fluxAlteck2016_R.csv** (R generated)
- **OutletConc_W0toW17.csv**
- **MESAlteckWater.csv** (Concentration in filters)
- **Outlet_Isotopes_W0toW17.csv**
- **MESAlteck_FilterIsotopes.csv** (Isotopes in filters)
- **Outlet_ESAOXA_W0toW17.csv**
- **AO-Hydrochem.csv**

Generates:

- **WeeklyHydroContam_R.csv**

Required R-packages:

```
library("stringr")
library("plyr")
library("dplyr")
library("zoo")
library("ggplot2")
library("plotly")
```

Working directory

```
# setwd("D:/Documents/these_pablo/Alteckendorf2016/R")
# setwd("/Users/DayTightChunks/Documents/PhD/Routput/Alteck/R")
# setwd("D:/Documents/these_pablo/Alteckendorf2016/00_TransparencyFolder")
getwd()
```

```
## [1] "/Users/DayTightChunks/Documents/PhD/HydrologicalMonitoring"
```

Outlet Data - Alteckendorf 2016

1. Hydrological data on a subweekly basis

```

weeklyhydro = read.csv2("Data/WeeklyHydro_R.csv", header = TRUE)
colnames(weeklyhydro)[colnames(weeklyhydro) == "ID"] <- "WeekSubWeek"
head(weeklyhydro)

```

```

##   WeekSubWeek AveDischarge.m3.h Volume.m3 Sampled.Hrs      Sampled
## 1      W0-0x      1.204775  14.41714      11.96667 Not Sampled
## 2      W0-1      1.213511 100.15508      82.53333   Sampled
## 3      W0-2x      1.284719  48.34827      37.63333 Not Sampled
## 4      W1-1     14.316647 390.36726      27.26667   Sampled
## 5      W1-2     15.529299 359.24445      23.13333   Sampled
## 6      W1-3x      9.107720 877.37700      96.33333 Not Sampled

```

```

weeklyflux = read.csv2("Data/fluxAlteck2016_R.csv", header = TRUE)
head(weeklyflux)

```

```

##   WeekSubWeek      ti      tf      iflux      fflux
## 1      W0-0x 2016-03-25 00:04:00 2016-03-25 12:02:00 1.248600 1.129227
## 2      W0-1 2016-03-25 12:04:00 2016-03-28 22:36:00 1.124382 1.313125
## 3      W0-2x 2016-03-28 22:38:00 2016-03-30 12:16:00 1.308100 1.456349
## 4      W1-1 2016-03-30 12:18:00 2016-03-31 15:34:00 1.456080 16.445436
## 5      W1-2 2016-03-31 15:36:00 2016-04-01 14:44:00 16.334349 15.184536
## 6      W1-3x 2016-04-01 14:46:00 2016-04-05 15:06:00 15.203629 5.856380
##   changeflux      maxQ      minQ Duration.Hrs chExtreme Event Markers
## 1 -0.1193728 1.248600 1.118296      11.96667 -0.1303036    NA      NA
## 2 0.1887431 1.380388 1.082199      82.53333 0.2560062    NA      NA
## 3 0.1482496 1.637782 0.929055      37.63333 0.3296817    NA      NA
## 4 14.9893566 38.399790 1.448977      27.26667 36.9437102      1 16.88972
## 5 -1.1498131 18.668972 13.201113      23.13333 -3.1332355    NA      NA
## 6 -9.3472489 15.895640 5.471042      96.33333 -9.7325862    NA      NA
##   TimeDiff
## 1      <NA>
## 2      <NA>
## 3      <NA>
## 4      24
## 5      <NA>
## 6      <NA>

```

2. Concentration data (dissolved and suspended solids) on a subweekly basis

```

outletConc = read.csv2("Data/OutletConc_W0toW17.csv", header = T)
outletConc$ID4 <- as.character(outletConc$ID4)
outletConc <- outletConc[outletConc$ID4 != "J+7", ]
outletConc <- outletConc[,c("WeekSubWeek", "Conc.mug.L", "Conc.SD")]
head(outletConc)

```

```

##   WeekSubWeek Conc.mug.L Conc.SD
## 1      W0-1 0.2456594 0.01931
## 2      W1-1 6.7882463 0.28942
## 3      W1-2 6.5609982 0.19064
## 4      W2-1 9.4443019 0.33354
## 5      W2-2 1.0421883 0.03904
## 6      W3-1 8.8357358 0.47086

```

```

filters = read.csv2("Data/MESAlteckWater.csv")
filters$M0.mg.L = ifelse(filters$M0.mg.L < 0, 0.0001, filters$M0.mg.L)
head(filters)

```

```
##      WeekSubWeek MES.mg.L MES.sd MO.mg.L Conc.Solids.mug.gMES
## 1      W0-1 53.44444      NA 0.0000      0.64472899
## 2      W1-1 62.50000      NA 0.0010      0.12588974
## 3      W1-2 22.50000      NA 0.0001      0.43578716
## 4      W2-1 22.50000      NA 0.0001      0.07935267
## 5      W2-2 5.00000      NA 0.0001      0.05075270
## 6      W3-1 197.50000      NA 0.0058      0.08177487
##      Conc.Solids.ug.gMES.SD
## 1      0.023237548
## 2      0.027063685
## 3      0.123237064
## 4      0.004683719
## 5      0.001027205
## 6      0.001343089
```

```
# MESA/MOXA data cleaning
```

```
outletESAOXA = read.csv2("Data/Outlet_ESAOXA_W0toW17.csv", header = T)
outletESAOXA$ID <- as.character(outletESAOXA$ID)
split <- strsplit(outletESAOXA$ID, "-", fixed = TRUE)
outletESAOXA$ESAOXA_SD <- sapply(split, "[", 4)
split_vor <- strsplit(outletESAOXA$ID, "-SD", fixed = TRUE)
outletESAOXA$ESAOXA_Mean <- sapply(split_vor, "[", 1)
```

```
means_temp <- subset(outletESAOXA, is.na(outletESAOXA$ESAOXA_SD))
sd_temp <- subset(outletESAOXA, !is.na(outletESAOXA$ESAOXA_SD))
means_temp$ID <- NULL
sd_temp$ID <- NULL
```

```
head(sd_temp)
```

```
##      MOXA.ugL MESA.ugL ESAOXA_SD ESAOXA_Mean
## 2      1.1414453 3.4972206      SD      AO-W0-1
## 4      10.1852510 3.0369845      SD      AO-W1-1
## 6      0.2430544 0.8533820      SD      AO-W1-2
## 8      1.1526489 2.8261924      SD      AO-W2-1
## 10     0.6100011 0.1910419      SD      AO-W2-2
## 12     2.6589421 0.3268637      SD      AO-W3-1
```

```
head(means_temp)
```

```
##      MOXA.ugL MESA.ugL ESAOXA_SD ESAOXA_Mean
## 1      4.824094 18.05531      <NA>      AO-W0-1
## 3      30.531235 45.98364      <NA>      AO-W1-1
## 5      32.492465 41.28052      <NA>      AO-W1-2
## 7      104.541255 98.56782      <NA>      AO-W2-1
## 9      26.885849 51.95245      <NA>      AO-W2-2
## 11     45.080673 24.04717      <NA>      AO-W3-1
```

```
outletESAOXA <- merge(means_temp, sd_temp, by = "ESAOXA_Mean", all = T)
outletESAOXA$ESAOXA_SD.x <- NULL
outletESAOXA$ESAOXA_SD.y <- NULL
split_ID <- strsplit(outletESAOXA$ESAOXA_Mean, "AO-", fixed = T)
outletESAOXA$ID <- sapply(split_ID, "[", 2)
outletESAOXA$ESAOXA_Mean <- NULL
outletESAOXA <- outletESAOXA[, c("ID", "MOXA.ugL.x", "MOXA.ugL.y", "MESA.ugL.x", "MESA.ugL.y")]
colnames(outletESAOXA) <- c("WeekSubWeek", "OXA_mean", "OXA_SD", "ESA_mean", "ESA_SD")
```

```
outletESAOPA$WeekSubWeek <- as.factor(outletESAOPA$WeekSubWeek)
```

```
head(outletESAOPA)
```

```
##   WeekSubWeek  OXA_mean      OXA_SD ESA_mean    ESA_SD
## 1      W0-1  4.824094  1.14144531 18.05531  3.4972206
## 2      W1-1 30.531235 10.18525095 45.98364  3.0369845
## 3      W1-2 32.492465  0.24305444 41.28052  0.8533820
## 4     W10-1 21.311423  0.05168437 82.87549  1.8167218
## 5     W10-2 13.095046  0.17703516 12.02387  0.3057521
## 6     W10-3 45.605808  1.92663562 11.31492  0.1763479
```

3. Isotope data

Isotopes selected were cleaned according to the following rules:

- The isotope shift was not largely beyond (2x) Streitwieser theoretical limits (i.e. > 10)
- Isotope shift was non-negative
- Nanograms of carbon > 2.0.

```
# Outlet isotope data:
```

```
outletIso = read.csv2("Data/Outlet_Isotopes_W0toW17.csv", header = T)
head(outletIso)
```

```
##   FileHeader..Filename ID Week Wnum SubWeek WeekSubWeek Repl d.13C.12C
## 1      AO_W0_1-1.dxf AO   W0    0      1      W0-1      1 -26.035
## 2      AO_W0_1-2.dxf AO   W0    0      1      W0-1      2 -27.740
## 3      AO_W0_1-3_-0001.dxf AO   W0    0      1      W0-1      3 -26.219
## 4      AO_W2_2-1_.dxf AO   W2    2      2      W2-2      1 -28.609
## 5      AO_W2_2-2_.dxf AO   W2    2      2      W2-2      2 -28.894
## 6      AO_W2_2-3_.dxf AO   W2    2      2      W2-2      3 -28.503
##   DD13...31.21. Ave...STDEV      Rt Ampl...44 Std.Ampl.    ng..C.
## 1      5.175    0.9357993 2651.2      239      858  8.356643
## 2      3.470           NA 2649.3      296      858 10.349650
## 3      4.991           NA 2649.7      302      858 10.559441
## 4      2.601    0.2022136 2656.2      127      658  5.790274
## 5      2.316           NA 2656.2      163      658  7.431611
## 6      2.707           NA 2655.3      176      658  8.024316
```

```
colnames(outletIso)[colnames(outletIso) == "DD13...31.21."] <- "DD13"
colnames(outletIso)[colnames(outletIso) == "ng..C."] <- "ngC"
outletIso <- subset(outletIso, DD13 > 0 & DD13 < 10 & ngC >= 2)
```

```
# Filter isotope data:
```

```
filtersIso = read.csv2("Data/MESAlteck_FilterIsotopes.csv", header = T)
filtersIso$WeekSubWeek = paste(filtersIso$Week, filtersIso$Num, sep = "-")
filtersIso <- filtersIso[filtersIso$Levl != "J+7", ]
head(filtersIso)
```

```
##   ID Week Wnum Num Lev1 Repl d.13C.12C WeekSubWeek
## 1 AFP  W2    1  1      1 -25.154      W2-1
## 2 AFP  W2    1  1      2 -28.187      W2-1
## 3 AFP  W2    1  1      3 -28.283      W2-1
## 4 AFP  W2    2  2      1 -30.618      W2-2
## 5 AFP  W2    2  2      2 -26.304      W2-2
## 6 AFP  W2    2  2      3 -26.024      W2-2
```

4. Hydrochemistry Data

```
hydroChem = read.csv2("Data/A0-Hydrochem.csv", header = T)
hydroChem = hydroChem[, c("WeekSubWeek",
                          "NH4.mM",
                          "TIC.ppm.filt",
                          "Cl.mM",
                          "NO3...mM",
                          "PO4..mM",
                          "NPOC.ppm" ,
                          "TIC.ppm.unfilt",
                          "TOC.ppm.unfilt" )]

head(hydroChem)
```

```
##   WeekSubWeek NH4.mM TIC.ppm.filt   Cl.mM NO3...mM PO4..mM NPOC.ppm
## 1      W1-1    0.05      51.8     1.48   616.00     NA      4.0
## 2      W1-2     NA      44.8  1574.00   778.00     NA      4.4
## 3     W10-1     NA      60.1     1.17   964.00     NA      2.0
## 4     W10-2    9.00      57.1  1013.00  1174.00     13      5.2
## 5     W10-3     NA      58.2   858.00     1.23     NA      5.0
## 6     W10-4   15.00      26.4   355.00  1409.00     NA      6.4
##   TIC.ppm.unfilt TOC.ppm.unfilt
## 1             44.8             4.7
## 2             26.4             5.4
## 3             63.2             2.0
## 4             55.9             4.0
## 5             60.4             4.3
## 6             24.5             6.4
```

Summarizing IRMS data

```
isoOutSummary = ddply(outletIso, c("WeekSubWeek"), summarise,
                      N      = length(d.13C.12C),
                      diss.d13C = mean(d.13C.12C),
                      SD.d13C  = sd(d.13C.12C),
                      se.d13C  = SD.d13C / sqrt(N))

head(isoOutSummary)
```

```
##   WeekSubWeek N diss.d13C   SD.d13C   se.d13C
## 1      W0-1  3 -26.66467 0.9357993 0.54028398
## 2      W1-1  3 -30.46867 0.1060016 0.06120004
## 3      W1-2  3 -30.61967 0.1513550 0.08738484
## 4     W10-1  2 -29.47350 1.9905056 1.40750000
## 5     W10-2  3 -29.27067 0.6003202 0.34659502
## 6     W10-3  3 -29.76967 0.3411749 0.19697744
```

```
isoFiltSummary = ddply(filtersIso, c("WeekSubWeek"), summarise,
                        N      = length(d.13C.12C),
                        filt.d13C = mean(d.13C.12C),
                        filt.SD.d13C = sd(d.13C.12C),
                        filt.se.d13C = filt.SD.d13C / sqrt(N))

head(isoFiltSummary)
```

```
##   WeekSubWeek N filt.d13C filt.SD.d13C filt.se.d13C
```

## 1	W2-1 3	-27.20800	1.779464	1.0273738
## 2	W2-2 3	-27.64867	2.575326	1.4868653
## 3	W6-3 3	-28.00667	1.593462	0.9199856
## 4	W9-1 2	-26.79150	1.745847	1.2345000
## 5	W9-2 3	-27.69633	2.013989	1.1627772
## 6	W9-3 3	-26.94633	1.685361	0.9730434

Merging and data wrangling steps

1. Merge all data sets by the *WeekSubWeek* column ID, including:

```
# Dissolved
out.CoIs = merge(outletConc, outletESAOXA, by = "WeekSubWeek", all = T)
out.CoIs = merge(out.CoIs, isoOutSummary, by = "WeekSubWeek", all = T)

# Filters (MES, Conc.MES)
out.CoIs = merge(out.CoIs, filters, by = "WeekSubWeek", all = T)
out.CoIs = merge(out.CoIs, isoFiltSummary, by = "WeekSubWeek", all = T)

# Pure and cuve isotope average
d13Co = -31.21

# Lab enrichment:
# epsilon = -1.61

# Lab enrichment:
# Alteck
epsilon_max = -1.5 # +/- 0.3 (@ 20C, 20% vwc)
epsilon_min = -2.0 # +/- 0.2 (@ 20C, 40% vwc)
epsilon_mean = -1.75

# Remaining fraction
out.CoIs$DD13C.diss <- (out.CoIs$diss.d13C - (d13Co))
out.CoIs$DD13C.filt <- (out.CoIs$filt.d13C - (d13Co))

out.CoIs$f.diss <- (((10**(-3)*out.CoIs$diss.d13C + 1)/(10**(-3)*d13Co + 1))**(1000/(epsilon_mean)))
out.CoIs$f.filt <- (((10**(-3)*out.CoIs$filt.d13C + 1)/(10**(-3)*d13Co + 1))**(1000/(epsilon_mean)))

out.CoIs$B.diss <- (1 - out.CoIs$f.diss)*100
out.CoIs$B.filt <- (1 - out.CoIs$f.filt)*100
#out.CoIs$invf <- 1/out.CoIs$f

# Discharge times
out.CoIs = merge(weeklyhydro, out.CoIs, by = "WeekSubWeek", all = T)

# Discharge summary
out.CoIs = merge(weeklyflux, out.CoIs, by = "WeekSubWeek", all = T)

# Hydrochemistry
out.CoIs = merge(out.CoIs, hydroChem, by = "WeekSubWeek", all = T)

out.CoIs$tf <- as.POSIXct(out.CoIs$tf, "%Y-%m-%d %H:%M", tz = "EST")
out.CoIs$ti <- as.POSIXct(out.CoIs$ti, "%Y-%m-%d %H:%M", tz = "EST")
```

```

class(out.CoIs$tf)

## [1] "POSIXct" "POSIXt"

sum(is.na(out.CoIs$tf))

## [1] 7

# Temporarily remove Weeks 16 & 17 (need to get discharge data)
# No discharge data yet available to multiply against...
out.CoIs <- out.CoIs[!is.na(out.CoIs$tf), ]

```

2. Weekly Exported Solids (Kg)

```

# V[m3] * MES [mg/L] * 1000 [L/m3] * [1 Kg/106 mg]
out.CoIs$ExpMES.Kg = out.CoIs$Volume.m3*out.CoIs$MES.mg.L/1000

```

Fork! Prepare Data for C-Q Hysteresis curves

```

CQdata <- out.CoIs[with(out.CoIs, order(ti)), ]
CQdata$FlowType <- ifelse(is.na(CQdata$Event), "Fall", "Peak")
CQdata$Event[1:3] <- 0
CQdata$EventMark <- NA

CQdata$EventMark <- na.locf(CQdata$Event)

CQdata$EventMark <- ifelse(is.na(CQdata$Event), CQdata$EventMark, CQdata$EventMark*10)
CQdata$Row <- seq.int(nrow(CQdata))

cq1 <- subset(CQdata[1:6, ])

cq1 <- cq1[cq1$Sampled != 'Not Sampled', ]

str(cq1)


## 'data.frame':   3 obs. of  54 variables:
##  $ WeekSubWeek      : Factor w/ 58 levels "W0-0x","W0-1",...: 2 4 5
##  $ ti               : POSIXct, format: "2016-03-25 12:04:00" "2016-03-30 12:18:00" ...
##  $ tf              : POSIXct, format: "2016-03-28 22:36:00" "2016-03-31 15:34:00" ...
##  $ iflux            : num  1.12 1.46 16.33
##  $ fflux            : num  1.31 16.45 15.18
##  $ changeflux        : num  0.189 14.989 -1.15
##  $ maxQ              : num  1.38 38.4 18.67
##  $ minQ              : num  1.08 1.45 13.2
##  $ Duration.Hrs      : num  82.5 27.3 23.1
##  $ chExtreme         : num  0.256 36.944 -3.133
##  $ Event             : num  0 1 NA
##  $ Markers           : num  NA 16.9 NA
##  $ TimeDiff          : Factor w/ 18 levels "106","136","150",...: NA 10 NA
##  $ AveDischarge.m3.h : num  1.21 14.32 15.53
##  $ Volume.m3         : num  100 390 359
##  $ Sampled.Hrs       : num  82.5 27.3 23.1
##  $ Sampled           : Factor w/ 2 levels "Not Sampled",...: 2 2 2
##  $ Conc.mug.L        : num  0.246 6.788 6.561
##  $ Conc.SD           : num  0.0193 0.2894 0.1906

```

```
## $ OXA_mean          : num  4.82 30.53 32.49
## $ OXA_SD            : num  1.141 10.185 0.243
## $ ESA_mean          : num  18.1 46 41.3
## $ ESA_SD            : num  3.497 3.037 0.853
## $ N.x               : int   3 3 3
## $ diss.d13C         : num  -26.7 -30.5 -30.6
## $ SD.d13C           : num  0.936 0.106 0.151
## $ se.d13C           : num  0.5403 0.0612 0.0874
## $ MES.mg.L          : num  53.4 62.5 22.5
## $ MES.sd             : num  NA NA NA
## $ MO.mg.L           : num  0e+00 1e-03 1e-04
## $ Conc.Solids.mug.gMES : num  0.645 0.126 0.436
## $ Conc.Solids.ug.gMES.SD: num  0.0232 0.0271 0.1232
## $ N.y               : int   NA NA NA
## $ filt.d13C         : num  NA NA NA
## $ filt.SD.d13C      : num  NA NA NA
## $ filt.se.d13C      : num  NA NA NA
## $ DD13C.diss        : num  4.545 0.741 0.59
## $ DD13C.filt        : num  NA NA NA
## $ f.diss            : num  0.0689 0.6459 0.706
## $ f.filt            : num  NA NA NA
## $ B.diss            : num  93.1 35.4 29.4
## $ B.filt            : num  NA NA NA
## $ NH4.mM            : num  NA 0.05 NA
## $ TIC.ppm.filt      : num  NA 51.8 44.8
## $ Cl.mM             : num  NA 1.48 1574
## $ NO3...mM          : num  NA 616 778
## $ PO4..mM           : int   NA NA NA
## $ NPOC.ppm          : num  NA 4 4.4
## $ TIC.ppm.unfilt    : num  NA 44.8 26.4
## $ TOC.ppm.unfilt    : num  NA 4.7 5.4
## $ ExpMES.Kg         : num  5.35 24.4 8.08
## $ FlowType          : chr   "Fall" "Peak" "Fall"
## $ EventMark         : num  0 10 1
## $ Row               : int   2 4 5
```

```
p <- ggplot(cq1) +
  geom_point(aes(x=AveDischarge.m3.h, y=Conc.mug.L), colour="black") +
  geom_polygon(aes(x=AveDischarge.m3.h, y=Conc.mug.L), colour="black", fill = NA) +

  geom_text(data = cq1,
            aes(x=AveDischarge.m3.h, y=Conc.mug.L, label=FlowType), hjust=1.5, vjust=0.5, size = 2)
p
```

```
#p <- ggplotly(p)
#p
```

Section to UPDATE!!!

3. Weekly exported S-metolachlor mass (mg)

This section converts the observed S-metolachlor concentrations to [mg] in dissolved water and suspended solids. For non-sampled subsets a linear interpolation value based on the trailing and leading observed concentrations was assumed. An approximative model will be tested at a later stage.

To revise: SD for filtered samples!!

```
# Assume first observation is equivalent to second for all measured values
out.CoIs[1, c("Conc.mug.L")] <- out.CoIs[2, c("Conc.mug.L")]
out.CoIs[1, c("Conc.SD")] <- out.CoIs[2, c("Conc.SD")]

out.CoIs[1, c("OXA_mean")] <- out.CoIs[2, c("OXA_mean")]
out.CoIs[1, c("OXA_SD")] <- out.CoIs[2, c("OXA_SD")]

out.CoIs[1, c("ESA_mean")] <- out.CoIs[2, c("ESA_mean")]
out.CoIs[1, c("ESA_SD")] <- out.CoIs[2, c("ESA_SD")]

out.CoIs[1, c("Conc.Solids.mug.gMES")] <- out.CoIs[2, c("Conc.Solids.mug.gMES")]
out.CoIs[1, c("Conc.Solids.ug.gMES.SD")] <- out.CoIs[2, c("Conc.Solids.ug.gMES.SD")]

out.CoIs[1, c("ExpMES.Kg")] <- out.CoIs[2, c("ExpMES.Kg")]
```

```

# Assign linear approximation of trailing and leading observed values
out.CoIs <- out.CoIs[with(out.CoIs , order(ti)), ]

out.CoIs$Conc.mug.L <- na.approx(out.CoIs$Conc.mug.L)
out.CoIs$Conc.SD <- na.approx(out.CoIs$Conc.SD)

out.CoIs$OXA_mean <- na.approx(out.CoIs$OXA_mean)
out.CoIs$OXA_SD <- na.approx(out.CoIs$OXA_SD)

out.CoIs$ESA_mean <- na.approx(out.CoIs$ESA_mean)
out.CoIs$ESA_SD <- na.approx(out.CoIs$ESA_SD)

out.CoIs$Conc.Solids.mug.gMES <- na.approx(out.CoIs$Conc.Solids.mug.gMES)
out.CoIs$Conc.Solids.ug.gMES.SD <- na.approx(out.CoIs$Conc.Solids.ug.gMES.SD)

out.CoIs$ExpMES.Kg <- na.approx(out.CoIs$ExpMES.Kg)

```

4. Add the application dates and merge the total mass to the nearest discharge event

The five application dates were:

- 2016-03-20
- 2016-04-05
- 2016-04-13 and 2016-04-14
- 2016-05-26

So the total applied mass mass is merged at the nearest sampling time marker available :

```

ti = c(as.POSIXct('2016-03-25 00:04:00' , tz="EST"),
#       as.POSIXct('2016-04-05 15:08:00' , tz="EST"),
       as.POSIXct('2016-04-14 13:52:00' , tz="EST"),
       as.POSIXct('2016-05-10 00:06:00' , tz="EST"))

Appl.Mass.g = c(9497.87, 4744.571, 4982.038)

applics = as.data.frame(ti)
applics$Appl.Mass.g = Appl.Mass.g

out.CoIs = merge(out.CoIs, applics, by = "ti", all = T)
out.CoIs$Appl.Mass.g <- ifelse(is.na(out.CoIs$Appl.Mass.g), 0.0, out.CoIs$Appl.Mass.g)

out.CoIs$timeSinceApp <- NA
for (i in 1:length(out.CoIs$Duration.Hrs)){
  if (out.CoIs[i, ]['Appl.Mass.g'] != 0){
    out.CoIs[i, ]['timeSinceApp'] = out.CoIs[i, ]['Duration.Hrs']
  } else {
    out.CoIs[i, ]['timeSinceApp'] = out.CoIs[i, ]['Duration.Hrs'] + out.CoIs[i-1, ]['timeSinceApp']
  }
}

out.CoIs$timeSinceApp <- round(out.CoIs$timeSinceApp/24, 1)

# Cumulative (Continuous)

```

```
out.CoIs$CumAppMass.g = cumsum(out.CoIs$Appl.Mass.g)
```

Section to UPDATE!!!

5. This section is based on approximate carried-last-observation for the observed concentration data (if no model has been conducted yet).

```
# First simulate a mass out to deal with missing values
# Option 1, just assume 0.0

# Dissolved - [mg] S-metolachlor exported per sub-week
# Conc. [mu.g s-meto/L H2O] * Vol[m3] * [10^-3 L/m^3] * [1 mg/10^-3 mu.g]
out.CoIs$DissSmeto.mg = out.CoIs$Conc.mug.L*out.CoIs$Volume.m3
out.CoIs$DissSmeto.mg.SD = out.CoIs$Conc.SD*out.CoIs$Volume.m3
out.CoIs$DissSmeto.g = out.CoIs$DissSmeto.mg/10^3
out.CoIs$DissSmeto.g.SD = out.CoIs$DissSmeto.mg.SD/10^3

out.CoIs$DissOXA.mg = out.CoIs$OXA_mean*out.CoIs$Volume.m3
out.CoIs$DissOXA.mg.SD = out.CoIs$OXA_SD*out.CoIs$Volume.m3
out.CoIs$DissOXA.g = out.CoIs$DissOXA.mg/10^3
out.CoIs$DissOXA.g.SD = out.CoIs$DissOXA.mg.SD/10^3

out.CoIs$DissESA.mg = out.CoIs$ESA_mean*out.CoIs$Volume.m3
out.CoIs$DissESA.mg.SD = out.CoIs$ESA_SD*out.CoIs$Volume.m3
out.CoIs$DissESA.g = out.CoIs$DissESA.mg/10^3
out.CoIs$DissESA.g.SD = out.CoIs$DissESA.mg.SD/10^3

# Solids - [mg] S-metolachlor in solids exported per sub-week
# Conc. [mu.g s-meto / g MES] * Kg MES * [10^-3 g/Kg] * [1 mg/10^-3 mu.g]
out.CoIs$FiltSmeto.mg = out.CoIs$Conc.Solids.mug.gMES*out.CoIs$ExpMES.Kg
out.CoIs$FiltSmeto.mg.SD = out.CoIs$Conc.Solids.ug.gMES.SD*out.CoIs$ExpMES.Kg
out.CoIs$FiltSmeto.g = out.CoIs$FiltSmeto.mg/10^3
out.CoIs$FiltSmeto.g.SD = out.CoIs$FiltSmeto.mg.SD/10^3

# Total SM
out.CoIs$TotSMout.mg = out.CoIs$DissSmeto.mg + out.CoIs$FiltSmeto.mg
out.CoIs$TotSMout.mg.SD = sqrt(((out.CoIs$DissSmeto.mg.SD)^2 + (out.CoIs$FiltSmeto.mg.SD)^2)/2)
out.CoIs$TotSMout.g = out.CoIs$TotSMout.mg/10^3
out.CoIs$TotSMout.g.SD = out.CoIs$TotSMout.mg.SD/10^3

# Distribution dissolved vs suspended solids
out.CoIs$FracDiss = out.CoIs$DissSmeto.mg/out.CoIs$TotSMout.mg
out.CoIs$FracFilt = out.CoIs$FiltSmeto.mg/out.CoIs$TotSMout.mg

#out.CoIs$DissSmeto.g = ifelse(is.na(out.CoIs$DissSmeto.g), 0.0, out.CoIs$DissSmeto.g)
#out.CoIs$FiltSmeto.g = ifelse(is.na(out.CoIs$FiltSmeto.g), 0.0, out.CoIs$FiltSmeto.g)
#out.CoIs$TotSMout.g = out.CoIs$DissSmeto.g + out.CoIs$FiltSmeto.g

# Need to update this :
# out.CoIs$TotSMout.g.SD = out.CoIs$DissSmeto.g.SD

mw.SM <- 283.796 # g/mol
mw.MOXA <- 279.33 # g/ml
```

```

mw.MESA <- 329.1 # g/mol
out.CoIs$MELsm.g <-
  out.CoIs$TotSMout.g +
  out.CoIs$DissOXA.g * (mw.SM/mw.MOXA) +
  out.CoIs$DissESA.g * (mw.SM/mw.MESA)

# How to sum a standard deviation
# http://stats.stackexchange.com/questions/25848/how-to-sum-a-standard-deviation
out.CoIs$MELsm.g.SD <-
  sqrt((out.CoIs$TotSMout.g.SD^2 +
        (out.CoIs$DissOXA.g.SD * (mw.SM/mw.MOXA))^2 +
        (out.CoIs$DissESA.g.SD * (mw.SM/mw.MESA))^2)/3)

# Cumulative OUT
out.CoIs$CumOutDiss.g = cumsum(out.CoIs$DissSmeto.g)
out.CoIs$CumOutFilt.g = cumsum(out.CoIs$FiltSmeto.g)
out.CoIs$CumOutSmeto.g = out.CoIs$CumOutDiss.g + out.CoIs$CumOutFilt.g
out.CoIs$CumOutMELsm.g = cumsum(out.CoIs$MELsm.g)

# Balance
out.CoIs$BalMassDisch.g = out.CoIs$CumAppMass.g - out.CoIs$CumOutMELsm.g

# Mass fraction
massOUT = tail(out.CoIs$CumOutSmeto.g, n=1)
MELsmOUT = tail(out.CoIs$CumOutMELsm.g, n=1)

TotAppl = tail(out.CoIs$CumAppMass.g, n=1)

out.CoIs$prctMassOut = (out.CoIs$TotSMout.g / massOUT)
out.CoIs$FracDeltaOut = (out.CoIs$TotSMout.g / massOUT)*out.CoIs$diss.d13C
out.CoIs$FracDeltaOut = ifelse(is.na(out.CoIs$FracDeltaOut), 0.0, out.CoIs$FracDeltaOut)

BulkDeltaOut = sum(out.CoIs$FracDeltaOut)

```

The total mass discharged (up to Week 15) and bulk isotope signature (up to week 11) was:

```

# Cumulative S-metolachlor [g] discharged (before correction)
cat("SM mass sampled: " , as.character(91.10687))

## SM mass sampled: 91.10687

# Cumulative S-metolachlor [g] discharged
cat("SM mass sampled and non-sampled: ", as.character(massOUT))

## SM mass sampled and non-sampled: 140.392784355072

# Cumulative MEL-sm [g] discharged
cat("MEL-sm [g] sampled and non-sampled: ", as.character(MELsmOUT))

## MEL-sm [g] sampled and non-sampled: 3096.82107110135
cat("% Mass applied in discharge [MEL-sm]: ", (MELsmOUT/TotAppl)*100)

## % Mass applied in discharge [MEL-sm]: 16.10874

# Bulk isotope signature
BulkDeltaOut

```

```
## [1] -18.24983
```

6. Testing a regression tree (ommitted for now)

Save files

```
names(out.CoIs)[names(out.CoIs) == "Event"] <- "Peak"
out.CoIs$Events <- as.factor(c("0-1", "0-2", "0-3",
                              "1-1", "1-2", "1-3",
                              "2-1", "2-2", "2-3",
                              "3-1",
                              "4-1", "4-2", "4-3", "4-4", "4-5",
                              "5-1",
                              "6-1", "6-2", "6-3",
                              "7-1",
                              "8-1", "8-2", "8-3",
                              "9-1", "9-2", "9-3", "9-4", "9-5",
                              "10-1", "10-2", "10-3", "10-4", "10-5",
                              "11-1",
                              "12-1", "12-2", "12-3",
                              "13-1",
                              "14-1",
                              "15-1", "15-2", "15-3", "15-4",
                              "16-1", "16-2",
                              "17-1", "17-2",
                              "18-1", "18-2", "18-3", "18-4"))

# Adding a Weeks column for labelling
out.CoIs$WeekSubWeek <- as.character(out.CoIs$WeekSubWeek)
Split <- strsplit(out.CoIs$WeekSubWeek, "-", fixed = TRUE)
out.CoIs$Weeks <- sapply(Split, "[", 1)

Split2 <- strsplit(as.character(out.CoIs$Events), "-", fixed = T)
out.CoIs$Event <- as.factor(sapply(Split2, "[", 1))

out.CoIs$WeekSubWeek <- factor(out.CoIs$WeekSubWeek, levels = unique(out.CoIs$WeekSubWeek))
out.CoIs$Weeks <- factor(out.CoIs$Weeks, levels = unique(out.CoIs$Weeks))

out.CoIs$Events <- factor(out.CoIs$Events, levels = unique(out.CoIs$Events))
out.CoIs$Event <- factor(out.CoIs$Event, levels = unique(out.CoIs$Event))

head(out.CoIs)
```

```
##          ti WeekSubWeek          tf      iflux      fflux
## 1 2016-03-25 00:04:00      W0-0x 2016-03-25 12:02:00  1.248600  1.129227
## 2 2016-03-25 12:04:00      W0-1 2016-03-28 22:36:00  1.124382  1.313125
## 3 2016-03-28 22:38:00      W0-2x 2016-03-30 12:16:00  1.308100  1.456349
## 4 2016-03-30 12:18:00      W1-1 2016-03-31 15:34:00  1.456080  16.445436
## 5 2016-03-31 15:36:00      W1-2 2016-04-01 14:44:00  16.334349  15.184536
## 6 2016-04-01 14:46:00      W1-3x 2016-04-05 15:06:00  15.203629  5.856380
##   changeflux      maxQ      minQ Duration.Hrs chExtreme Peak  Markers
## 1 -0.1193728  1.248600  1.118296      11.96667 -0.1303036   NA      NA
## 2  0.1887431  1.380388  1.082199      82.53333  0.2560062   NA      NA
```

```

## 3 0.1482496 1.637782 0.929055 37.63333 0.3296817 NA NA
## 4 14.9893566 38.399790 1.448977 27.26667 36.9437102 1 16.88972
## 5 -1.1498131 18.668972 13.201113 23.13333 -3.1332355 NA NA
## 6 -9.3472489 15.895640 5.471042 96.33333 -9.7325862 NA NA
## TimeDiff AveDischarge.m3.h Volume.m3 Sampled.Hrs Sampled Conc.mug.L
## 1 <NA> 1.204775 14.41714 11.96667 Not Sampled 0.2456594
## 2 <NA> 1.213511 100.15508 82.53333 Sampled 0.2456594
## 3 <NA> 1.284719 48.34827 37.63333 Not Sampled 3.5169528
## 4 24 14.316647 390.36726 27.26667 Sampled 6.7882463
## 5 <NA> 15.529299 359.24445 23.13333 Sampled 6.5609982
## 6 <NA> 9.107720 877.37700 96.33333 Not Sampled 8.0026500
## Conc.SD OXA_mean OXA_SD ESA_mean ESA_SD N.x diss.d13C SD.d13C
## 1 0.019310 4.824094 1.1414453 18.05531 3.497221 NA NA NA
## 2 0.019310 4.824094 1.1414453 18.05531 3.497221 3 -26.66467 0.9357993
## 3 0.154365 17.677665 5.6633481 32.01948 3.267103 NA NA NA
## 4 0.289420 30.531235 10.1852510 45.98364 3.036985 3 -30.46867 0.1060016
## 5 0.190640 32.492465 0.2430544 41.28052 0.853382 3 -30.61967 0.1513550
## 6 0.262090 68.516860 0.6978517 69.92417 1.839787 NA NA NA
## se.d13C MES.mg.L MES.sd MO.mg.L Conc.Solids.mug.gMES
## 1 NA NA NA NA 0.6447290
## 2 0.54028398 53.44444 NA 0e+00 0.6447290
## 3 NA NA NA NA 0.3853094
## 4 0.06120004 62.50000 NA 1e-03 0.1258897
## 5 0.08738484 22.50000 NA 1e-04 0.4357872
## 6 NA NA NA NA 0.2575699
## Conc.Solids.ug.gMES.SD N.y filt.d13C filt.SD.d13C filt.se.d13C
## 1 0.02323755 NA NA NA NA
## 2 0.02323755 NA NA NA NA
## 3 0.02515062 NA NA NA NA
## 4 0.02706369 NA NA NA NA
## 5 0.12323706 NA NA NA NA
## 6 0.06396039 NA NA NA NA
## DD13C.diss DD13C.filt f.diss f.filt B.diss B.filt NH4.mM
## 1 NA NA NA NA NA NA NA
## 2 4.5453333 NA 0.06892489 NA 93.10751 NA NA
## 3 NA NA NA NA NA NA NA
## 4 0.7413333 NA 0.64590754 NA 35.40925 NA 0.05
## 5 0.5903333 NA 0.70603206 NA 29.39679 NA NA
## 6 NA NA NA NA NA NA NA
## TIC.ppm.filt Cl.mM NO3...mM PO4...mM NPOC.ppm TIC.ppm.unfilt
## 1 NA NA NA NA NA NA
## 2 NA NA NA NA NA NA
## 3 NA NA NA NA NA NA
## 4 51.8 1.48 616 NA 4.0 44.8
## 5 44.8 1574.00 778 NA 4.4 26.4
## 6 NA NA NA NA NA NA
## TOC.ppm.unfilt ExpMES.Kg Appl.Mass.g timeSinceApp CumAppMass.g
## 1 NA 5.352733 9497.87 0.5 9497.87
## 2 NA 5.352733 0.00 3.9 9497.87
## 3 NA 14.875343 0.00 5.5 9497.87
## 4 4.7 24.397953 0.00 6.6 9497.87
## 5 5.4 8.083000 0.00 7.6 9497.87
## 6 NA 7.935755 0.00 11.6 9497.87
## DissSmeto.mg DissSmeto.mg.SD DissSmeto.g DissSmeto.g.SD DissOXA.mg

```

```

## 1      3.541705      0.2783949 0.003541705 0.0002783949 69.54963
## 2      24.604033      1.9339946 0.024604033 0.0019339946 483.15756
## 3      170.038598      7.4632812 0.170038598 0.0074632812 854.68456
## 4      2649.909084     112.9800910 2.649909084 0.1129800910 11918.39439
## 5      2357.002211      68.4863626 2.357002211 0.0684863626 11672.73795
## 6      7021.341115     229.9517390 7.021341115 0.2299517390 60115.11746
##      DissOXA.mg.SD      DissOXA.g DissOXA.g.SD DissESA.mg DissESA.mg.SD
## 1      16.45637 0.06954963 0.01645637 260.3058 50.41991
## 2      114.32155 0.48315756 0.11432155 1808.3308 350.26441
## 3      273.81310 0.85468456 0.27381310 1548.0863 157.95877
## 4      3975.98846 11.91839439 3.97598846 17950.5083 1185.53932
## 5      87.31596 11.67273795 0.08731596 14829.7964 306.57276
## 6      612.27900 60.11511746 0.61227900 61349.8588 1614.18699
##      DissESA.g DissESA.g.SD FiltSmeto.mg FiltSmeto.mg.SD FiltSmeto.g
## 1 0.2603058 0.05041991 3.451062 0.1243844 0.003451062
## 2 1.8083308 0.35026441 3.451062 0.1243844 0.003451062
## 3 1.5480863 0.15795877 5.731609 0.3741240 0.005731609
## 4 17.9505083 1.18553932 3.071452 0.6602985 0.003071452
## 5 14.8297964 0.30657276 3.522468 0.9961252 0.003522468
## 6 61.3498588 1.61418699 2.044012 0.5075740 0.002044012
##      FiltSmeto.g.SD TotSMout.mg TotSMout.mg.SD TotSMout.g TotSMout.g.SD
## 1 0.0001243844 6.992766 0.2156098 0.006992766 0.0002156098
## 2 0.0001243844 28.055095 1.3703661 0.028055095 0.0013703661
## 3 0.0003741240 175.770206 5.2839633 0.175770206 0.0052839633
## 4 0.0006602985 2652.980536 79.8903528 2.652980536 0.0798903528
## 5 0.0009961252 2360.524679 48.4322936 2.360524679 0.0484322936
## 6 0.0005075740 7023.385126 162.6008301 7.023385126 0.1626008301
##      FracDiss      FracFilt      MELsm.g MELsm.g.SD CumOutDiss.g CumOutFilt.g
## 1 0.5064812 0.4935188249 0.3021264 0.02689497 0.003541705 0.003451062
## 2 0.8769898 0.1230101642 2.0783329 0.18683762 0.028145738 0.006902124
## 3 0.9673915 0.0326085349 2.3790960 0.17885971 0.198184336 0.012633733
## 4 0.9988423 0.0011577363 30.2413655 2.40621294 2.848093419 0.015705185
## 5 0.9985078 0.0014922393 27.0082117 0.16340841 5.205095630 0.019227652
## 6 0.9997090 0.0002910294 121.0040582 0.88525127 12.226436745 0.021271664
##      CumOutSmeto.g CumOutMELsm.g BalMassDisch.g prctMassOut FracDeltaOut
## 1 0.006992766 0.3021264 9497.568 4.980859e-05 0.000000000
## 2 0.035047862 2.3804594 9495.490 1.998329e-04 -0.005328477
## 3 0.210818068 4.7595554 9493.110 1.251989e-03 0.000000000
## 4 2.863798604 35.0009209 9462.869 1.889684e-02 -0.575761639
## 5 5.224323282 62.0091326 9435.861 1.681372e-02 -0.514830439
## 6 12.247708409 183.0131909 9314.857 5.002668e-02 0.000000000
##      Events Weeks Event
## 1 0-1 W0 0
## 2 0-2 W0 0
## 3 0-3 W0 0
## 4 1-1 W1 1
## 5 1-2 W1 1
## 6 1-3 W1 1

```

```

write.csv2(out.CoIs,
            'Data/WeeklyHydroContam_R.csv', row.names = F)

# out.CoIs = read.csv2("Data/WeeklyHydroContam_R.csv")
# out.CoIs$ti = as.POSIXct(out.CoIs$ti, "%Y-%m-%d %H:%M", tz = "EST")

```