

Mass Discharge - Outlet Alteck. 2016

PAZ

27 octobre 2016

Purpose

This file computes the discharged mass observed at the outlet. To do that it imports the weekly discharge summary and lab results for isotopes (^{13}C) and s-metolachlor concentrations.

Imports:

- WeeklyHydro_R.csv (R generated)
- fluxAlteck2016_R.csv (R generated)
- OutletConc_W0toW17.csv
- MESAlteckWater.csv (Concentration in filters)
- Outlet_Isotopes_W0toW17.csv
- MESAlteck_FilterIsotopes.csv (Isotopes in filters)
- Outlet_ESAOXA_W0toW17.csv
- AO-Hydrochem.csv

Generates:

- WeeklyHydroContam_R.csv

Required R-packages:

```
library("stringr")
library("plyr")
library("dplyr")
library("zoo")
library("ggplot2")
library("plotly")
```

Working directory

```
# setwd("D:/Documents/these_pablo/Alteckendorf2016/R")
# setwd("/Users/DayTightChunks/Documents/PhD/Routput/Alteck/R")
# setwd("D:/Documents/these_pablo/Alteckendorf2016/00_TransparencyFolder")
getwd()
```

```
## [1] "/Users/DayTightChunks/Documents/PhD/HydrologicalMonitoring"
```

Lab and reference values

```

# Pure and cuve isotope average
d13Co = -32.25

# Lab enrichment:
# epsilon = -1.61

# Lab enrichment:
# Alteck
#epsilon_max = -1.5 # +/- 0.3 (@ 20C, 20% vwc)
#epsilon_min = -2.0 # +/- 0.2 (@ 20C, 40% vwc)
#epsilon_mean = -1.75

# Ehssan values:
epsilon_max = -1.8
epsilon_min = -2.6
epsilon_mean = -2.2 # ± 0.4

# Field values, after dilution correction (Van Breukelen 2008):
# Calculated in Book 9.1
epsilonField_max = -1.7 + 0.33
epsilonField_min = -1.7 - 0.33
epsilonField_mean = -1.7 # ± 0.33

```

Outlet Data - Alteckendorf 2016

1. Hydrological data on a subweekly basis

```

weeklyhydro = read.csv2("Data/WeeklyHydro_R.csv", header = TRUE)
colnames(weeklyhydro)[colnames(weeklyhydro) == "ID"] <- "WeekSubWeek"
head(weeklyhydro)

```

```

##   WeekSubWeek AveDischarge.m3.h Volume.m3 Sampled.Hrs      Sampled
## 1      W0-0x      1.204775  14.41714      11.96667 Not Sampled
## 2      W0-1      1.213511 100.15508      82.53333      Sampled
## 3      W0-2x      1.284719  48.34827      37.63333 Not Sampled
## 4      W1-1      14.316647 390.36726      27.26667      Sampled
## 5      W1-2      15.529299 359.24445      23.13333      Sampled
## 6      W1-3x      9.107720 877.37700      96.33333 Not Sampled

```

```

weeklyflux = read.csv2("Data/fluxAlteck2016_R.csv", header = TRUE)
head(weeklyflux)

```

```

##   WeekSubWeek      ti      tf      iflux      fflux
## 1      W0-0x 2016-03-25 00:04:00 2016-03-25 12:02:00 1.248600 1.129227
## 2      W0-1 2016-03-25 12:04:00 2016-03-28 22:36:00 1.124382 1.313125
## 3      W0-2x 2016-03-28 22:38:00 2016-03-30 12:16:00 1.308100 1.456349
## 4      W1-1 2016-03-30 12:18:00 2016-03-31 15:34:00 1.456080 16.445436
## 5      W1-2 2016-03-31 15:36:00 2016-04-01 14:44:00 16.334349 15.184536
## 6      W1-3x 2016-04-01 14:46:00 2016-04-05 15:06:00 15.203629 5.856380
##   changeflux      maxQ      minQ      dryHrs Duration.Hrs chExtreme Event
## 1 -0.1193728 1.248600 1.118296 0.01666667      11.96667 -0.1303036      NA
## 2 0.1887431 1.380388 1.082199 6.01666667      82.53333 0.2560062      NA
## 3 0.1482496 1.637782 0.929055 47.30000000      37.63333 0.3296817      NA
## 4 14.9893566 38.399790 1.448977 66.13333333      27.26667 36.9437102      1

```

```
## 5 -1.1498131 18.668972 13.201113 1.65000000 23.13333 -3.1332355 NA
## 6 -9.3472489 15.895640 5.471042 6.26666667 96.33333 -9.7325862 NA
## Markers TimeDiff
## 1 NA <NA>
## 2 NA <NA>
## 3 NA <NA>
## 4 16.88972 24
## 5 NA <NA>
## 6 NA <NA>
```

2. Concentration data (dissolved and suspended solids) on a subweekly basis

```
outletConc = read.csv2("Data/OutletConc_W0toW17.csv", header = T)
outletConc$ID4 <- as.character(outletConc$ID4)
outletConc <- outletConc[outletConc$ID4 != "J+7", ]
outletConc <- outletConc[,c("WeekSubWeek", "Conc.mug.L", "Conc.SD")]
head(outletConc)
```

```
## WeekSubWeek Conc.mug.L Conc.SD
## 1 W0-1 0.2456594 0.01931
## 2 W1-1 6.7882463 0.28942
## 3 W1-2 6.5609982 0.19064
## 4 W2-1 9.4443019 0.33354
## 5 W2-2 1.0421883 0.03904
## 6 W3-1 8.8357358 0.47086
```

```
filters = read.csv2("Data/MESAAlteckWater.csv")
filters$MO.mg.L = ifelse(filters$MO.mg.L < 0, 0.0001, filters$MO.mg.L)
head(filters)
```

```
## WeekSubWeek MES.mg.L MES.sd MO.mg.L Conc.Solids.mug.gMES
## 1 W0-1 53.44444 NA 0.0000 0.64472899
## 2 W1-1 62.50000 NA 0.0010 0.12588974
## 3 W1-2 22.50000 NA 0.0001 0.43578716
## 4 W2-1 22.50000 NA 0.0001 0.07935267
## 5 W2-2 5.00000 NA 0.0001 0.05075270
## 6 W3-1 197.50000 NA 0.0058 0.08177487
## Conc.Solids.ug.gMES.SD
## 1 0.023237548
## 2 0.027063685
## 3 0.123237064
## 4 0.004683719
## 5 0.001027205
## 6 0.001343089
```

MESA/MOXA data cleaning

```
outletESAOXA = read.csv2("Data/Outlet_ESAOXA_W0toW17.csv", header = T)
outletESAOXA$ID <- as.character(outletESAOXA$ID)
split <- strsplit(outletESAOXA$ID, "-", fixed = TRUE)
outletESAOXA$ESAOXA_SD <- sapply(split, "[", 4)
split_vor <- strsplit(outletESAOXA$ID, "-SD", fixed = TRUE)
outletESAOXA$ESAOXA_Mean <- sapply(split_vor, "[", 1)

means_temp <- subset(outletESAOXA, is.na(outletESAOXA$ESAOXA_SD))
sd_temp <- subset(outletESAOXA, !is.na(outletESAOXA$ESAOXA_SD))
means_temp$ID <- NULL
```

```
sd_temp$ID <- NULL

head(sd_temp)

##      MOXA.ugL  MESA.ugL ESAOXA_SD ESAOXA_Mean
## 2    1.1414453 3.4972206      SD    AO-W0-1
## 4   10.1852510 3.0369845      SD    AO-W1-1
## 6    0.2430544 0.8533820      SD    AO-W1-2
## 8    1.1526489 2.8261924      SD    AO-W2-1
## 10   0.6100011 0.1910419      SD    AO-W2-2
## 12   2.6589421 0.3268637      SD    AO-W3-1

head(means_temp)

##      MOXA.ugL MESA.ugL ESAOXA_SD ESAOXA_Mean
## 1     4.824094 18.05531      <NA>    AO-W0-1
## 3    30.531235 45.98364      <NA>    AO-W1-1
## 5    32.492465 41.28052      <NA>    AO-W1-2
## 7   104.541255 98.56782      <NA>    AO-W2-1
## 9    26.885849 51.95245      <NA>    AO-W2-2
## 11   45.080673 24.04717      <NA>    AO-W3-1

outletESAOXA <- merge(means_temp, sd_temp, by = "ESAOXA_Mean", all = T)
outletESAOXA$ESAOXA_SD.x <- NULL
outletESAOXA$ESAOXA_SD.y <- NULL
split_ID <- strsplit(outletESAOXA$ESAOXA_Mean, "AO-", fixed = T)
outletESAOXA$ID <- sapply(split_ID, "[", 2)
outletESAOXA$ESAOXA_Mean <- NULL
outletESAOXA <- outletESAOXA[, c("ID", "MOXA.ugL.x", "MOXA.ugL.y", "MESA.ugL.x", "MESA.ugL.y")]
colnames(outletESAOXA) <- c("WeekSubWeek", "OXA_mean", "OXA_SD", "ESA_mean", "ESA_SD")
outletESAOXA$WeekSubWeek <- as.factor(outletESAOXA$WeekSubWeek)

head(outletESAOXA)

##   WeekSubWeek  OXA_mean      OXA_SD ESA_mean    ESA_SD
## 1          W0-1  4.824094  1.14144531 18.05531  3.4972206
## 2          W1-1 30.531235 10.18525095 45.98364  3.0369845
## 3          W1-2 32.492465  0.24305444 41.28052  0.8533820
## 4         W10-1 21.311423  0.05168437 82.87549  1.8167218
## 5         W10-2 13.095046  0.17703516 12.02387  0.3057521
## 6         W10-3 45.605808  1.92663562 11.31492  0.1763479
```

3. Isotope data

Isotopes selected were cleaned according to the following rules:

- The isotope shift was not largely beyond (2x) Streitwieser theoretical limits (i.e. > 10)
- Isotope shift was non-negative
- Nanograms of carbon > 2.0.

```
# Outlet isotope data:

outletIso = read.csv2("Data/Outlet_Isotopes_W0toW17.csv", header = T, dec = ".")
if (length(outletIso) == 1){
  outletIso = read.csv("Data/Outlet_Isotopes_W0toW17.csv", header = T)
}

head(outletIso)
```

```
## FileHeader..Filename ID Week Wnum SubWeek WeekSubWeek Repl d.13C.12C
## 1 AO_W1_1-1_-0001.dxf AO W1 1 1 W1-1 1 -31.634
## 2 AO_W1_1-2_-0001.dxf AO W1 1 1 W1-1 2 -31.454
## 3 AO_W1_1-3_-0001.dxf AO W1 1 1 W1-1 3 -31.447
## 4 AO_W1_2-1_-0001.dxf AO W1 1 2 W1-2 1 -31.501
## 5 AO_W1_2-2_-0001.dxf AO W1 1 2 W1-2 2 -31.801
## 6 AO_W1_2-3_-0001.dxf AO W1 1 2 W1-2 3 -31.686
## DD13...32.25. Ave...STDEV Rt Ampl..44 Std.Ampl. ng..C.
## 1 0.619 2651.4 1284 858 44.89510
## 2 0.799 2651.2 1196 858 41.81818
## 3 0.806 2650.1 1183 858 41.36364
## 4 0.752 2651.2 1634 858 57.13287
## 5 0.452 2651.0 1570 858 54.89510
## 6 0.567 2650.5 1489 858 52.06294
```

```
colnames(outletIso)
```

```
## [1] "FileHeader..Filename" "ID" "Week"
## [4] "Wnum" "SubWeek" "WeekSubWeek"
## [7] "Repl" "d.13C.12C" "DD13...32.25."
## [10] "Ave...STDEV" "Rt" "Ampl..44"
## [13] "Std.Ampl." "ng..C."
```

```
colnames(outletIso)[colnames(outletIso) == "DD13...32.25."] <- "DD13"
colnames(outletIso)[colnames(outletIso) == "ng..C."] <- "ngC"
```

```
# Filter isotope data:
```

```
filtersIso = read.csv2("Data/MESAlteck_FilterIsotopes.csv", header = T, dec = ".")
#filtersIso <- filtersIso[filtersIso$Levl != "J+7", ]
if (length(filtersIso) == 1){
  filtersIso = read.csv("Data/MESAlteck_FilterIsotopes.csv", header = T)
}
colnames(filtersIso)
```

```
## [1] "ID" "Week" "Wnum" "Num"
## [5] "Levl" "Repl" "d.13C.12C" "DD13.32.253."
## [9] "ng..C."
```

```
filtersIso$WeekSubWeek = paste(filtersIso$Week, filtersIso$Num, sep = "-")
colnames(filtersIso)[colnames(filtersIso) == "DD13.32.253."] <- "DD13"
colnames(filtersIso)[colnames(filtersIso) == "ng..C."] <- "ngC"
```

```
head(filtersIso)
```

```
## ID Week Wnum Num Levl Repl d.13C.12C DD13 ngC WeekSubWeek
## 1 AFP W2 1 1 1 -26.20 6.056 0.7300885 W2-1
## 2 AFP W2 1 1 2 -29.23 3.023 0.8296460 W2-1
## 3 AFP W2 1 1 3 -29.33 2.927 0.8296460 W2-1
## 4 AFP W2 2 2 1 -31.66 0.592 0.6637168 W2-2
## 5 AFP W2 2 2 2 -27.35 4.906 0.7300885 W2-2
## 6 AFP W2 2 2 3 -27.07 5.186 0.7300885 W2-2
```

4. Hydrochemistry Data

```
hydroChem = read.csv2("Data/A0-Hydrochem.csv", header = T)
hydroChem = hydroChem[, c("WeekSubWeek",
```

```

      "NH4.mM",
      "TIC.ppm.filt",
      "Cl.mM",
      "NO3...mM",
      "PO4..mM",
      "NPOC.ppm" ,
      "TIC.ppm.unfilt",
      "TOC.ppm.unfilt" )]

head(hydroChem)

##   WeekSubWeek NH4.mM TIC.ppm.filt   Cl.mM NO3...mM PO4..mM NPOC.ppm
## 1         W1-1   0.05         51.8    1.48   616.00      NA       4.0
## 2         W1-2    NA         44.8  1574.00   778.00      NA       4.4
## 3        W10-1    NA         60.1    1.17   964.00      NA       2.0
## 4        W10-2   9.00         57.1  1013.00  1174.00     13       5.2
## 5        W10-3    NA         58.2   858.00    1.23      NA       5.0
## 6        W10-4  15.00         26.4   355.00  1409.00      NA       6.4
##   TIC.ppm.unfilt TOC.ppm.unfilt
## 1             44.8             4.7
## 2             26.4             5.4
## 3             63.2             2.0
## 4             55.9             4.0
## 5             60.4             4.3
## 6             24.5             6.4

```

Summarizing IRMS data

```

outletIso <- outletIso[complete.cases(outletIso[, "d.13C.12C"]), ]
isoOutSummary = ddply(outletIso, c("WeekSubWeek"), summarise,
  N      = length(d.13C.12C),
  diss.d13C = mean(d.13C.12C),
  SD.d13C = sd(d.13C.12C),
  se.d13C = SD.d13C / sqrt(N),
  N_ngC.diss = length(ngC),
  ngC.mean.diss = mean(ngC),
  ngC.SD.diss = sd(ngC))

head(isoOutSummary)

##   WeekSubWeek N diss.d13C   SD.d13C   se.d13C N_ngC.diss ngC.mean.diss
## 1         W1-1 3 -31.51167 0.1060016 0.06120004         3   42.692308
## 2         W1-2 3 -31.66267 0.1513550 0.08738484         3   54.696970
## 3        W10-1 2 -28.96100 0.2093036 0.14800000         2    9.811304
## 4        W10-2 5 -30.19240 0.6277900 0.28075623         5   31.285472
## 5        W10-3 3 -30.81267 0.3411749 0.19697744         3   19.092646
## 6        W10-4 3 -29.15667 0.4713240 0.27211905         3   16.921348
##   ngC.SD.diss
## 1    1.9211688
## 2    2.5407658
## 3    4.3931602
## 4   27.6278167

```

```
## 5    1.0603010
## 6    0.2430709

sum(isoOutSummary$N_ngC.diss == 2)

## [1] 5

sum(isoOutSummary$N_ngC.diss > 2)

## [1] 22

sum(isoOutSummary$N_ngC.diss == 2) / (sum(isoOutSummary$N_ngC.diss == 2) + sum(isoOutSummary$N_ngC.diss > 2))

## [1] 0.1851852

isoFiltSummary = dplyr::ddply(filtersIso, c("WeekSubWeek"), summarise,
  N      = length(d.13C.12C),
  filt.d13C = mean(d.13C.12C),
  filt.SD.d13C = sd(d.13C.12C),
  filt.se.d13C = filt.SD.d13C / sqrt(N),
  N_ngC.fl = length(ngC),
  ngC.mean.fl = mean(ngC),
  ngC.SD.fl = sd(ngC))

head(isoFiltSummary)

##   WeekSubWeek N filt.d13C filt.SD.d13C filt.se.d13C N_ngC.fl ngC.mean.fl
## 1      W2-1 3 -28.25333    1.778942    1.0270724      3    0.7964602
## 2      W2-2 3 -28.69333    2.573020    1.4855339      3    0.7079646
## 3      W6-3 6 -29.90667    1.617698    0.6604224      6    1.1946903
## 4      W9-1 2 -27.83500    1.746554    1.2350000      2    4.1783217
## 5      W9-2 3 -28.74000    2.011194    1.1611632      3    5.5594406
## 6      W9-3 3 -27.99000    1.685111    0.9728994      3    3.7645688
##   ngC.SD.fl
## 1 0.05747956
## 2 0.03831971
## 3 0.15135072
## 4 0.56865231
## 5 0.54280331
## 6 0.51189257
```

Merging and data wrangling steps

1. Merge all data sets by the *WeekSubWeek* column ID, including:

```
# Dissolved
out.CoIs = merge(outletConc, outletESA0XA, by = "WeekSubWeek", all = T)
out.CoIs = merge(out.CoIs, isoOutSummary, by = "WeekSubWeek", all = T)

# Filters (MES, Conc.MES)
out.CoIs = merge(out.CoIs, filters, by = "WeekSubWeek", all = T)
out.CoIs = merge(out.CoIs, isoFiltSummary, by = "WeekSubWeek", all = T)

# Remaining fraction
out.CoIs$DD13C.diss <- (out.CoIs$diss.d13C - (d13Co))
out.CoIs$DD13C.filt <- (out.CoIs$filt.d13C - (d13Co))
```

```

# Discharge times
out.CoIs = merge(weeklyhydro, out.CoIs, by = "WeekSubWeek", all = T)

# Discharge summary
out.CoIs = merge(weeklyflux, out.CoIs, by = "WeekSubWeek", all = T)

# Hydrochemistry
out.CoIs = merge(out.CoIs, hydroChem, by= "WeekSubWeek", all = T)

out.CoIs$tf <- as.POSIXct(out.CoIs$tf, "%Y-%m-%d %H:%M", tz = "EST")
out.CoIs$ti <- as.POSIXct(out.CoIs$ti, "%Y-%m-%d %H:%M", tz = "EST")
class(out.CoIs$tf)

## [1] "POSIXct" "POSIXt"

sum(is.na(out.CoIs$tf))

## [1] 7

# Temporarily remove Weeks 16 & 17 (need to get discharge data)
# No discharge data yet available to multiply against...
out.CoIs <- out.CoIs[!is.na(out.CoIs$tf), ]

```

2. Weekly Exported Solids (Kg)

```

# V[m3] * MES [mg/L] * 1000 [L/m3] * [1 Kg/10^6 mg]
out.CoIs$ExpMES.Kg = out.CoIs$Volume.m3*out.CoIs$MES.mg.L/1000

```

Fork! Prepare Data for C-Q Hysteresis curves

```

CQdata <- out.CoIs[with(out.CoIs, order(ti)), ]
CQdata$FlowType <- ifelse(is.na(CQdata$Event), "Fall", "Peak")
CQdata$Event[1:3] <- 0
CQdata$EventMark <- NA

CQdata$EventMark <- na.locf(CQdata$Event)

CQdata$EventMark <- ifelse(is.na(CQdata$Event), CQdata$EventMark, CQdata$EventMark*10)
CQdata$Row <- seq.int(nrow(CQdata))

cq1 <- subset(CQdata[1:6, ])

cq1 <- cq1[cq1$Sampled != 'Not Sampled', ]

str(cq1)

## 'data.frame':   3 obs. of  57 variables:
## $ WeekSubWeek      : Factor w/ 58 levels "W0-0x","W0-1",...: 2 4 5
## $ ti               : POSIXct, format: "2016-03-25 12:04:00" "2016-03-30 12:18:00" ...
## $ tf               : POSIXct, format: "2016-03-28 22:36:00" "2016-03-31 15:34:00" ...
## $ iflux            : num  1.12 1.46 16.33
## $ fflux            : num  1.31 16.45 15.18
## $ changeflux       : num  0.189 14.989 -1.15

```



```

## $ maxQ           : num  1.38 38.4 18.67
## $ minQ           : num  1.08 1.45 13.2
## $ dryHrs         : num  6.02 66.13 1.65
## $ Duration.Hrs   : num  82.5 27.3 23.1
## $ chExtreme      : num  0.256 36.944 -3.133
## $ Event          : num  0 1 NA
## $ Markers        : num  NA 16.9 NA
## $ TimeDiff       : Factor w/ 18 levels "106","136","150",...: NA 10 NA
## $ AveDischarge.m3.h : num  1.21 14.32 15.53
## $ Volume.m3       : num  100 390 359
## $ Sampled.Hrs     : num  82.5 27.3 23.1
## $ Sampled        : Factor w/ 2 levels "Not Sampled",...: 2 2 2
## $ Conc.mug.L      : num  0.246 6.788 6.561
## $ Conc.SD         : num  0.0193 0.2894 0.1906
## $ OXA_mean        : num  4.82 30.53 32.49
## $ OXA_SD          : num  1.141 10.185 0.243
## $ ESA_mean        : num  18.1 46 41.3
## $ ESA_SD          : num  3.497 3.037 0.853
## $ N.x             : int  NA 3 3
## $ diss.d13C       : num  NA -31.5 -31.7
## $ SD.d13C         : num  NA 0.106 0.151
## $ se.d13C         : num  NA 0.0612 0.0874
## $ N_ngC.diss      : int  NA 3 3
## $ ngC.mean.diss   : num  NA 42.7 54.7
## $ ngC.SD.diss     : num  NA 1.92 2.54
## $ MES.mg.L        : num  53.4 62.5 22.5
## $ MES.sd          : num  NA NA NA
## $ MO.mg.L         : num  0e+00 1e-03 1e-04
## $ Conc.Solids.mug.gMES : num  0.645 0.126 0.436
## $ Conc.Solids.ug.gMES.SD: num  0.0232 0.0271 0.1232
## $ N.y             : int  NA NA NA
## $ filt.d13C       : num  NA NA NA
## $ filt.SD.d13C    : num  NA NA NA
## $ filt.se.d13C    : num  NA NA NA
## $ N_ngC.fl        : int  NA NA NA
## $ ngC.mean.fl     : num  NA NA NA
## $ ngC.SD.fl       : num  NA NA NA
## $ DD13C.diss      : num  NA 0.738 0.587
## $ DD13C.filt      : num  NA NA NA
## $ NH4.mM          : num  NA 0.05 NA
## $ TIC.ppm.filt    : num  NA 51.8 44.8
## $ Cl.mM           : num  NA 1.48 1574
## $ NO3...mM        : num  NA 616 778
## $ PO4...mM        : int  NA NA NA
## $ NPOC.ppm        : num  NA 4 4.4
## $ TIC.ppm.unfilt  : num  NA 44.8 26.4
## $ TOC.ppm.unfilt  : num  NA 4.7 5.4
## $ ExpMES.Kg       : num  5.35 24.4 8.08
## $ FlowType        : chr  "Fall" "Peak" "Fall"
## $ EventMark       : num  0 10 1
## $ Row             : int  2 4 5

```

```

#p <- ggplot(cq1) +
#  geom_point(aes(x=AveDischarge.m3.h, y=Conc.mug.L), colour="black") +

```

```
# geom_polygon(aes(x=AveDischarge.m3.h, y=Conc.mug.L), colour="black", fill = NA) +

# geom_text(data = cq1,
#           aes(x=AveDischarge.m3.h, y=Conc.mug.L, label=FlowType), hjust=1.5, vjust=0.5, size = 2)
# p

#p <- ggplotly(p)
#p
```

Section to UPDATE!!!

3. Weekly exported S-metolachlor mass (mg)

This section converts the observed S-metolachlor concentrations to [mg] in dissolved water and suspended solids. For non-sampled subsets a linear interpolation value based on the trailing and leading observed concentrations was assumed. An approximative model will be tested at a later stage.

To revise: SD for filtered samples!!

```
# Assume first observation is equivalent to second for all measured values
out.CoIs[1, c("Conc.mug.L")] <- out.CoIs[2, c("Conc.mug.L")]
out.CoIs[1, c("Conc.SD")] <- out.CoIs[2, c("Conc.SD")]

out.CoIs[1, c("OXA_mean")] <- out.CoIs[2, c("OXA_mean")]
out.CoIs[1, c("OXA_SD")] <- out.CoIs[2, c("OXA_SD")]

out.CoIs[1, c("ESA_mean")] <- out.CoIs[2, c("ESA_mean")]
out.CoIs[1, c("ESA_SD")] <- out.CoIs[2, c("ESA_SD")]

out.CoIs[1, c("Conc.Solids.mug.gMES")] <- out.CoIs[2, c("Conc.Solids.mug.gMES")]
out.CoIs[1, c("Conc.Solids.ug.gMES.SD")] <- out.CoIs[2, c("Conc.Solids.ug.gMES.SD")]

out.CoIs[1, c("ExpMES.Kg")] <- out.CoIs[2, c("ExpMES.Kg")]

# Assign linear approximation of trailing and leading observed values
out.CoIs <- out.CoIs[with(out.CoIs , order(ti)), ]

out.CoIs$Conc.mug.L <- na.approx(out.CoIs$Conc.mug.L)
out.CoIs$Conc.SD <- na.approx(out.CoIs$Conc.SD)

out.CoIs$OXA_mean <- na.approx(out.CoIs$OXA_mean)
out.CoIs$OXA_SD <- na.approx(out.CoIs$OXA_SD)

out.CoIs$ESA_mean <- na.approx(out.CoIs$ESA_mean)
out.CoIs$ESA_SD <- na.approx(out.CoIs$ESA_SD)

out.CoIs$Conc.Solids.mug.gMES <- na.approx(out.CoIs$Conc.Solids.mug.gMES)
out.CoIs$Conc.Solids.ug.gMES.SD <- na.approx(out.CoIs$Conc.Solids.ug.gMES.SD)

out.CoIs$ExpMES.Kg <- na.approx(out.CoIs$ExpMES.Kg)
```

4. Add the application dates and merge the total mass to the nearest discharge event

The 4 application dates were:

- 2016-03-20 (Friess, Beet) and 2016-03-25 (Matthis, Beet)
- 2016-04-13 and 2016-04-14 (Kopp and Burger, Beet)
- 2016-05-25 (Schmidt, Talweg, Corn)
- 2016-06-04 (Assumed Speich and Mahler, Corn not on transect, Except Speich N1)

To compute initial concentration needed for Rayleigh calculations, the application rates are used to derive the respective concentration at each plot C_i , plot area A and the effective transect area A_{tr} (i.e. proportional to sampling points along transect, not total area represented by transect within the catchment).

Note that initial concentrations at each transect are then extrapolated to the catchment to calculate initial catchment concentrations (bulk), which in turn do take into account the full catchment area.

$$\sum_i C_i \cdot \frac{A_i}{A_{tr}}$$

So the total applied mass mass is merged at the nearest sampling time marker available :

```
ti = c(as.POSIXct('2016-03-25 00:04:00' , tz="EST"),
#       as.POSIXct('2016-04-05 15:08:00' , tz="EST"),
#       as.POSIXct('2016-04-14 13:52:00' , tz="EST"),
#       as.POSIXct('2016-05-29 12:10:00' , tz="EST"),
#       as.POSIXct('2016-05-24 12:00:00' , tz="EST"),
#       as.POSIXct('2016-06-04 15:32:00' , tz="EST"))

# Appl.Mass.g = c(17319.059, 4744.571, 1891.742, 6826.825)
Appl.Mass.g = c(33242.550, 4744.571, 1891.742, 6826.825) # With Friess applying DG's doses instead of M
# Initial soil concentration (needed for Rayleigh calculations later)

# Effective area [m2] refers to plot area touched by a transect, not sub-catchment area.
# Need this to calculate initial concentration.
Narea_eff <- 101721.702
Tarea_eff <- 39247.330
Sarea_eff <- 94205.501

MGplotConc <- 5.818 # ug/g soil for Mercantor Gold
DGplotConc <- 20.364 # Dual Gold

north_first <- DGplotConc*(43903.301/Narea_eff)
talweg_first <- DGplotConc*(14204.800/Tarea_eff)
south_first <- DGplotConc*(15022.600/Sarea_eff)+DGplotConc*(54313.801/Sarea_eff)

north_second <- north_first+MGplotConc*(9452.500/Narea_eff+13776.500/Narea_eff+17448.600/Narea_eff)
talweg_second <- talweg_first+MGplotConc*(2965.980/Tarea_eff + 5336.080/Tarea_eff + 7356.830/Tarea_eff)
south_second <- south_first+MGplotConc*(24869.100/Sarea_eff)

talweg_third <- talweg_second+DGplotConc*(9383.640/Tarea_eff)
north_fourth <- north_second+DGplotConc*(17140.801/Narea_eff)

applics = as.data.frame(ti)
applics$Appl.Mass.g = Appl.Mass.g
applics$iniCo.ug.g.N = c(north_first, north_second, north_second, north_fourth)
applics$iniCo.ug.g.T = c(talweg_first, talweg_second, talweg_third, talweg_third)
applics$iniCo.ug.g.S = c(south_first, south_second, south_second, south_second)

out.CoIs = merge(out.CoIs, applics, by = "ti", all = T)
```

```

out.CoIs$Appl.Mass.g <- ifelse(is.na(out.CoIs$Appl.Mass.g), 0.0, out.CoIs$Appl.Mass.g)

out.CoIs$timeSinceApp <- NA
for (i in 1:length(out.CoIs$Duration.Hrs)){
  if (out.CoIs[i, ]['Appl.Mass.g'] != 0){
    out.CoIs[i, ]['timeSinceApp'] = out.CoIs[i, ]['Duration.Hrs']
  } else {
    out.CoIs[i, ]['timeSinceApp'] = out.CoIs[i, ]['Duration.Hrs'] + out.CoIs[i-1, ]['timeSinceApp']
  }
}

out.CoIs$Appl.Mass.g.NoSo <- out.CoIs$Appl.Mass.g
out.CoIs$Appl.Mass.g.NoSo[which(out.CoIs$time == as.POSIXct('2016-05-23 18:02:00' , tz="EST"))] <- 0
out.CoIs$timeSinceApp.NoSo <- NA
for (i in 1:length(out.CoIs$Duration.Hrs)){
  if (out.CoIs[i, ]['Appl.Mass.g.NoSo'] != 0){
    out.CoIs[i, ]['timeSinceApp.NoSo'] = out.CoIs[i, ]['Duration.Hrs']
  } else {
    out.CoIs[i, ]['timeSinceApp.NoSo'] = out.CoIs[i, ]['Duration.Hrs'] + out.CoIs[i-1, ]['timeSinceApp.NoSo']
  }
}

out.CoIs$timeSinceApp <- round(out.CoIs$timeSinceApp/24, 1) # Convert to days
out.CoIs$timeSinceApp.NoSo <- round(out.CoIs$timeSinceApp.NoSo/24, 1)

# Cumulative (Continuous)
out.CoIs$CumAppMass.g = cumsum(out.CoIs$Appl.Mass.g)
out.CoIs$iniCo.ug.g.N = na.locf(out.CoIs$iniCo.ug.g.N)
out.CoIs$iniCo.ug.g.T = na.locf(out.CoIs$iniCo.ug.g.T)
out.CoIs$iniCo.ug.g.S = na.locf(out.CoIs$iniCo.ug.g.S)

```

Section to UPDATE!!!

5. This section is based on approximate carried-last-observation for the observed concentration data (if no model has been conducted yet).

Also, mass equivalent loads are calculated such that:

$$MEQ_{SMET} = SMET_{out} + OXA_{out} * \left(\frac{mw_{SMET}}{mw_{MOXA}} \right) + ESA_{out} * \left(\frac{mw_{SMET}}{mw_{MESA}} \right)$$

```

# First simulate a mass out to deal with missing values
# Option 1, just assume 0.0

# Dissolved - [mg] S-metolachlor exported per sub-week
# Conc. [mu.g s-meto/L H2O] * Vol[m3] * [10^3 L/m^3] * [1 mg/10^3 mu.g]
out.CoIs$DissSmeto.mg = out.CoIs$Conc.mug.L*out.CoIs$Volume.m3
out.CoIs$DissSmeto.mg.SD = out.CoIs$Conc.SD*out.CoIs$Volume.m3
out.CoIs$DissSmeto.g = out.CoIs$DissSmeto.mg/10^3
out.CoIs$DissSmeto.g.SD = out.CoIs$DissSmeto.mg.SD/10^3

out.CoIs$DissOXA.mg = out.CoIs$OXA_mean*out.CoIs$Volume.m3

```

```

out.CoIs$DissOXA.mg.SD = out.CoIs$OXA_SD*out.CoIs$Volume.m3
out.CoIs$DissOXA.g = out.CoIs$DissOXA.mg/103
out.CoIs$DissOXA.g.SD = out.CoIs$DissOXA.mg.SD/103

out.CoIs$DissESA.mg = out.CoIs$ESA_mean*out.CoIs$Volume.m3
out.CoIs$DissESA.mg.SD = out.CoIs$ESA_SD*out.CoIs$Volume.m3
out.CoIs$DissESA.g = out.CoIs$DissESA.mg/103
out.CoIs$DissESA.g.SD = out.CoIs$DissESA.mg.SD/103

# Solids - [mg] S-metolachlor in solids exported per sub-week
# Conc. [ $\mu$ .g s-meto / g MES] * Kg MES * [10-3 g/Kg] * [1 mg/10-3  $\mu$ .g]
out.CoIs$FiltSmeto.mg = out.CoIs$Conc.Solids.mug.gMES*out.CoIs$ExpMES.Kg
out.CoIs$FiltSmeto.mg.SD = out.CoIs$Conc.Solids.ug.gMES.SD*out.CoIs$ExpMES.Kg
out.CoIs$FiltSmeto.g = out.CoIs$FiltSmeto.mg/103
out.CoIs$FiltSmeto.g.SD = out.CoIs$FiltSmeto.mg.SD/103

# Total SM
out.CoIs$TotSMout.mg = out.CoIs$DissSmeto.mg + out.CoIs$FiltSmeto.mg
out.CoIs$TotSMout.mg.SD = sqrt(((out.CoIs$DissSmeto.mg.SD)2 + (out.CoIs$FiltSmeto.mg.SD)2)/2)
out.CoIs$TotSMout.g = out.CoIs$TotSMout.mg/103
out.CoIs$TotSMout.g.SD = out.CoIs$TotSMout.mg.SD/103

# Distribution dissolved vs suspended solids
out.CoIs$FracDiss = out.CoIs$DissSmeto.mg/out.CoIs$TotSMout.mg
out.CoIs$FracFilt = out.CoIs$FiltSmeto.mg/out.CoIs$TotSMout.mg

#out.CoIs$DissSmeto.g = ifelse(is.na(out.CoIs$DissSmeto.g), 0.0, out.CoIs$DissSmeto.g)
#out.CoIs$FiltSmeto.g = ifelse(is.na(out.CoIs$FiltSmeto.g), 0.0, out.CoIs$FiltSmeto.g)
#out.CoIs$TotSMout.g = out.CoIs$DissSmeto.g + out.CoIs$FiltSmeto.g

# Need to update this :
# out.CoIs$TotSMout.g.SD = out.CoIs$DissSmeto.g.SD

mw.SM <- 283.796 # g/mol
mw.MOXA <- 279.33 # g/ml
mw.MESA <- 329.1 # g/mol
out.CoIs$MELsm.g <-
  out.CoIs$TotSMout.g +
  out.CoIs$DissOXA.g * (mw.SM/mw.MOXA) +
  out.CoIs$DissESA.g * (mw.SM/mw.MESA)

# How to sum a standard deviation
# http://stats.stackexchange.com/questions/25848/how-to-sum-a-standard-deviation
out.CoIs$MELsm.g.SD <-
  sqrt((out.CoIs$TotSMout.g.SD2 +
    (out.CoIs$DissOXA.g.SD * (mw.SM/mw.MOXA))2 +
    (out.CoIs$DissESA.g.SD * (mw.SM/mw.MESA))2)/3)

# Cumulative OUT
out.CoIs$CumOutDiss.g = cumsum(out.CoIs$DissSmeto.g)
out.CoIs$CumOutFilt.g = cumsum(out.CoIs$FiltSmeto.g)
out.CoIs$CumOutSmeto.g = out.CoIs$CumOutDiss.g + out.CoIs$CumOutFilt.g
out.CoIs$CumOutMELsm.g = cumsum(out.CoIs$MELsm.g)

```

```

# Balance
out.CoIs$BalMassDisch.g = out.CoIs$CumAppMass.g - out.CoIs$CumOutMELsm.g

# Mass fraction
massOUT = tail(out.CoIs$CumOutSmeto.g, n=1)
MELsmOUT = tail(out.CoIs$CumOutMELsm.g, n=1)

TotAppl = tail(out.CoIs$CumAppMass.g, n=1)

out.CoIs$prctMassOut = (out.CoIs$TotSMout.g / massOUT)
out.CoIs$FracDeltaOut = (out.CoIs$TotSMout.g / massOUT)*out.CoIs$diss.d13C
out.CoIs$FracDeltaOut = ifelse(is.na(out.CoIs$FracDeltaOut), 0.0, out.CoIs$FracDeltaOut)

BulkDeltaOut = sum(out.CoIs$FracDeltaOut)

```

The total mass discharged (up to Week 15) and bulk isotope signature (up to week 11) was:

```

# Cumulative S-metolachlor [g] discharged (before correction)
cat("SM mass sampled: " , as.character(91.10687))

```

```
## SM mass sampled: 91.10687
```

```

# Cumulative S-metolachlor [g] discharged
cat("SM mass sampled and non-sampled: ", as.character(massOUT))

```

```
## SM mass sampled and non-sampled: 140.392784355072
```

```

# Cumulative MEL-sm [g] discharged
cat("MEL-sm [g] sampled and non-sampled: ", as.character(MELsmOUT))

```

```
## MEL-sm [g] sampled and non-sampled: 3096.82107110135
```

```
cat("% Mass applied in discharge [MEL-sm]: ", (MELsmOUT/TotAppl)*100)
```

```
## % Mass applied in discharge [MEL-sm]: 6.630501
```

```

# Bulk isotope signature
BulkDeltaOut

```

```
## [1] -18.87124
```

6. Testing a regression tree (ommitted for now)

Save files

```

names(out.CoIs)[names(out.CoIs) == "Event"] <- "Peak"

out.CoIs$Events <- as.factor(c("0-1", "0-2", "0-3",
                              "1-1", "1-2", "1-3",
                              "2-1", "2-2", "2-3",
                              "3-1",
                              "4-1", "4-2", "4-3", "4-4", "4-5",
                              "5-1",
                              "6-1", "6-2", "6-3",
                              "7-1",
                              "8-1", "8-2", "8-3",

```

```

      "9-1", "9-2", "9-3", "9-4", "9-5",
      "10-1", "10-2", "10-3", "10-4", "10-5",
      "11-1",
      "12-1", "12-2", "12-3",
      "13-1",
      "14-1",
      "15-1", "15-2", "15-3", "15-4",
      "16-1", "16-2",
      "17-1", "17-2",
      "18-1", "18-2", "18-3", "18-4"))

# Adding a Weeks column for labelling
out.CoIs$WeekSubWeek <- as.character(out.CoIs$WeekSubWeek)
Split <- strsplit(out.CoIs$WeekSubWeek, "-", fixed = TRUE)
out.CoIs$Weeks <- sapply(Split, "[", 1)

Split2 <- strsplit(as.character(out.CoIs$Events), "-", fixed = T)
out.CoIs$Event <- as.factor(sapply(Split2, "[", 1))

out.CoIs$WeekSubWeek <- factor(out.CoIs$WeekSubWeek, levels = unique(out.CoIs$WeekSubWeek))
out.CoIs$Weeks <- factor(out.CoIs$Weeks, levels = unique(out.CoIs$Weeks))

out.CoIs$Events <- factor(out.CoIs$Events, levels = unique(out.CoIs$Events))
out.CoIs$Event <- factor(out.CoIs$Event, levels = unique(out.CoIs$Event))

head(out.CoIs)

```

```

##          ti WeekSubWeek          tf      iflux      fflux
## 1 2016-03-25 00:04:00      W0-0x 2016-03-25 12:02:00  1.248600  1.129227
## 2 2016-03-25 12:04:00      W0-1 2016-03-28 22:36:00  1.124382  1.313125
## 3 2016-03-28 22:38:00      W0-2x 2016-03-30 12:16:00  1.308100  1.456349
## 4 2016-03-30 12:18:00      W1-1 2016-03-31 15:34:00  1.456080 16.445436
## 5 2016-03-31 15:36:00      W1-2 2016-04-01 14:44:00 16.334349 15.184536
## 6 2016-04-01 14:46:00      W1-3x 2016-04-05 15:06:00 15.203629  5.856380
##   changeflux      maxQ      minQ      dryHrs Duration.Hrs  chExtreme Peak
## 1 -0.1193728  1.248600  1.118296  0.01666667    11.96667 -0.1303036   NA
## 2  0.1887431  1.380388  1.082199  6.01666667    82.53333  0.2560062   NA
## 3  0.1482496  1.637782  0.929055 47.30000000    37.63333  0.3296817   NA
## 4 14.9893566 38.399790  1.448977 66.13333333    27.26667 36.9437102    1
## 5 -1.1498131 18.668972 13.201113  1.65000000    23.13333 -3.1332355   NA
## 6 -9.3472489 15.895640  5.471042  6.26666667    96.33333 -9.7325862   NA
##   Markers TimeDiff AveDischarge.m3.h Volume.m3 Sampled.Hrs   Sampled
## 1      NA      <NA>      1.204775  14.41714    11.96667 Not Sampled
## 2      NA      <NA>      1.213511 100.15508    82.53333   Sampled
## 3      NA      <NA>      1.284719  48.34827    37.63333 Not Sampled
## 4 16.88972      24      14.316647 390.36726    27.26667   Sampled
## 5      NA      <NA>      15.529299 359.24445    23.13333   Sampled
## 6      NA      <NA>      9.107720 877.37700    96.33333 Not Sampled
##   Conc.mug.L  Conc.SD  OXA_mean  OXA_SD  ESA_mean  ESA_SD  N.x  diss.d13C
## 1  0.2456594 0.019310  4.824094  1.1414453 18.05531  3.497221  NA      NA
## 2  0.2456594 0.019310  4.824094  1.1414453 18.05531  3.497221  NA      NA
## 3  3.5169528 0.154365 17.677665  5.6633481 32.01948  3.267103  NA      NA
## 4  6.7882463 0.289420 30.531235 10.1852510 45.98364  3.036985  3 -31.51167
## 5  6.5609982 0.190640 32.492465  0.2430544 41.28052  0.853382  3 -31.66267

```

## 6	8.0026500	0.262090	68.516860	0.6978517	69.92417	1.839787	NA	NA
##	SD.d13C	se.d13C	N_ngC.diss	ngC.mean.diss	ngC.SD.diss	MES.mg.L		
## 1	NA	NA	NA	NA	NA	NA		
## 2	NA	NA	NA	NA	NA	53.44444		
## 3	NA	NA	NA	NA	NA	NA		
## 4	0.1060016	0.06120004	3	42.69231	1.921169	62.50000		
## 5	0.1513550	0.08738484	3	54.69697	2.540766	22.50000		
## 6	NA	NA	NA	NA	NA	NA		
##	MES.sd	MO.mg.L	Conc.Solids.mug.gMES	Conc.Solids.ug.gMES	SD	N.y	filt.d13C	
## 1	NA	NA	0.6447290		0.02323755	NA	NA	
## 2	NA	0e+00	0.6447290		0.02323755	NA	NA	
## 3	NA	NA	0.3853094		0.02515062	NA	NA	
## 4	NA	1e-03	0.1258897		0.02706369	NA	NA	
## 5	NA	1e-04	0.4357872		0.12323706	NA	NA	
## 6	NA	NA	0.2575699		0.06396039	NA	NA	
##	filt.SD.d13C	filt.se.d13C	N_ngC.fl	ngC.mean.fl	ngC.SD.fl	DD13C.diss		
## 1	NA	NA	NA	NA	NA	NA		
## 2	NA	NA	NA	NA	NA	NA		
## 3	NA	NA	NA	NA	NA	NA		
## 4	NA	NA	NA	NA	NA	0.7383333		
## 5	NA	NA	NA	NA	NA	0.5873333		
## 6	NA	NA	NA	NA	NA	NA		
##	DD13C.filt	NH4.mM	TIC.ppm.filt	Cl.mM	NO3...mM	P04..mM	NPOC.ppm	
## 1	NA	NA	NA	NA	NA	NA	NA	
## 2	NA	NA	NA	NA	NA	NA	NA	
## 3	NA	NA	NA	NA	NA	NA	NA	
## 4	NA	0.05	51.8	1.48	616	NA	4.0	
## 5	NA	NA	44.8	1574.00	778	NA	4.4	
## 6	NA	NA	NA	NA	NA	NA	NA	
##	TIC.ppm.unfilt	TOC.ppm.unfilt	ExpMES.Kg	Appl.Mass.g	iniCo.ug.g.N			
## 1	NA	NA	5.352733	33242.55	8.789145			
## 2	NA	NA	5.352733	0.00	8.789145			
## 3	NA	NA	14.875343	0.00	8.789145			
## 4	44.8		4.7	24.397953	0.00	8.789145		
## 5	26.4		5.4	8.083000	0.00	8.789145		
## 6	NA	NA	7.935755	0.00	8.789145			
##	iniCo.ug.g.T	iniCo.ug.g.S	timeSinceApp	Appl.Mass.g.NoSo				
## 1	7.37035	14.98815	0.5	33242.55				
## 2	7.37035	14.98815	3.9	0.00				
## 3	7.37035	14.98815	5.5	0.00				
## 4	7.37035	14.98815	6.6	0.00				
## 5	7.37035	14.98815	7.6	0.00				
## 6	7.37035	14.98815	11.6	0.00				
##	timeSinceApp.NoSo	CumAppMass.g	DissSmeto.mg	DissSmeto.mg.SD	DissSmeto.g			
## 1	0.5	33242.55	3.541705	0.2783949	0.003541705			
## 2	3.9	33242.55	24.604033	1.9339946	0.024604033			
## 3	5.5	33242.55	170.038598	7.4632812	0.170038598			
## 4	6.6	33242.55	2649.909084	112.9800910	2.649909084			
## 5	7.6	33242.55	2357.002211	68.4863626	2.357002211			
## 6	11.6	33242.55	7021.341115	229.9517390	7.021341115			
##	DissSmeto.g.SD	DissOXA.mg	DissOXA.mg.SD	DissOXA.g	DissOXA.g.SD			
## 1	0.0002783949	69.54963	16.45637	0.06954963	0.01645637			
## 2	0.0019339946	483.15756	114.32155	0.48315756	0.11432155			
## 3	0.0074632812	854.68456	273.81310	0.85468456	0.27381310			


```

## 4 0.1129800910 11918.39439 3975.98846 11.91839439 3.97598846
## 5 0.0684863626 11672.73795 87.31596 11.67273795 0.08731596
## 6 0.2299517390 60115.11746 612.27900 60.11511746 0.61227900
## DissESA.mg DissESA.mg.SD DissESA.g DissESA.g.SD FiltSmeto.mg
## 1 260.3058 50.41991 0.2603058 0.05041991 3.451062
## 2 1808.3308 350.26441 1.8083308 0.35026441 3.451062
## 3 1548.0863 157.95877 1.5480863 0.15795877 5.731609
## 4 17950.5083 1185.53932 17.9505083 1.18553932 3.071452
## 5 14829.7964 306.57276 14.8297964 0.30657276 3.522468
## 6 61349.8588 1614.18699 61.3498588 1.61418699 2.044012
## FiltSmeto.mg.SD FiltSmeto.g FiltSmeto.g.SD TotSMout.mg TotSMout.mg.SD
## 1 0.1243844 0.003451062 0.0001243844 6.992766 0.2156098
## 2 0.1243844 0.003451062 0.0001243844 28.055095 1.3703661
## 3 0.3741240 0.005731609 0.0003741240 175.770206 5.2839633
## 4 0.6602985 0.003071452 0.0006602985 2652.980536 79.8903528
## 5 0.9961252 0.003522468 0.0009961252 2360.524679 48.4322936
## 6 0.5075740 0.002044012 0.0005075740 7023.385126 162.6008301
## TotSMout.g TotSMout.g.SD FracDiss FracFilt MELsm.g MELsm.g.SD
## 1 0.006992766 0.0002156098 0.5064812 0.4935188249 0.3021264 0.02689497
## 2 0.028055095 0.0013703661 0.8769898 0.1230101642 2.0783329 0.18683762
## 3 0.175770206 0.0052839633 0.9673915 0.0326085349 2.3790960 0.17885971
## 4 2.652980536 0.0798903528 0.9988423 0.0011577363 30.2413655 2.40621294
## 5 2.360524679 0.0484322936 0.9985078 0.0014922393 27.0082117 0.16340841
## 6 7.023385126 0.1626008301 0.9997090 0.0002910294 121.0040582 0.88525127
## CumOutDiss.g CumOutFilt.g CumOutSmeto.g CumOutMELsm.g BalMassDisch.g
## 1 0.003541705 0.003451062 0.006992766 0.3021264 33242.25
## 2 0.028145738 0.006902124 0.035047862 2.3804594 33240.17
## 3 0.198184336 0.012633733 0.210818068 4.7595554 33237.79
## 4 2.848093419 0.015705185 2.863798604 35.0009209 33207.55
## 5 5.205095630 0.019227652 5.224323282 62.0091326 33180.54
## 6 12.226436745 0.021271664 12.247708409 183.0131909 33059.54
## prctMassOut FracDeltaOut Events Weeks Event
## 1 4.980859e-05 0.0000000 0-1 W0 0
## 2 1.998329e-04 0.0000000 0-2 W0 0
## 3 1.251989e-03 0.0000000 0-3 W0 0
## 4 1.889684e-02 -0.5954710 1-1 W1 1
## 5 1.681372e-02 -0.5323671 1-2 W1 1
## 6 5.002668e-02 0.0000000 1-3 W1 1

```

```

write.csv2(out.CoIs,
           'Data/WeeklyHydroContam_R.csv', row.names = F)

# out.CoIs = read.csv2("Data/WeeklyHydroContam_R.csv")
# out.CoIs$ti = as.POSIXct(out.CoIs$ti, "%Y-%m-%d %H:%M", tz = "EST")

```