

Mass Discharge - Outlet Alteck. 2016

PAZ

27 octobre 2016

Purpose

This file computes the discharged mass observed at the outlet. To do that it imports the weekly discharge summary and lab results for isotopes (^{13}C) and s-metolachlor concentrations.

Imports:

- **WeeklyHydro_R.csv** (R generated)
- **fluxAlteck2016_R.csv** (R generated)
- **OutletConc_W0toW17.csv**
- **MESAlteckWater.csv** (Concentration in filters)
- **Outlet_Isotopes_W0toW17.csv**
- **MESAlteck_FilterIsotopes.csv** (Isotopes in filters)
- **Outlet_ESAOXA_W0toW17.csv**
- **AO-Hydrochem.csv**

Generates:

- **WeeklyHydroContam_R.csv**

Required R-packages:

```
library("stringr")
library("plyr")
library("dplyr")
library("zoo")
library("ggplot2")
library("plotly")
```

Working directory

```
# setwd("D:/Documents/these_pablo/Alteckendorf2016/R")
# setwd("/Users/DayTightChunks/Documents/PhD/Routput/Alteck/R")
# setwd("D:/Documents/these_pablo/Alteckendorf2016/00_TransparencyFolder")
getwd()
```

```
## [1] "/Users/DayTightChunks/Documents/PhD/HydrologicalMonitoring"
```

Lab and reference values

```

# Pure and cuve isotope average
d13Co = -32.25

# Lab enrichment:
# epsilon = -1.61

# Lab enrichment:
# Alteck
#epsilon_max = -1.5 # +/- 0.3 (@ 20C, 20% vwc)
#epsilon_min = -2.0 # +/- 0.2 (@ 20C, 40% vwc)
#epsilon_mean = -1.75

# Essahn values:
epsilon_max = -1.8
epsilon_min = -2.6
epsilon_mean = -2.2 # ± 0.4

```

Outlet Data - Alteckendorf 2016

1. Hydrological data on a subweekly basis

```

weeklyhydro = read.csv2("Data/WeeklyHydro_R.csv", header = TRUE)
colnames(weeklyhydro)[colnames(weeklyhydro) == "ID"] <- "WeekSubWeek"
head(weeklyhydro)

```

```

##   WeekSubWeek AveDischarge.m3.h Volume.m3 Sampled.Hrs      Sampled
## 1      W0-0x      1.204775  14.41714    11.96667 Not Sampled
## 2      W0-1      1.213511 100.15508    82.53333      Sampled
## 3      W0-2x      1.284719  48.34827    37.63333 Not Sampled
## 4      W1-1     14.316647 390.36726    27.26667      Sampled
## 5      W1-2     15.529299 359.24445    23.13333      Sampled
## 6      W1-3x      9.107720 877.37700    96.33333 Not Sampled

```

```

weeklyflux = read.csv2("Data/fluxAlteck2016_R.csv", header = TRUE)
head(weeklyflux)

```

```

##   WeekSubWeek      ti      tf      iflux      fflux
## 1      W0-0x 2016-03-25 00:04:00 2016-03-25 12:02:00 1.248600 1.129227
## 2      W0-1 2016-03-25 12:04:00 2016-03-28 22:36:00 1.124382 1.313125
## 3      W0-2x 2016-03-28 22:38:00 2016-03-30 12:16:00 1.308100 1.456349
## 4      W1-1 2016-03-30 12:18:00 2016-03-31 15:34:00 1.456080 16.445436
## 5      W1-2 2016-03-31 15:36:00 2016-04-01 14:44:00 16.334349 15.184536
## 6      W1-3x 2016-04-01 14:46:00 2016-04-05 15:06:00 15.203629 5.856380
##   changeflux      maxQ      minQ      dryHrs Duration.Hrs chExtreme Event
## 1 -0.1193728 1.248600 1.118296 0.01666667    11.96667 -0.1303036    NA
## 2 0.1887431 1.380388 1.082199 6.01666667    82.53333 0.2560062    NA
## 3 0.1482496 1.637782 0.929055 47.30000000    37.63333 0.3296817    NA
## 4 14.9893566 38.399790 1.448977 66.13333333    27.26667 36.9437102     1
## 5 -1.1498131 18.668972 13.201113 1.65000000    23.13333 -3.1332355    NA
## 6 -9.3472489 15.895640 5.471042 6.26666667    96.33333 -9.7325862    NA
##   Markers TimeDiff
## 1      NA      <NA>
## 2      NA      <NA>
## 3      NA      <NA>

```

```
## 4 16.88972      24
## 5      NA      <NA>
## 6      NA      <NA>
```

2. Concentration data (dissolved and suspended solids) on a subweekly basis

```
outletConc = read.csv2("Data/OutletConc_W0toW17.csv", header = T)
outletConc$ID4 <- as.character(outletConc$ID4)
outletConc <- outletConc[outletConc$ID4 != "J+7", ]
outletConc <- outletConc[,c("WeekSubWeek", "Conc.mug.L", "Conc.SD")]
head(outletConc)
```

```
##   WeekSubWeek Conc.mug.L Conc.SD
## 1          W0-1 0.2456594 0.01931
## 2          W1-1 6.7882463 0.28942
## 3          W1-2 6.5609982 0.19064
## 4          W2-1 9.4443019 0.33354
## 5          W2-2 1.0421883 0.03904
## 6          W3-1 8.8357358 0.47086
```

```
filters = read.csv2("Data/MESAlteckWater.csv")
filters$MO.mg.L = ifelse(filters$MO.mg.L < 0, 0.0001, filters$MO.mg.L)
head(filters)
```

```
##   WeekSubWeek MES.mg.L MES.sd MO.mg.L Conc.Solids.mug.gMES
## 1          W0-1 53.44444      NA 0.0000      0.64472899
## 2          W1-1 62.50000      NA 0.0010      0.12588974
## 3          W1-2 22.50000      NA 0.0001      0.43578716
## 4          W2-1 22.50000      NA 0.0001      0.07935267
## 5          W2-2  5.00000      NA 0.0001      0.05075270
## 6          W3-1 197.50000      NA 0.0058      0.08177487
##   Conc.Solids.ug.gMES.SD
## 1          0.023237548
## 2          0.027063685
## 3          0.123237064
## 4          0.004683719
## 5          0.001027205
## 6          0.001343089
```

MESA/MOXA data cleaning

```
outletESAOXA = read.csv2("Data/Outlet_ESAOXA_W0toW17.csv", header = T)
outletESAOXA$ID <- as.character(outletESAOXA$ID)
split <- strsplit(outletESAOXA$ID, "-", fixed = TRUE)
outletESAOXA$ESAOXA_SD <- sapply(split, "[", 4)
split_vor <- strsplit(outletESAOXA$ID, "-SD", fixed = TRUE)
outletESAOXA$ESAOXA_Mean <- sapply(split_vor, "[", 1)
```

```
means_temp <- subset(outletESAOXA, is.na(outletESAOXA$ESAOXA_SD))
sd_temp <- subset(outletESAOXA, !is.na(outletESAOXA$ESAOXA_SD))
means_temp$ID <- NULL
sd_temp$ID <- NULL
```

```
head(sd_temp)
```

```
##      MOXA.ugL MESA.ugL ESAOXA_SD ESAOXA_Mean
## 2    1.1414453 3.4972206      SD      AO-W0-1
## 4   10.1852510 3.0369845      SD      AO-W1-1
```

```
## 6 0.2430544 0.8533820 SD AO-W1-2
## 8 1.1526489 2.8261924 SD AO-W2-1
## 10 0.6100011 0.1910419 SD AO-W2-2
## 12 2.6589421 0.3268637 SD AO-W3-1
```

```
head(means_temp)
```

```
##      MOXA.ugL MESA.ugL ESAOXA_SD ESAOXA_Mean
## 1      4.824094 18.05531      <NA>      AO-W0-1
## 3     30.531235 45.98364      <NA>      AO-W1-1
## 5     32.492465 41.28052      <NA>      AO-W1-2
## 7    104.541255 98.56782      <NA>      AO-W2-1
## 9     26.885849 51.95245      <NA>      AO-W2-2
## 11    45.080673 24.04717      <NA>      AO-W3-1
```

```
outletESAOXA <- merge(means_temp, sd_temp, by = "ESAOXA_Mean", all = T)
outletESAOXA$ESAOXA_SD.x <- NULL
outletESAOXA$ESAOXA_SD.y <- NULL
split_ID <- strsplit(outletESAOXA$ESAOXA_Mean, "AO-", fixed = T)
outletESAOXA$ID <- sapply(split_ID, "[", 2)
outletESAOXA$ESAOXA_Mean <- NULL
outletESAOXA <- outletESAOXA[, c("ID", "MOXA.ugL.x", "MOXA.ugL.y", "MESA.ugL.x", "MESA.ugL.y")]
colnames(outletESAOXA) <- c("WeekSubWeek", "OXA_mean", "OXA_SD", "ESA_mean", "ESA_SD")
outletESAOXA$WeekSubWeek <- as.factor(outletESAOXA$WeekSubWeek)
```

```
head(outletESAOXA)
```

```
##   WeekSubWeek OXA_mean OXA_SD ESA_mean ESA_SD
## 1      W0-1  4.824094  1.14144531 18.05531 3.4972206
## 2      W1-1 30.531235 10.18525095 45.98364 3.0369845
## 3      W1-2 32.492465  0.24305444 41.28052 0.8533820
## 4     W10-1 21.311423  0.05168437 82.87549 1.8167218
## 5     W10-2 13.095046  0.17703516 12.02387 0.3057521
## 6     W10-3 45.605808  1.92663562 11.31492 0.1763479
```

3. Isotope data

Isotopes selected where cleaned according to the following rules:

- The isotope shift was not largely beyond (2x) Streitwieser theoretical limits (i.e. > 10)
- Isotope shift was non-negative
- Nanograms of carbon > 2.0.

```
# Outlet isotope data:
```

```
outletIso = read.csv2("Data/Outlet_Isotopes_W0toW17.csv", header = T, dec = ".")
if (length(outletIso) == 1){
  outletIso = read.csv("Data/Outlet_Isotopes_W0toW17.csv", header = T)
}
head(outletIso)
```

```
##   FileHeader..Filename ID Week Wnum SubWeek WeekSubWeek Repl d.13C.12C
## 1 AO_W1_1-1_-0001.dxf AO  W1  1      1      W1-1      1  -31.634
## 2 AO_W1_1-2_-0001.dxf AO  W1  1      1      W1-1      2  -31.454
## 3 AO_W1_1-3_-0001.dxf AO  W1  1      1      W1-1      3  -31.447
## 4 AO_W1_2-1_-0001.dxf AO  W1  1      2      W1-2      1  -31.501
## 5 AO_W1_2-2_-0001.dxf AO  W1  1      2      W1-2      2  -31.801
## 6 AO_W1_2-3_-0001.dxf AO  W1  1      2      W1-2      3  -31.686
```

```
##   DD13...32.25. Ave...STDEV      Rt Ampl..44 Std.Ampl.   ng..C.
## 1      0.619              2651.4   1284      858 44.89510
## 2      0.799              2651.2   1196      858 41.81818
## 3      0.806              2650.1   1183      858 41.36364
## 4      0.752              2651.2   1634      858 57.13287
## 5      0.452              2651.0   1570      858 54.89510
## 6      0.567              2650.5   1489      858 52.06294
```

```
colnames(outletIso)
```

```
## [1] "FileHeader..Filename" "ID"                "Week"
## [4] "Wnum"                  "SubWeek"           "WeekSubWeek"
## [7] "Repl"                  "d.13C.12C"         "DD13...32.25."
## [10] "Ave...STDEV"          "Rt"                "Ampl..44"
## [13] "Std.Ampl."            "ng..C."
```

```
colnames(outletIso)[colnames(outletIso) == "DD13...32.25."] <- "DD13"
colnames(outletIso)[colnames(outletIso) == "ng..C."] <- "ngC"
```

```
# Filter isotope data:
```

```
filtersIso = read.csv2("Data/MESAlteck_FilterIsotopes.csv", header = T, dec = ".")
#filtersIso <- filtersIso[filtersIso$Levl != "J+7", ]
if (length(filtersIso) == 1){
  filtersIso = read.csv("Data/MESAlteck_FilterIsotopes.csv", header = T)
}
colnames(filtersIso)
```

```
## [1] "ID"          "Week"        "Wnum"        "Num"
## [5] "Levl"        "Repl"        "d.13C.12C"   "DD13.32.253."
## [9] "ng..C."
```

```
filtersIso$WeekSubWeek = paste(filtersIso$Week, filtersIso$Num, sep = "-")
colnames(filtersIso)[colnames(filtersIso) == "DD13.32.253."] <- "DD13"
colnames(filtersIso)[colnames(filtersIso) == "ng..C."] <- "ngC"
```

```
head(filtersIso)
```

```
##   ID Week Wnum Num Levl Repl d.13C.12C DD13      ngC WeekSubWeek
## 1 AFP  W2   1   1      1  -26.20 6.056 0.7300885      W2-1
## 2 AFP  W2   1   1      2  -29.23 3.023 0.8296460      W2-1
## 3 AFP  W2   1   1      3  -29.33 2.927 0.8296460      W2-1
## 4 AFP  W2   2   2      1  -31.66 0.592 0.6637168      W2-2
## 5 AFP  W2   2   2      2  -27.35 4.906 0.7300885      W2-2
## 6 AFP  W2   2   2      3  -27.07 5.186 0.7300885      W2-2
```

4. Hydrochemistry Data

```
hydroChem = read.csv2("Data/A0-Hydrochem.csv", header = T)
hydroChem = hydroChem[, c("WeekSubWeek",
  "NH4.mM",
  "TIC.ppm.filt",
  "Cl.mM",
  "NO3...mM",
  "PO4..mM",
  "NPOC.ppm" ,
  "TIC.ppm.unfilt",
```

```

                                "TOC.ppm.unfilt" )]
head(hydroChem)

##   WeekSubWeek NH4.mM TIC.ppm.filt   Cl.mM NO3...mM PO4...mM NPOC.ppm
## 1          W1-1  0.05         51.8    1.48   616.00      NA        4.0
## 2          W1-2   NA         44.8  1574.00   778.00      NA        4.4
## 3          W10-1   NA         60.1    1.17   964.00      NA        2.0
## 4          W10-2  9.00         57.1  1013.00  1174.00     13        5.2
## 5          W10-3   NA         58.2   858.00    1.23      NA        5.0
## 6          W10-4 15.00         26.4   355.00  1409.00      NA        6.4
##   TIC.ppm.unfilt TOC.ppm.unfilt
## 1              44.8            4.7
## 2              26.4            5.4
## 3              63.2            2.0
## 4              55.9            4.0
## 5              60.4            4.3
## 6              24.5            6.4

```

Summarizing IRMS data

```

outletIso <- outletIso[complete.cases(outletIso[, "d.13C.12C"]), ]
isoOutSummary = ddply(outletIso, c("WeekSubWeek"), summarise,
                      N      = length(d.13C.12C),
                      diss.d13C = mean(d.13C.12C),
                      SD.d13C  = sd(d.13C.12C),
                      se.d13C  = SD.d13C / sqrt(N),
                      N_ngC.diss = length(ngC),
                      ngC.mean.diss = mean(ngC),
                      ngC.SD.diss = sd(ngC))

head(isoOutSummary)

##   WeekSubWeek N diss.d13C   SD.d13C   se.d13C N_ngC.diss ngC.mean.diss
## 1          W1-1 3 -31.51167 0.1060016 0.06120004      3    42.692308
## 2          W1-2 3 -31.66267 0.1513550 0.08738484      3    54.696970
## 3          W10-1 2 -28.96100 0.2093036 0.14800000      2     9.811304
## 4          W10-2 5 -30.19240 0.6277900 0.28075623      5    31.285472
## 5          W10-3 3 -30.81267 0.3411749 0.19697744      3    19.092646
## 6          W10-4 3 -29.15667 0.4713240 0.27211905      3    16.921348
##   ngC.SD.diss
## 1    1.9211688
## 2    2.5407658
## 3    4.3931602
## 4   27.6278167
## 5    1.0603010
## 6    0.2430709

sum(isoOutSummary$N_ngC.diss == 2)

## [1] 5

```

```

sum(isoOutSummary$N_ngC.diss > 2)

## [1] 22

sum(isoOutSummary$N_ngC.diss == 2) / (sum(isoOutSummary$N_ngC.diss == 2) + sum(isoOutSummary$N_ngC.diss :

## [1] 0.1851852

isoFiltSummary = dplyr::ddply(filtersIso, c("WeekSubWeek"), summarise,
  N      = length(d.13C.12C),
  filt.d13C = mean(d.13C.12C),
  filt.SD.d13C = sd(d.13C.12C),
  filt.se.d13C = filt.SD.d13C / sqrt(N),
  N_ngC.fl = length(ngC),
  ngC.mean.fl = mean(ngC),
  ngC.SD.fl = sd(ngC))

head(isoFiltSummary)

##   WeekSubWeek N filt.d13C filt.SD.d13C filt.se.d13C N_ngC.fl ngC.mean.fl
## 1      W2-1 3 -28.25333    1.778942    1.0270724      3    0.7964602
## 2      W2-2 3 -28.69333    2.573020    1.4855339      3    0.7079646
## 3      W6-3 6 -29.90667    1.617698    0.6604224      6    1.1946903
## 4      W9-1 2 -27.83500    1.746554    1.2350000      2    4.1783217
## 5      W9-2 3 -28.74000    2.011194    1.1611632      3    5.5594406
## 6      W9-3 3 -27.99000    1.685111    0.9728994      3    3.7645688
##   ngC.SD.fl
## 1 0.05747956
## 2 0.03831971
## 3 0.15135072
## 4 0.56865231
## 5 0.54280331
## 6 0.51189257

```

Merging and data wrangling steps

1. Merge all data sets by the *WeekSubWeek* column ID, including:

```

# Dissolved
out.CoIs = merge(outletConc, outletESAOXA, by = "WeekSubWeek", all = T)
out.CoIs = merge(out.CoIs, isoOutSummary, by = "WeekSubWeek", all = T)

# Filters (MES, Conc.MES)
out.CoIs = merge(out.CoIs, filters, by = "WeekSubWeek", all = T)
out.CoIs = merge(out.CoIs, isoFiltSummary, by = "WeekSubWeek", all = T)

# Remaining fraction
out.CoIs$DD13C.diss <- (out.CoIs$diss.d13C - (d13Co))
out.CoIs$DD13C.filt <- (out.CoIs$filt.d13C - (d13Co))

out.CoIs$f.diss <- (((10**(-3)*out.CoIs$diss.d13C + 1)/(10**(-3)*d13Co + 1))**(1000/(epsilon_mean)))
out.CoIs$f.filt <- (((10**(-3)*out.CoIs$filt.d13C + 1)/(10**(-3)*d13Co + 1))**(1000/(epsilon_mean)))

# epsilon_max = -1.8
# epsilon_min = -2.6

```

```

out.CoIs$f.diss.min <- (((10**(-3)*out.CoIs$diss.d13C + 1)/(10**(-3)*d13Co + 1))**(1000/(epsilon_max)))
out.CoIs$f.filt.min <- (((10**(-3)*out.CoIs$filt.d13C + 1)/(10**(-3)*d13Co + 1))**(1000/(epsilon_max)))

out.CoIs$f.diss.max <- (((10**(-3)*out.CoIs$diss.d13C + 1)/(10**(-3)*d13Co + 1))**(1000/(epsilon_min)))
out.CoIs$f.filt.max <- (((10**(-3)*out.CoIs$filt.d13C + 1)/(10**(-3)*d13Co + 1))**(1000/(epsilon_min)))

out.CoIs$B.diss <- (1 - out.CoIs$f.diss)*100
out.CoIs$B.filt <- (1 - out.CoIs$f.filt)*100

out.CoIs$B.diss.max <- (1 - out.CoIs$f.diss.min)*100
out.CoIs$B.filt.max <- (1 - out.CoIs$f.filt.min)*100
out.CoIs$B.diss.min <- (1 - out.CoIs$f.diss.max)*100
out.CoIs$B.filt.min <- (1 - out.CoIs$f.filt.max)*100

#out.CoIs$invf <- 1/out.CoIs$f

# Discharge times
out.CoIs = merge(weeklyhydro, out.CoIs, by = "WeekSubWeek", all = T)

# Discharge summary
out.CoIs = merge(weeklyflux, out.CoIs, by = "WeekSubWeek", all = T)

# Hydrochemistry
out.CoIs = merge(out.CoIs, hydroChem, by= "WeekSubWeek", all = T)

out.CoIs$tf <- as.POSIXct(out.CoIs$tf, "%Y-%m-%d %H:%M", tz = "EST")
out.CoIs$ti <- as.POSIXct(out.CoIs$ti, "%Y-%m-%d %H:%M", tz = "EST")
class(out.CoIs$tf)

## [1] "POSIXct" "POSIXt"

sum(is.na(out.CoIs$tf))

## [1] 7

# Temporarily remove Weeks 16 & 17 (need to get discharge data)
# No discharge data yet available to multiply against...
out.CoIs <- out.CoIs[!is.na(out.CoIs$tf), ]

```

2. Weekly Exported Solids (Kg)

```

# V[m3] * MES [mg/L] * 1000 [L/m3] * [1 Kg/10^6 mg]
out.CoIs$ExpMES.Kg = out.CoIs$Volume.m3*out.CoIs$MES.mg.L/1000

```

Fork! Prepare Data for C-Q Hysteresis curves

```

CQdata <- out.CoIs[with(out.CoIs, order(ti)), ]
CQdata$FlowType <- ifelse(is.na(CQdata$Event), "Fall", "Peak")
CQdata$Event[1:3] <- 0
CQdata$EventMark <- NA

CQdata$EventMark <- na.locf(CQdata$Event)

```



```
CQdata$EventMark <- ifelse(is.na(CQdata$Event), CQdata$EventMark, CQdata$EventMark*10)
CQdata$Row <- seq.int(nrow(CQdata))
```

```
cq1 <- subset(CQdata[1:6, ])
```

```
cq1 <- cq1[cq1$Sampled != 'Not Sampled', ]
```

```
str(cq1)
```

```
## 'data.frame': 3 obs. of 69 variables:
## $ WeekSubWeek : Factor w/ 58 levels "W0-0x","W0-1",...: 2 4 5
## $ ti : POSIXct, format: "2016-03-25 12:04:00" "2016-03-30 12:18:00" ...
## $ tf : POSIXct, format: "2016-03-28 22:36:00" "2016-03-31 15:34:00" ...
## $ iflux : num 1.12 1.46 16.33
## $ fflux : num 1.31 16.45 15.18
## $ changeflux : num 0.189 14.989 -1.15
## $ maxQ : num 1.38 38.4 18.67
## $ minQ : num 1.08 1.45 13.2
## $ dryHrs : num 6.02 66.13 1.65
## $ Duration.Hrs : num 82.5 27.3 23.1
## $ chExtreme : num 0.256 36.944 -3.133
## $ Event : num 0 1 NA
## $ Markers : num NA 16.9 NA
## $ TimeDiff : Factor w/ 18 levels "106","136","150",...: NA 10 NA
## $ AveDischarge.m3.h : num 1.21 14.32 15.53
## $ Volume.m3 : num 100 390 359
## $ Sampled.Hrs : num 82.5 27.3 23.1
## $ Sampled : Factor w/ 2 levels "Not Sampled",...: 2 2 2
## $ Conc.mug.L : num 0.246 6.788 6.561
## $ Conc.SD : num 0.0193 0.2894 0.1906
## $ OXA_mean : num 4.82 30.53 32.49
## $ OXA_SD : num 1.141 10.185 0.243
## $ ESA_mean : num 18.1 46 41.3
## $ ESA_SD : num 3.497 3.037 0.853
## $ N.x : int NA 3 3
## $ diss.d13C : num NA -31.5 -31.7
## $ SD.d13C : num NA 0.106 0.151
## $ se.d13C : num NA 0.0612 0.0874
## $ N_ngC.diss : int NA 3 3
## $ ngC.mean.diss : num NA 42.7 54.7
## $ ngC.SD.diss : num NA 1.92 2.54
## $ MES.mg.L : num 53.4 62.5 22.5
## $ MES.sd : num NA NA NA
## $ MO.mg.L : num 0e+00 1e-03 1e-04
## $ Conc.Solids.mug.gMES : num 0.645 0.126 0.436
## $ Conc.Solids.ug.gMES.SD : num 0.0232 0.0271 0.1232
## $ N.y : int NA NA NA
## $ filt.d13C : num NA NA NA
## $ filt.SD.d13C : num NA NA NA
## $ filt.se.d13C : num NA NA NA
## $ N_ngC.fl : int NA NA NA
## $ ngC.mean.fl : num NA NA NA
## $ ngC.SD.fl : num NA NA NA
```

```
## $ DD13C.diss      : num  NA 0.738 0.587
## $ DD13C.filt      : num  NA NA NA
## $ f.diss          : num  NA 0.707 0.759
## $ f.filt          : num  NA NA NA
## $ f.diss.min      : num  NA 0.655 0.714
## $ f.filt.min      : num  NA NA NA
## $ f.diss.max      : num  NA 0.746 0.792
## $ f.filt.max      : num  NA NA NA
## $ B.diss          : num  NA 29.3 24.1
## $ B.filt          : num  NA NA NA
## $ B.diss.max      : num  NA 34.5 28.6
## $ B.filt.max      : num  NA NA NA
## $ B.diss.min      : num  NA 25.4 20.8
## $ B.filt.min      : num  NA NA NA
## $ NH4.mM          : num  NA 0.05 NA
## $ TIC.ppm.filt     : num  NA 51.8 44.8
## $ Cl.mM           : num  NA 1.48 1574
## $ NO3...mM        : num  NA 616 778
## $ PO4...mM        : int   NA NA NA
## $ NPOC.ppm        : num  NA 4 4.4
## $ TIC.ppm.unfilt   : num  NA 44.8 26.4
## $ TOC.ppm.unfilt   : num  NA 4.7 5.4
## $ ExpMES.Kg        : num  5.35 24.4 8.08
## $ FlowType         : chr   "Fall" "Peak" "Fall"
## $ EventMark        : num  0 10 1
## $ Row              : int   2 4 5
```

```
p <- ggplot(cq1) +
  geom_point(aes(x=AveDischarge.m3.h, y=Conc.mug.L), colour="black") +
  geom_polygon(aes(x=AveDischarge.m3.h, y=Conc.mug.L), colour="black", fill = NA) +

  geom_text(data = cq1,
            aes(x=AveDischarge.m3.h, y=Conc.mug.L, label=FlowType), hjust=1.5, vjust=0.5, size = 2)
# p

#p <- ggplotly(p)
#p
```

Section to UPDATE!!!

3. Weekly exported S-metolachlor mass (mg)

This section converts the observed S-metolachlor concentrations to [mg] in dissolved water and suspended solids. For non-sampled subsets a linear interpolation value based on the trailing and leading observed concentrations was assumed. An approximative model will be tested at a later stage.

To revise: SD for filtered samples!!

```
# Assume first observation is equivalent to second for all measured values
out.CoIs[1, c("Conc.mug.L")] <- out.CoIs[2, c("Conc.mug.L")]
out.CoIs[1, c("Conc.SD")] <- out.CoIs[2, c("Conc.SD")]

out.CoIs[1, c("OXA_mean")] <- out.CoIs[2, c("OXA_mean")]
out.CoIs[1, c("OXA_SD")] <- out.CoIs[2, c("OXA_SD")]
```

```

out.CoIs[1, c("ESA_mean")] <- out.CoIs[2, c("ESA_mean")]
out.CoIs[1, c("ESA_SD")] <- out.CoIs[2, c("ESA_SD")]

out.CoIs[1, c("Conc.Solids.mug.gMES")] <- out.CoIs[2, c("Conc.Solids.mug.gMES")]
out.CoIs[1, c("Conc.Solids.ug.gMES.SD")] <- out.CoIs[2, c("Conc.Solids.ug.gMES.SD")]

out.CoIs[1, c("ExpMES.Kg")] <- out.CoIs[2, c("ExpMES.Kg")]

# Assign linear approximation of trailing and leading observed values
out.CoIs <- out.CoIs[with(out.CoIs , order(ti)), ]

out.CoIs$Conc.mug.L <- na.approx(out.CoIs$Conc.mug.L)
out.CoIs$Conc.SD <- na.approx(out.CoIs$Conc.SD)

out.CoIs$OXA_mean <- na.approx(out.CoIs$OXA_mean)
out.CoIs$OXA_SD <- na.approx(out.CoIs$OXA_SD)

out.CoIs$ESA_mean <- na.approx(out.CoIs$ESA_mean)
out.CoIs$ESA_SD <- na.approx(out.CoIs$ESA_SD)

out.CoIs$Conc.Solids.mug.gMES <- na.approx(out.CoIs$Conc.Solids.mug.gMES)
out.CoIs$Conc.Solids.ug.gMES.SD <- na.approx(out.CoIs$Conc.Solids.ug.gMES.SD)

out.CoIs$ExpMES.Kg <- na.approx(out.CoIs$ExpMES.Kg)

```

4. Add the application dates and merge the total mass to the nearest discharge event

The 4 application dates were:

- 2016-03-20 (Friess, Beet) and 2016-03-25 (Matthis, Beet)
- 2016-04-13 and 2016-04-14 (Kopp and Burger, Beet)
- 2016-05-25 (Schmidt, Talweg, Corn)
- 2016-06-04 (Assumed Speich and Mahler, Corn not on transect, Except Speich N1)

So the total applied mass is merged at the nearest sampling time marker available :

```

ti = c(as.POSIXct('2016-03-25 00:04:00' , tz="EST"),
#      as.POSIXct('2016-04-05 15:08:00' , tz="EST"),
      as.POSIXct('2016-04-14 13:52:00' , tz="EST"),
      as.POSIXct('2016-05-29 12:10:00' , tz="EST"),
#      as.POSIXct('2016-05-24 12:00:00' , tz="EST"),
      as.POSIXct('2016-06-04 15:32:00' , tz="EST"))

Appl.Mass.g = c(17319.059, 4744.571, 1891.742, 6826.825)

applics = as.data.frame(ti)
applics$Appl.Mass.g = Appl.Mass.g

out.CoIs = merge(out.CoIs, applics, by = "ti", all = T)
out.CoIs$Appl.Mass.g <- ifelse(is.na(out.CoIs$Appl.Mass.g), 0.0, out.CoIs$Appl.Mass.g)

out.CoIs$timeSinceApp <- NA
for (i in 1:length(out.CoIs$Duration.Hrs)){
  if (out.CoIs[i, ]['Appl.Mass.g'] != 0){
    out.CoIs[i, ]['timeSinceApp'] = out.CoIs[i, ]['Duration.Hrs']
  } else {

```

```

    out.CoIs[i, ]['timeSinceApp'] = out.CoIs[i, ]['Duration.Hrs'] + out.CoIs[i-1, ]['timeSinceApp']
  }
}

out.CoIs$Appl.Mass.g.NoSo <- out.CoIs$Appl.Mass.g
out.CoIs$Appl.Mass.g.NoSo[which(out.CoIs$ti == as.POSIXct('2016-05-23 18:02:00' , tz="EST"))] <- 0
out.CoIs$timeSinceApp.NoSo <- NA
for (i in 1:length(out.CoIs$Duration.Hrs)){
  if (out.CoIs[i, ]['Appl.Mass.g.NoSo'] != 0){
    out.CoIs[i, ]['timeSinceApp.NoSo'] = out.CoIs[i, ]['Duration.Hrs']
  } else {
    out.CoIs[i, ]['timeSinceApp.NoSo'] = out.CoIs[i, ]['Duration.Hrs'] + out.CoIs[i-1, ]['timeSinceApp.NoSo']
  }
}

out.CoIs$timeSinceApp <- round(out.CoIs$timeSinceApp/24, 1) # Convert to days
out.CoIs$timeSinceApp.NoSo <- round(out.CoIs$timeSinceApp.NoSo/24, 1)

# Cumulative (Continuous)
out.CoIs$CumAppMass.g = cumsum(out.CoIs$Appl.Mass.g)

```

Section to UPDATE!!!

5. This section is based on approximate carried-last-observation for the observed concentration data (if no model has been conducted yet).

Also, mass equivalent loads are calculated such that:

$$MEQ_{SMET} = SMET_{out} + OXA_{out} * \left(\frac{mw_{SMET}}{mw_{MOXA}} \right) + ESA_{out} * \left(\frac{mw_{SMET}}{mw_{MESA}} \right)$$

```

# First simulate a mass out to deal with missing values
# Option 1, just assume 0.0

# Dissolved - [mg] S-metolachlor exported per sub-week
# Conc. [mu.g s-meto/L H2O] * Vol[m3] * [10^-3 L/m^3] * [1 mg/10^-3 mu.g]
out.CoIs$DissSmeto.mg = out.CoIs$Conc.mug.L*out.CoIs$Volume.m3
out.CoIs$DissSmeto.mg.SD = out.CoIs$Conc.SD*out.CoIs$Volume.m3
out.CoIs$DissSmeto.g = out.CoIs$DissSmeto.mg/10^3
out.CoIs$DissSmeto.g.SD = out.CoIs$DissSmeto.mg.SD/10^3

out.CoIs$DissOXA.mg = out.CoIs$OXA_mean*out.CoIs$Volume.m3
out.CoIs$DissOXA.mg.SD = out.CoIs$OXA_SD*out.CoIs$Volume.m3
out.CoIs$DissOXA.g = out.CoIs$DissOXA.mg/10^3
out.CoIs$DissOXA.g.SD = out.CoIs$DissOXA.mg.SD/10^3

out.CoIs$DissESA.mg = out.CoIs$ESA_mean*out.CoIs$Volume.m3
out.CoIs$DissESA.mg.SD = out.CoIs$ESA_SD*out.CoIs$Volume.m3
out.CoIs$DissESA.g = out.CoIs$DissESA.mg/10^3
out.CoIs$DissESA.g.SD = out.CoIs$DissESA.mg.SD/10^3

# Solids - [mg] S-metolachlor in solids exported per sub-week

```

```

# Conc. [ $\mu\text{g s-meto} / \text{g MES}$ ] * Kg MES * [ $10^3 \text{ g/Kg}$ ] * [ $1 \text{ mg}/10^3 \mu\text{g}$ ]
out.CoIs$FiltSmeto.mg = out.CoIs$Conc.Solids.mug.gMES*out.CoIs$ExpMES.Kg
out.CoIs$FiltSmeto.mg.SD = out.CoIs$Conc.Solids.ug.gMES.SD*out.CoIs$ExpMES.Kg
out.CoIs$FiltSmeto.g = out.CoIs$FiltSmeto.mg/ $10^3$ 
out.CoIs$FiltSmeto.g.SD = out.CoIs$FiltSmeto.mg.SD/ $10^3$ 

# Total SM
out.CoIs$TotSMout.mg = out.CoIs$DissSmeto.mg + out.CoIs$FiltSmeto.mg
out.CoIs$TotSMout.mg.SD = sqrt(((out.CoIs$DissSmeto.mg.SD)^2 + (out.CoIs$FiltSmeto.mg.SD)^2)/2)
out.CoIs$TotSMout.g = out.CoIs$TotSMout.mg/ $10^3$ 
out.CoIs$TotSMout.g.SD = out.CoIs$TotSMout.mg.SD/ $10^3$ 

# Distribution dissolved vs suspended solids
out.CoIs$FracDiss = out.CoIs$DissSmeto.mg/out.CoIs$TotSMout.mg
out.CoIs$FracFilt = out.CoIs$FiltSmeto.mg/out.CoIs$TotSMout.mg

#out.CoIs$DissSmeto.g = ifelse(is.na(out.CoIs$DissSmeto.g), 0.0, out.CoIs$DissSmeto.g)
#out.CoIs$FiltSmeto.g = ifelse(is.na(out.CoIs$FiltSmeto.g), 0.0, out.CoIs$FiltSmeto.g)
#out.CoIs$TotSMout.g = out.CoIs$DissSmeto.g + out.CoIs$FiltSmeto.g

# Need to update this :
# out.CoIs$TotSMout.g.SD = out.CoIs$DissSmeto.g.SD

mw.SM <- 283.796 # g/mol
mw.MOXA <- 279.33 # g/ml
mw.MESA <- 329.1 # g/mol
out.CoIs$MELsm.g <-
  out.CoIs$TotSMout.g +
  out.CoIs$DissOXA.g * (mw.SM/mw.MOXA) +
  out.CoIs$DissESA.g * (mw.SM/mw.MESA)

# How to sum a standard deviation
# http://stats.stackexchange.com/questions/25848/how-to-sum-a-standard-deviation
out.CoIs$MELsm.g.SD <-
  sqrt((out.CoIs$TotSMout.g.SD^2 +
    (out.CoIs$DissOXA.g.SD * (mw.SM/mw.MOXA))^2 +
    (out.CoIs$DissESA.g.SD * (mw.SM/mw.MESA))^2)/3)

# Cumulative OUT
out.CoIs$CumOutDiss.g = cumsum(out.CoIs$DissSmeto.g)
out.CoIs$CumOutFilt.g = cumsum(out.CoIs$FiltSmeto.g)
out.CoIs$CumOutSmeto.g = out.CoIs$CumOutDiss.g + out.CoIs$CumOutFilt.g
out.CoIs$CumOutMELsm.g = cumsum(out.CoIs$MELsm.g)

# Balance
out.CoIs$BalMassDisch.g = out.CoIs$CumAppMass.g - out.CoIs$CumOutMELsm.g

# Mass fraction
massOUT = tail(out.CoIs$CumOutSmeto.g, n=1)
MELsmOUT = tail(out.CoIs$CumOutMELsm.g, n=1)

TotAppl = tail(out.CoIs$CumAppMass.g, n=1)

```

```

out.CoIs$prctMassOut = (out.CoIs$TotSMout.g / massOUT)
out.CoIs$FracDeltaOut = (out.CoIs$TotSMout.g / massOUT)*out.CoIs$diss.d13C
out.CoIs$FracDeltaOut = ifelse(is.na(out.CoIs$FracDeltaOut), 0.0, out.CoIs$FracDeltaOut)

BulkDeltaOut = sum(out.CoIs$FracDeltaOut)

```

The total mass discharged (up to Week 15) and bulk isotope signature (up to week 11) was:

```

# Cumulative S-metolachlor [g] discharged (before correction)
cat("SM mass sampled: " , as.character(91.10687))

```

```
## SM mass sampled: 91.10687
```

```

# Cumulative S-metolachlor [g] discharged
cat("SM mass sampled and non-sampled: ", as.character(massOUT))

```

```
## SM mass sampled and non-sampled: 140.392784355072
```

```

# Cumulative MEL-sm [g] discharged
cat("MEL-sm [g] sampled and non-sampled: ", as.character(MELsmOUT))

```

```
## MEL-sm [g] sampled and non-sampled: 3096.82107110135
```

```
cat("% Mass applied in discahrge [MEL-sm]: ", (MELsmOUT/TotAppl)*100)
```

```
## % Mass applied in discahrge [MEL-sm]: 10.06043
```

```

# Bulk isotope signature
BulkDeltaOut

```

```
## [1] -18.87124
```

6. Testing a regression tree (ommitted for now)

Save files

```

names(out.CoIs)[names(out.CoIs) == "Event"] <- "Peak"

out.CoIs$Events <- as.factor(c("0-1", "0-2", "0-3",
                              "1-1", "1-2", "1-3",
                              "2-1", "2-2", "2-3",
                              "3-1",
                              "4-1", "4-2", "4-3", "4-4", "4-5",
                              "5-1",
                              "6-1", "6-2", "6-3",
                              "7-1",
                              "8-1", "8-2", "8-3",
                              "9-1", "9-2", "9-3", "9-4", "9-5",
                              "10-1", "10-2", "10-3", "10-4", "10-5",
                              "11-1",
                              "12-1", "12-2", "12-3",
                              "13-1",
                              "14-1",
                              "15-1", "15-2", "15-3", "15-4",
                              "16-1", "16-2",
                              "17-1", "17-2",
                              "18-1", "18-2", "18-3", "18-4"))

```

```

# Adding a Weeks column for labelling
out.CoIs$WeekSubWeek <- as.character(out.CoIs$WeekSubWeek)
Split <- strsplit(out.CoIs$WeekSubWeek, "-", fixed = TRUE)
out.CoIs$Weeks <- sapply(Split, "[", 1)

Split2 <- strsplit(as.character(out.CoIs$Events), "-", fixed = T)
out.CoIs$Event <- as.factor(sapply(Split2, "[", 1))

out.CoIs$WeekSubWeek <- factor(out.CoIs$WeekSubWeek, levels = unique(out.CoIs$WeekSubWeek))
out.CoIs$Weeks <- factor(out.CoIs$Weeks, levels = unique(out.CoIs$Weeks))

out.CoIs$Events <- factor(out.CoIs$Events, levels = unique(out.CoIs$Events))
out.CoIs$Event <- factor(out.CoIs$Event, levels = unique(out.CoIs$Event))

head(out.CoIs)

```

```

##          ti WeekSubWeek          tf      iflux      fflux
## 1 2016-03-25 00:04:00      W0-0x 2016-03-25 12:02:00  1.248600  1.129227
## 2 2016-03-25 12:04:00      W0-1 2016-03-28 22:36:00  1.124382  1.313125
## 3 2016-03-28 22:38:00      W0-2x 2016-03-30 12:16:00  1.308100  1.456349
## 4 2016-03-30 12:18:00      W1-1 2016-03-31 15:34:00  1.456080  16.445436
## 5 2016-03-31 15:36:00      W1-2 2016-04-01 14:44:00  16.334349  15.184536
## 6 2016-04-01 14:46:00      W1-3x 2016-04-05 15:06:00  15.203629  5.856380
##      changeflux      maxQ      minQ      dryHrs Duration.Hrs      chExtreme Peak
## 1 -0.1193728  1.248600  1.118296  0.01666667      11.96667 -0.1303036  NA
## 2  0.1887431  1.380388  1.082199  6.01666667      82.53333  0.2560062  NA
## 3  0.1482496  1.637782  0.929055  47.30000000      37.63333  0.3296817  NA
## 4 14.9893566  38.399790  1.448977  66.13333333      27.26667  36.9437102   1
## 5 -1.1498131  18.668972  13.201113  1.65000000      23.13333 -3.1332355  NA
## 6 -9.3472489  15.895640  5.471042  6.26666667      96.33333 -9.7325862  NA
##      Markers TimeDiff AveDischarge.m3.h Volume.m3 Sampled.Hrs      Sampled
## 1      NA      <NA>      1.204775  14.41714      11.96667 Not Sampled
## 2      NA      <NA>      1.213511  100.15508      82.53333      Sampled
## 3      NA      <NA>      1.284719  48.34827      37.63333 Not Sampled
## 4 16.88972      24      14.316647  390.36726      27.26667      Sampled
## 5      NA      <NA>      15.529299  359.24445      23.13333      Sampled
## 6      NA      <NA>      9.107720  877.37700      96.33333 Not Sampled
##      Conc.mug.L      Conc.SD      OXA_mean      OXA_SD      ESA_mean      ESA_SD      N.x      diss.d13C
## 1  0.2456594  0.019310  4.824094  1.1414453  18.05531  3.497221  NA      NA
## 2  0.2456594  0.019310  4.824094  1.1414453  18.05531  3.497221  NA      NA
## 3  3.5169528  0.154365  17.677665  5.6633481  32.01948  3.267103  NA      NA
## 4  6.7882463  0.289420  30.531235  10.1852510  45.98364  3.036985  3 -31.51167
## 5  6.5609982  0.190640  32.492465  0.2430544  41.28052  0.853382  3 -31.66267
## 6  8.0026500  0.262090  68.516860  0.6978517  69.92417  1.839787  NA      NA
##      SD.d13C      se.d13C      N_ngC.diss      ngC.mean.diss      ngC.SD.diss      MES.mg.L
## 1      NA      NA      NA      NA      NA      NA      NA
## 2      NA      NA      NA      NA      NA      NA      53.44444
## 3      NA      NA      NA      NA      NA      NA      NA
## 4 0.1060016  0.06120004      3      42.69231  1.921169  62.50000
## 5 0.1513550  0.08738484      3      54.69697  2.540766  22.50000
## 6      NA      NA      NA      NA      NA      NA      NA
##      MES.sd      MO.mg.L      Conc.Solids.mug.gMES      Conc.Solids.ug.gMES      MES.SD      N.y      filt.d13C
## 1      NA      NA      0.6447290      0.02323755  NA      NA      NA

```

## 2	NA	0e+00	0.6447290	0.02323755	NA	NA
## 3	NA	NA	0.3853094	0.02515062	NA	NA
## 4	NA	1e-03	0.1258897	0.02706369	NA	NA
## 5	NA	1e-04	0.4357872	0.12323706	NA	NA
## 6	NA	NA	0.2575699	0.06396039	NA	NA
##	filt.SD.d13C	filt.se.d13C	N_ngC.fl	ngC.mean.fl	ngC.SD.fl	DD13C.diss
## 1	NA	NA	NA	NA	NA	NA
## 2	NA	NA	NA	NA	NA	NA
## 3	NA	NA	NA	NA	NA	NA
## 4	NA	NA	NA	NA	NA	0.7383333
## 5	NA	NA	NA	NA	NA	0.5873333
## 6	NA	NA	NA	NA	NA	NA
##	DD13C.filt	f.diss	f.filt	f.diss.min	f.filt.min	f.diss.max
## 1	NA	NA	NA	NA	NA	NA
## 2	NA	NA	NA	NA	NA	NA
## 3	NA	NA	NA	NA	NA	NA
## 4	NA	0.7070472	NA	0.6546249	NA	0.7457791
## 5	NA	0.7589778	NA	0.7138605	NA	0.7918727
## 6	NA	NA	NA	NA	NA	NA
##	B.diss	B.filt	B.diss.max	B.filt.max	B.diss.min	B.filt.min
## 1	NA	NA	NA	NA	NA	NA
## 2	NA	NA	NA	NA	NA	NA
## 3	NA	NA	NA	NA	NA	NA
## 4	29.29528	NA	34.53751	NA	25.42209	NA
## 5	24.10222	NA	28.61395	NA	20.81273	NA
## 6	NA	NA	NA	NA	NA	NA
##	TIC.ppm.filt	Cl.mM	N03...mM	P04...mM	NPOC.ppm	TIC.ppm.unfilt
## 1	NA	NA	NA	NA	NA	NA
## 2	NA	NA	NA	NA	NA	NA
## 3	NA	NA	NA	NA	NA	NA
## 4	51.8	1.48	616	NA	4.0	44.8
## 5	44.8	1574.00	778	NA	4.4	26.4
## 6	NA	NA	NA	NA	NA	NA
##	TOC.ppm.unfilt	ExpMES.Kg	Appl.Mass.g	timeSinceApp	Appl.Mass.g.NoSo	
## 1	NA	5.352733	17319.06	0.5	17319.06	
## 2	NA	5.352733	0.00	3.9	0.00	
## 3	NA	14.875343	0.00	5.5	0.00	
## 4	4.7	24.397953	0.00	6.6	0.00	
## 5	5.4	8.083000	0.00	7.6	0.00	
## 6	NA	7.935755	0.00	11.6	0.00	
##	timeSinceApp.NoSo	CumAppMass.g	DissSmeto.mg	DissSmeto.mg.SD	DissSmeto.g	
## 1	0.5	17319.06	3.541705	0.2783949	0.003541705	
## 2	3.9	17319.06	24.604033	1.9339946	0.024604033	
## 3	5.5	17319.06	170.038598	7.4632812	0.170038598	
## 4	6.6	17319.06	2649.909084	112.9800910	2.649909084	
## 5	7.6	17319.06	2357.002211	68.4863626	2.357002211	
## 6	11.6	17319.06	7021.341115	229.9517390	7.021341115	
##	DissSmeto.g.SD	DissOXA.mg	DissOXA.mg.SD	DissOXA.g	DissOXA.g.SD	
## 1	0.0002783949	69.54963	16.45637	0.06954963	0.01645637	
## 2	0.0019339946	483.15756	114.32155	0.48315756	0.11432155	
## 3	0.0074632812	854.68456	273.81310	0.85468456	0.27381310	
## 4	0.1129800910	11918.39439	3975.98846	11.91839439	3.97598846	
## 5	0.0684863626	11672.73795	87.31596	11.67273795	0.08731596	
## 6	0.2299517390	60115.11746	612.27900	60.11511746	0.61227900	


```
## DissESA.mg DissESA.mg.SD DissESA.g DissESA.g.SD FiltSmeto.mg
## 1 260.3058 50.41991 0.2603058 0.05041991 3.451062
## 2 1808.3308 350.26441 1.8083308 0.35026441 3.451062
## 3 1548.0863 157.95877 1.5480863 0.15795877 5.731609
## 4 17950.5083 1185.53932 17.9505083 1.18553932 3.071452
## 5 14829.7964 306.57276 14.8297964 0.30657276 3.522468
## 6 61349.8588 1614.18699 61.3498588 1.61418699 2.044012
## FiltSmeto.mg.SD FiltSmeto.g FiltSmeto.g.SD TotSMout.mg TotSMout.mg.SD
## 1 0.1243844 0.003451062 0.0001243844 6.992766 0.2156098
## 2 0.1243844 0.003451062 0.0001243844 28.055095 1.3703661
## 3 0.3741240 0.005731609 0.0003741240 175.770206 5.2839633
## 4 0.6602985 0.003071452 0.0006602985 2652.980536 79.8903528
## 5 0.9961252 0.003522468 0.0009961252 2360.524679 48.4322936
## 6 0.5075740 0.002044012 0.0005075740 7023.385126 162.6008301
## TotSMout.g TotSMout.g.SD FracDiss FracFilt MELsm.g MELsm.g.SD
## 1 0.006992766 0.0002156098 0.5064812 0.4935188249 0.3021264 0.02689497
## 2 0.028055095 0.0013703661 0.8769898 0.1230101642 2.0783329 0.18683762
## 3 0.175770206 0.0052839633 0.9673915 0.0326085349 2.3790960 0.17885971
## 4 2.652980536 0.0798903528 0.9988423 0.0011577363 30.2413655 2.40621294
## 5 2.360524679 0.0484322936 0.9985078 0.0014922393 27.0082117 0.16340841
## 6 7.023385126 0.1626008301 0.9997090 0.0002910294 121.0040582 0.88525127
## CumOutDiss.g CumOutFilt.g CumOutSmeto.g CumOutMELsm.g BalMassDisch.g
## 1 0.003541705 0.003451062 0.006992766 0.3021264 17318.76
## 2 0.028145738 0.006902124 0.035047862 2.3804594 17316.68
## 3 0.198184336 0.012633733 0.210818068 4.7595554 17314.30
## 4 2.848093419 0.015705185 2.863798604 35.0009209 17284.06
## 5 5.205095630 0.019227652 5.224323282 62.0091326 17257.05
## 6 12.226436745 0.021271664 12.247708409 183.0131909 17136.05
## prctMassOut FracDeltaOut Events Weeks Event
## 1 4.980859e-05 0.0000000 0-1 W0 0
## 2 1.998329e-04 0.0000000 0-2 W0 0
## 3 1.251989e-03 0.0000000 0-3 W0 0
## 4 1.889684e-02 -0.5954710 1-1 W1 1
## 5 1.681372e-02 -0.5323671 1-2 W1 1
## 6 5.002668e-02 0.0000000 1-3 W1 1
```

```
write.csv2(out.CoIs,
           'Data/WeeklyHydroContam_R.csv', row.names = F)
```

```
# out.CoIs = read.csv2("Data/WeeklyHydroContam_R.csv")
# out.CoIs$ti = as.POSIXct(out.CoIs$ti, "%Y-%m-%d %H:%M", tz = "EST")
```