

# Mass Soils - Composite Weeks Alteck 2016

PAZ

November 2016

## Purpose

This file merges weekly composite concentrations and isotope data.

Imports:

- SoilCompConc\_W1toW15.csv
- SoilCompIsotopes\_W1toW15.csv (old, not used)
- SoilCompIsotopes\_W1toW15ng.csv

Generates:

- WeeklySoils\_Rng.csv

## Required R-packages:

```
library("plyr")
library("dplyr")
```

## Working directory

```
# setwd("D:/Documents/these_pablo/Alteckendorf2016/R")
# setwd("/Users/DayTightChunks/Documents/PhD/Routput/Alteck/R")
# setwd("D:/Documents/these_pablo/Alteckendorf2016/00_TransparencyFolder")
getwd()
```

```
## [1] "/Users/DayTightChunks/Documents/PhD/HydrologicalMonitoring"
```

## Lab Parameters

```
# Pure and cuve isotope average
d13Co = -31.2144

# Lab enrichment: Alteck
epsilon_max = -1.5 # +/- 0.3 (@ 20C, 20% vwc)
epsilon_min = -2.0 # +/- 0.2 (@ 20C, 40% vwc)

epsilon_mean = mean(c(epsilon_max, epsilon_min))
epsilon_mean
```

```
## [1] -1.75
```

```
sd(c(epsilon_max, epsilon_min))
```

```
## [1] 0.3535534
```

## Filed Assumptions

```
# S-metolachlor Mass [g]
# Conc. [ug/g dry soil] * [g/106 ug] * density [g/m3] * depth [m] * A [m2]
# Soil bulk density: 2200 or 0.99? -> Leaching experiments: 0.99 [g/cm3]
rho = 0.99*106 # soil density [g/m3]
depth = 0.005 # [m]

# Transect Areas pre-corn applications
Area_Na = 13.92663*104 # [m2]

# Corrections (old values):
#Area_Ta = 6.55813*104 # [m2] # South Burger's as Talweg
#Area_Sa = 11.05376*104 # [m2] # South Burger's as Talweg
Area_Ta = 4.37134*104 # [m2]
Area_Sa = 13.3175*104 # [m2] # South Burger's as South

# Transect Areas post Corn applications (not on transect)
Area_Nb = 14.9949*104 # [m2]

# Corrections (old values):
#Area_Tb = 6.55813*104 # [m2] # South Burger's as Talweg
#Area_Sb = 11.65202*104 # [m2] # South Burger's as Talweg
Area_Tb = 4.37134*104 # [m2]
Area_Sb = 13.91767*104 # [m2] # South Burger's as South
```

## Composite Concentrations & Isotope Data - Alteckendorf 2016

Isotopes selected were cleaned according to the following rules:

- a) The isotope shift was not largely beyond (2x) Streitwieser theoretical limits (i.e. > 10)
- b) Isotope shift was non-negative
- c) Nanograms of carbon > 5.0.

1. Import CSV files

```
#weeklySoilConc = read.csv2("Data/SoilCompConc_W1toW15.csv", header = TRUE)
# Date format stopped working in CSV
# Convert in CSV via "=TEXT(CELL.ID, "dd/mm/yyyy hh:mm")" based on xls-file date
weeklySoilConc = read.csv("Data/SoilCompConc_W1toW15.csv", header = TRUE)
weeklySoilConc$Date.ti <- as.POSIXct(strptime(weeklySoilConc$Date.Soil, "%d/%m/%Y %H:%M", tz="EST"))
sum(is.na(weeklySoilConc$Date.ti))
```

```
## [1] 0
```

```
# View(weeklySoilConc)
weeklySoilConc <- weeklySoilConc[,c("Filename",
                                     "Transect",
                                     "Wnum",
                                     "Date.Soil",
                                     "Date.ti",
                                     "Conc.mug.g.dry.soil",
                                     "Conc.ComSoil.SD")]
```

```

colnames(weeklySoilConc)[colnames(weeklySoilConc) == "Filename"] <- "ID"
print("Soil Composites- Concentrations")

## [1] "Soil Composites- Concentrations"
str(weeklySoilConc)

## 'data.frame': 51 obs. of 7 variables:
## $ ID : Factor w/ 51 levels "AW-N-0","AW-N-0x",...: 2 36 19 1 35 18 3 10 11 12 ...
## $ Transect : Factor w/ 3 levels "N","S","T": 1 3 2 1 3 2 1 1 1 1 ...
## $ Wnum : int -1 -1 -1 0 0 0 1 2 3 4 ...
## $ Date.Soil : Factor w/ 17 levels "03/05/2016 13:10",...: 13 13 13 16 16 16 3 7 10 14 ...
## $ Date.ti : POSIXct, format: "2016-03-25 00:04:00" "2016-03-25 00:04:00" ...
## $ Conc.mug.g.dry.soil: num 0.018 0.02 0.029 0.89 0.8 ...
## $ Conc.ComSoil.SD : num NA NA NA 1.46 1.83 ...

# JESIUM data (before nangoram revision)
# weeklySoilIso = read.csv2("Data/SoilCompIsotopes_W1toW15.csv", header = TRUE)

# After nanogram revision
weeklySoilIso = read.csv2("Data/SoilCompIsotopes_W1toW15ng.csv", header = TRUE, dec = ".")
if (length(weeklySoilIso) == 1){
  weeklySoilIso = read.csv("Data/SoilCompIsotopes_W1toW15ng.csv", header = T)
}
head(weeklySoilIso)

## Filename ID Week Wnum Repl d.13C.12C DD13...31.21. Ave...STDEV
## 1 AW-N-1 AW N 1 1 -31.246 -0.036 0.08697413
## 2 AW-N-1 AW N 1 2 -31.123 0.087 NA
## 3 AW-N-1 AW N 1 3 NA NA NA
## 4 AW-N-10 AW N 10 1 -28.312 2.898 0.62508239
## 5 AW-N-10 AW N 10 3 -27.428 3.782 NA
## 6 AW-N-11 AW N 11 1 -28.383 2.827 0.06293250
## Delete.d13 Delete.DD Rt Ampl..44 Std.Ampl. ng..C.
## 1 2648.2 120 904 3.982301
## 2 2648.0 115 904 3.816372
## 3 -29.546 1.664 2648.0 109 904 3.617257
## 4 2655.6 155 658 7.066869
## 5 2656.4 183 658 8.343465
## 6 2656.0 202 658 9.209726

colnames(weeklySoilIso)[colnames(weeklySoilIso) == "DD13...31.21."] <- "DD13"
colnames(weeklySoilIso)[colnames(weeklySoilIso) == "ng..C."] <- "ngC"
colnames(weeklySoilIso)[colnames(weeklySoilIso) == "Filename"] <- "ID"

weeklySoilIso <- weeklySoilIso[, c("ID",
# "Repl",
"d.13C.12C",
"DD13",
"ngC")]

weeklySoilIso <- weeklySoilIso[complete.cases(weeklySoilIso),]
# weeklySoilIso <- subset(weeklySoilIso, DD13 < 10) # & ngC > 5)

```

```

isoCompSummary = ddpby(weeklySoilIso, c("ID"), summarise,
  N_compsoil = length(d.13C.12C),
  comp.d13C = mean(d.13C.12C),
  comp.d13C.SD = sd(d.13C.12C),
  # comp.d13C.SE = comp.d13C.SD / sqrt(N_compsoil),
  N_ngC = length(ngC),
  ngC.mean = mean(ngC),
  ngC.SD = sd(ngC) #,
  # ngC.SE = ngC.SD/sqrt(N_ngC)
)

print("Soil Composites - Isotopes All")

## [1] "Soil Composites - Isotopes All"
str(weeklySoilIso)

## 'data.frame': 85 obs. of 4 variables:
## $ ID : Factor w/ 41 levels "AW-N-1","AW-N-10",...: 1 1 2 2 3 3 4 6 6 6 ...
## $ d.13C.12C: num -31.2 -31.1 -28.3 -27.4 -28.4 ...
## $ DD13 : num -0.036 0.087 2.898 3.782 2.827 ...
## $ ngC : num 3.98 3.82 7.07 8.34 9.21 ...

print("Soil Composites - Isotopes Ave and St.Dev.")

## [1] "Soil Composites - Isotopes Ave and St.Dev."
str(isoCompSummary)

## 'data.frame': 37 obs. of 7 variables:
## $ ID : Factor w/ 41 levels "AW-N-1","AW-N-10",...: 1 2 3 4 5 6 7 8 9 10 ...
## $ N_compsoil : int 2 2 2 1 2 3 3 2 2 2 ...
## $ comp.d13C : num -31.2 -27.9 -28.4 -28.5 -27.9 ...
## $ comp.d13C.SD: num 0.087 0.6251 0.0629 NA 0.3995 ...
## $ N_ngC : int 2 2 2 1 2 3 3 2 2 2 ...
## $ ngC.mean : num 3.9 7.71 8.64 1.57 5.12 ...
## $ ngC.SD : num 0.117 0.903 0.806 NA 0.503 ...

```

## 2. Merge lab concentrations and isotopes

```

comp.CoIs = merge(weeklySoilConc, isoCompSummary, by = "ID", all = T)
comp.CoIs$Wnum = as.numeric(comp.CoIs$Wnum)
comp.CoIs <- comp.CoIs[order(comp.CoIs$Wnum),]

comp.CoIs$comp.IMP.d13C <- comp.CoIs$comp.d13C
comp.CoIs$comp.IMP.d13C[is.na(comp.CoIs$comp.d13C)] <- ave(comp.CoIs$comp.d13C,
  comp.CoIs$Wnum,
  FUN= function(x) mean(x, na.rm = T))[is.na(comp.CoIs$comp.d13C)]

comp.CoIs$comp.d13C <- ifelse(is.na(comp.CoIs$comp.d13C), comp.CoIs$comp.IMP.d13C, comp.CoIs$comp.d13C)

print("Merged Soil Concentrations and Isotopes")

## [1] "Merged Soil Concentrations and Isotopes"

```

```
str(comp.CoIs)
```

```
## 'data.frame': 51 obs. of 14 variables:
## $ ID : Factor w/ 51 levels "AW-N-0","AW-N-0x",...: 2 19 36 1 18 35 3 20 37 10 ...
## $ Transect : Factor w/ 3 levels "N","S","T": 1 2 3 1 2 3 1 2 3 1 ...
## $ Wnum : num -1 -1 -1 0 0 0 1 1 1 2 ...
## $ Date.Soil : Factor w/ 17 levels "03/05/2016 13:10",...: 13 13 13 16 16 16 3 3 3 7 ...
## $ Date.ti : POSIXct, format: "2016-03-25 00:04:00" "2016-03-25 00:04:00" ...
## $ Conc.mug.g.dry.soil: num 0.018 0.029 0.02 0.89 3.2 ...
## $ Conc.ComSoil.SD : num NA NA NA 1.46 2.77 ...
## $ N_compsoil : int NA NA NA NA NA 2 2 3 3 ...
## $ comp.d13C : num NaN NaN NaN NaN NaN ...
## $ comp.d13C.SD : num NA NA NA NA NA ...
## $ N_ngC : int NA NA NA NA NA NA 2 2 3 3 ...
## $ ngC.mean : num NA NA NA NA NA ...
## $ ngC.SD : num NA NA NA NA NA ...
## $ comp.IMP.d13C : num NaN NaN NaN NaN NaN ...
```

### 3. Compute Degradation Extent and Delta-delta

```
# Pure and cuve isotope average
d13Co
```

```
## [1] -31.2144
```

```
# Lab enrichment: Alteck
epsilon_max # +/- 0.3 (@ 20C, 20% vwc)
```

```
## [1] -1.5
```

```
epsilon_min # +/- 0.2 (@ 20C, 40% vwc)
```

```
## [1] -2
```

```
epsilon_mean
```

```
## [1] -1.75
```

```
sd(c(epsilon_max, epsilon_min))
```

```
## [1] 0.3535534
```

```
# Vine
# (@ 20C, 20% vwc) -0.8 +/- 0.1
# (@ 30C, 20% vwc) -1.4 +/- 0.2
# (@ 20C, 40% vwc) -1.7 +/- 0.2
# Average
```

```
# Remaining fraction
comp.CoIs$DD13C.comp <- (comp.CoIs$comp.d13C - (d13Co))
```

```
# Max epsilon (20C, 20%)
comp.CoIs$f.max.comp <-
  ((10-3)*comp.CoIs$comp.d13C + 1)/(10-3*d13Co + 1))(1000/(epsilon_max))
```

```
comp.CoIs$B.max.comp <-
  (1 - comp.CoIs$f.max.comp)*100
```

```
# Min epsilon (20C, 40%)
```

```

comp.CoIs$f.min.comp <-
  ((10^(-3)*comp.CoIs$comp.d13C + 1)/(10^(-3)*d13Co + 1))^(1000/(epsilon_min))

comp.CoIs$B.min.comp <-
  (1 - comp.CoIs$f.min.comp)*100

# Mean epsilon (# Alteck)
comp.CoIs$f.mean.comp <-
  ((10^(-3)*comp.CoIs$comp.d13C + 1)/(10^(-3)*d13Co + 1))^(1000/(epsilon_mean))

comp.CoIs$B.mean.comp <-
  (1 - comp.CoIs$f.mean.comp)*100

```

### 3. Compute Soil S-metolachlor Mass at time $t$ across space

For non-measured plots, the soil concentration and isotope measured at the neareast transect is assumed. The total area for each transect at the end of the season is shown below. Corn fields in the catchment were known to have received S-metolachlor applications only during the last week of May, 2017. Given that two of these plots were not included within the transects, their area were not accounted for but until after the known application dates for corn plots.




Figure 1: Transect Areas [ $Ha$ ] (North: 14.995; Talweg: 8.774; South: 12.668)

The total pesticide mass for each transect at time  $t$  is then given by:

$$M(t)_{Ta} = C(t)_T \cdot \rho \cdot A_T \cdot D.$$

```

# S-metolachlor Mass [g]
# Conc. [ug/g dry soil] * [g/106 ug] * density [g/m3] * depth [m] * A [m2]
# Soil bulk density: 2200 or 0.99? -> Leaching experiments: 0.99 [g/cm3]
rho # soil density [g/m3]

## [1] 990000
depth # [m]

## [1] 0.005
# Transect Areas pre-corn applications
Area_Na # [m2]

## [1] 139266.3
Area-Ta # [m2]

## [1] 43713.4
Area-Sa # [m2]

## [1] 133175
# Transect Areas post Corn applications (not on transect)
Area_Nb # [m2]

## [1] 149949
Area-Tb # [m2]

## [1] 43713.4
Area-Sb # [m2]

## [1] 139176.7
# Assign new column for S-metolachlor mass in grams
comp.CoIs$MassSoil.g <- NA

# Areas with S-metolachlor before week 9
comp.CoIs$MassSoil.g <-
  ifelse((comp.CoIs$Transect == "N" & comp.CoIs$Wnum < 6),
    comp.CoIs$Conc.mug.g.dry.soil*10-6*rho*depth*Area_Na,
  ifelse((comp.CoIs$Transect == "T" & comp.CoIs$Wnum < 6),
    comp.CoIs$Conc.mug.g.dry.soil*10-6*rho*depth*Area-Ta,
  ifelse((comp.CoIs$Transect == "S" & comp.CoIs$Wnum < 6),
    comp.CoIs$Conc.mug.g.dry.soil*10-6*rho*depth*Area-Sa, comp.CoIs$MassSoil.g)))

# Areas with S-metolachlor after week 9
comp.CoIs$MassSoil.g <-
  ifelse((comp.CoIs$Transect == "N" & comp.CoIs$Wnum >= 6),
    comp.CoIs$Conc.mug.g.dry.soil*10-6*rho*depth*Area_Nb,
  ifelse((comp.CoIs$Transect == "T" & comp.CoIs$Wnum >= 6),
    comp.CoIs$Conc.mug.g.dry.soil*10-6*rho*depth*Area-Tb,
  ifelse((comp.CoIs$Transect == "S" & comp.CoIs$Wnum >= 6),
    comp.CoIs$Conc.mug.g.dry.soil*10-6*rho*depth*Area-Sb, comp.CoIs$MassSoil.g)))

```

```

# Areas as variables (for later computation of bulk catchment mass)
comp.CoIs$Area.N <-
  ifelse((comp.CoIs$Wnum < 6), Area_Na, Area_Nb)

comp.CoIs$Area.T <-
  ifelse((comp.CoIs$Wnum < 6), Area-Ta, Area-Tb)

comp.CoIs$Area.S <-
  ifelse((comp.CoIs$Wnum < 6), Area-Sa, Area-Sb)

print("S-meto mass per transect at time-t")

## [1] "S-meto mass per transect at time-t"

str(comp.CoIs)

## 'data.frame':    51 obs. of  25 variables:
##  $ ID                : Factor w/ 51 levels "AW-N-0","AW-N-0x",...: 2 19 36 1 18 35 3 20 37 10 ...
##  $ Transect          : Factor w/ 3 levels "N","S","T": 1 2 3 1 2 3 1 2 3 1 ...
##  $ Wnum              : num  -1 -1 -1 0 0 0 1 1 1 2 ...
##  $ Date.Soil         : Factor w/ 17 levels "03/05/2016 13:10",...: 13 13 13 16 16 16 3 3 3 7 ...
##  $ Date.ti           : POSIXct, format: "2016-03-25 00:04:00" "2016-03-25 00:04:00" ...
##  $ Conc.mug.g.dry.soil: num  0.018 0.029 0.02 0.89 3.2 ...
##  $ Conc.ComSoil.SD   : num  NA NA NA 1.46 2.77 ...
##  $ N_compsoil        : int   NA NA NA NA NA NA 2 2 3 3 ...
##  $ comp.d13C         : num  NaN NaN NaN NaN NaN ...
##  $ comp.d13C.SD      : num  NA NA NA NA NA ...
##  $ N_ngC             : int   NA NA NA NA NA NA 2 2 3 3 ...
##  $ ngC.mean          : num  NA NA NA NA NA ...
##  $ ngC.SD            : num  NA NA NA NA NA ...
##  $ comp.IMP.d13C     : num  NaN NaN NaN NaN NaN ...
##  $ DD13C.comp        : num  NaN NaN NaN NaN NaN ...
##  $ f.max.comp        : num  NaN NaN NaN NaN NaN ...
##  $ B.max.comp        : num  NaN NaN NaN NaN NaN ...
##  $ f.min.comp        : num  NaN NaN NaN NaN NaN ...
##  $ B.min.comp        : num  NaN NaN NaN NaN NaN ...
##  $ f.mean.comp       : num  NaN NaN NaN NaN NaN ...
##  $ B.mean.comp       : num  NaN NaN NaN NaN NaN ...
##  $ MassSoil.g        : num  12.41 19.12 4.33 613.54 2109.49 ...
##  $ Area.N            : num  139266 139266 139266 139266 139266 ...
##  $ Area.T            : num  43713 43713 43713 43713 43713 ...
##  $ Area.S            : num  133175 133175 133175 133175 133175 ...

tail(comp.CoIs)

##           ID Transect Wnum      Date.Soil      Date.ti
## 8  AW-N-14         N   14 04/07/2016 14:42 2016-07-04 14:42:00
## 25 AW-S-14         S   14 04/07/2016 14:42 2016-07-04 14:42:00
## 42 AW-T-14         T   14 04/07/2016 14:42 2016-07-04 14:42:00
## 9  AW-N-15         N   15 12/07/2016 01:00 2016-07-12 01:00:00
## 26 AW-S-15         S   15 12/07/2016 01:00 2016-07-12 01:00:00
## 43 AW-T-15         T   15 12/07/2016 01:00 2016-07-12 01:00:00
##      Conc.mug.g.dry.soil Conc.ComSoil.SD N_compsoil comp.d13C comp.d13C.SD
## 8              1.334           0.0949           2 -27.92050    0.3995153

```



```

## 25          1.022          0.0949          NA -27.32225          NA
## 42          1.587          0.0949          3 -26.72400          0.2533200
## 9           0.956          0.0949          NA          NaN          NA
## 26          1.161          0.0949          NA          NaN          NA
## 43          1.312          0.0949          NA          NaN          NA
##      N_ngC ngC.mean      ngC.SD comp.IMP.d13C DD13C.comp f.max.comp B.max.comp
## 8         2 5.118483 0.5026825 -27.92050      3.29390 0.10405435 89.59456
## 25        NA         NA         NA -27.32225      3.89215 0.06904447 93.09555
## 42         3 9.095742 5.9202018 -26.72400      4.49040 0.04582548 95.41745
## 9         NA         NA         NA          NaN          NaN          NaN          NaN
## 26        NA         NA         NA          NaN          NaN          NaN          NaN
## 43        NA         NA         NA          NaN          NaN          NaN          NaN
##      f.min.comp B.min.comp f.mean.comp B.mean.comp MassSoil.g Area.N Area.T
## 8 0.18320832 81.67917 0.1437645 85.62355 990.1582 149949 43713.4
## 25 0.13469351 86.53065 0.1011504 89.88496 704.0810 149949 43713.4
## 42 0.09904449 90.09555 0.0711832 92.88168 343.3972 149949 43713.4
## 9          NaN          NaN          NaN          NaN 709.5887 149949 43713.4
## 26          NaN          NaN          NaN          NaN 799.8415 149949 43713.4
## 43          NaN          NaN          NaN          NaN 283.8923 149949 43713.4
##      Area.S
## 8 139176.7
## 25 139176.7
## 42 139176.7
## 9 139176.7
## 26 139176.7
## 43 139176.7

```

```
write.csv2(comp.CoIs, 'Data/WeeklySoils_Rng.csv', row.names = F)
```