```
LinksPlatform's Platform Numbers Class Library
    ./csharp/Platform.Numbers/Arithmetic.cs
   using System.Runtime.CompilerServices;
2
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
3
   namespace Platform. Numbers
5
6
        public static class Arithmetic
          /* Each function performs the simplest arithmetic operation on the type specified as a
9
          → parameter */
10
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
11
            public static T Add<T>(T x, T y) => Arithmetic<T>.Add(x, y);
12
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
14
            public static T Subtract<T>(T x, T y) => Arithmetic<T>.Subtract(x, y);
15
16
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
17
            public static T Multiply<T>(T x, T y) => Arithmetic<T>.Multiply(x, y);
18
19
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
20
            public static T Divide<T>(T x, T y) => Arithmetic<T>.Divide(x, y);
21
22
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static T Increment<T>(T x) => Arithmetic<T>.Increment(x);
24
25
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
26
            public static T Increment<T>(ref T x) => x = Arithmetic<T>.Increment(x);
27
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
29
            public static T Decrement<T>(T x) => Arithmetic<T>.Decrement(x);
30
31
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
32
            public static T Decrement<T>(ref T x) => x = Arithmetic<T>.Decrement(x);
33
35
    ./csharp/Platform.Numbers/ArithmeticExtensions.cs
   using System.Runtime.CompilerServices;
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform.Numbers
6
        public static class ArithmeticExtensions
8
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static T Decrement<T>(this ref T x) where T : struct => x =
10
             → Arithmetic<T>.Decrement(x);
11
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
12
            public static T Increment<T>(this ref T x) where T : struct => x =
13
             → Arithmetic<T>.Increment(x);
        }
14
15
1.3
     ./csharp/Platform.Numbers/Arithmetic[T].cs
   using System;
   using System.Reflection.Emit;
   using System.Runtime.CompilerServices;
3
   using Platform. Exceptions;
   using Platform.Reflection;
   // ReSharper disable StaticFieldInGenericType
7
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
   namespace Platform. Numbers
10
11
        public static class Arithmetic<T>
12
13
            public static readonly Func<T, T, T> Add = CompileAddDelegate();
14
            public static readonly Func<T, T, T> Subtract = CompileSubtractDelegate();
            public static readonly Func<T, T, T> Multiply = CompileMultiplyDelegate();
16
            public static readonly Func<T, T, T> Divide = CompileDivideDelegate();
public static readonly Func<T, T> Increment = CompileIncrementDelegate();
public static readonly Func<T, T> Decrement = CompileDecrementDelegate();
17
18
19
```

```
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, T, T> CompileAddDelegate()
    return DelegateHelpers.Compile<Func<T, T, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        emiter.LoadArguments(0, 1);
        emiter.Add();
        emiter.Return();
    });
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, T, T> CompileSubtractDelegate()
    return DelegateHelpers.Compile<Func<T, T, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        emiter.LoadArguments(0, 1);
        emiter.Subtract();
        emiter.Return();
    });
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, T, T> CompileMultiplyDelegate()
    return DelegateHelpers.Compile<Func<T, T, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        emiter.LoadArguments(0, 1);
        emiter.Emit(OpCodes.Mul);
        emiter.Return();
    });
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, T, T> CompileDivideDelegate()
    return DelegateHelpers.Compile<Func<T, T, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        emiter.LoadArguments(0, 1);
        if(NumericType<T>.IsSigned)
        {
            emiter.Emit(OpCodes.Div);
        }
        else
        {
            emiter.Emit(OpCodes.Div_Un);
        emiter.Return();
    });
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, T> CompileIncrementDelegate()
    return DelegateHelpers.Compile<Func<T, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        emiter.LoadArgument(0);
        emiter.Increment<T>();
        emiter.Return();
    });
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, T> CompileDecrementDelegate()
    return DelegateHelpers.Compile<Func<T, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        emiter.LoadArgument(0);
        emiter.Decrement<T>();
        emiter.Return();
    });
}
```

23

24

26

27

28

29

30

31

33

34

36 37

38

39

40

41

42

43

45

46 47

49

50

52

53 54

55 56

58 59

60 61

62

63

65

66

68

69

70 71

72 73

74 75

76

77 78

79 80

81

83

84 85

86 87

88

89 90

91 92

93

94

96

```
100
1.4
     ./csharp/Platform.Numbers/Bit.cs
   using System.Runtime.CompilerServices;
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
3
   namespace Platform. Numbers
        /st the number of ones in the bit representation of a number st/
        public static class Bit
 9
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
10
            public static long Count(long x)
11
                long n = 0;
13
                while (x != 0)
14
                    n++:
16
                    x &= x - 1;
17
18
                return n;
19
            }
20
            /* first bit set */
22
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
23
            public static int GetLowestPosition(ulong value)
24
25
                if (value == 0)
26
                {
                    return -1;
2.8
29
                var position = 0;
30
                while ((value & 1UL) == 0)
                     value >>= 1;
33
                     ++position;
34
35
                return position;
37
38
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
39
            public static T Not<T>(T x) => Bit<T>.Not(x);
40
41
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
42
            public static T Or<T>(T x, T y) => Bit<T>.Or(x, y);
43
44
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
45
            public static T And<T>(T x, T y) => Bit<T>.And(x, y);
47
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
48
            public static T ShiftLeft<T>(T x, int y) => Bit<T>.ShiftLeft(x, y);
50
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static T ShiftRight<T>(T x, int y) => Bit<T>.ShiftRight(x, y);
52
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
54
            public static T PartialWrite<T>(T target, T source, int shift, int limit) =>
55
             → Bit<T>.PartialWrite(target, source, shift, limit);
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
57
            public static T PartialRead<T>(T target, int shift, int limit) =>
58
             → Bit<T>.PartialRead(target, shift, limit);
        }
59
60
     ./csharp/Platform.Numbers/BitExtensions.cs
1.5
   using System.Runtime.CompilerServices;
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
3
    namespace Platform.Numbers
 5
        public static class BitwiseExtensions
          /* bi operations */
10
11
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
public static T Not<T>(this ref T target) where T : struct => target = Bit.Not(target);
13
14
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
1.5
             public static T PartialWrite<T>(this ref T target, T source, int shift, int limit) where
                 T : struct => target = Bit<T>.PartialWrite(target, source, shift, limit);
17
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
18
             public static T PartialRead<T>(this T target, int shift, int limit) =>
              → Bit<T>.PartialRead(target, shift, limit);
        }
20
21
     ./csharp/Platform.Numbers/Bit[T].cs
1.6
    using System;
1
2
    using System.Runtime.CompilerServices;
    using Platform. Exceptions;
3
    using Platform.Reflection;
    // ReSharper disable StaticFieldInGenericType
6
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
    namespace Platform.Numbers
9
10
        public static class Bit<T>
11
12
             public static readonly Func<T, T> Not = CompileNotDelegate();
13
             public static readonly Func<T, T, T> Or = CompileOrDelegate();
public static readonly Func<T, T, T> And = CompileAndDelegate();
public static readonly Func<T, int, T> ShiftLeft = CompileShiftLeftDelegate();
public static readonly Func<T, int, T> ShiftRight = CompileShiftRightDelegate();
public static readonly Func<T, int, T> PartialWrite =
14
15
16
17

→ CompilePartialWriteDelegate();

             public static readonly Func<T, int, int, T> PartialRead = CompilePartialReadDelegate();
19
20
21
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
             private static Func<T, T> CompileNotDelegate()
22
23
                  return DelegateHelpers.Compile<Func<T, T>>(emiter =>
                  {
25
                       Ensure.Always.IsNumeric<T>();
26
27
                       emiter.LoadArguments(0);
                       emiter.Not();
28
                       emiter.Return();
29
                  });
30
             }
32
33
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
             private static Func<T, T, T> CompileOrDelegate()
34
35
                  return DelegateHelpers.Compile<Func<T, T, T>>(emiter =>
36
                       Ensure.Always.IsNumeric<T>();
38
                       emiter.LoadArguments(0, 1);
39
                       emiter.Or();
40
                       emiter.Return();
41
                  });
42
             }
43
44
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
45
             private static Func<T, T, T> CompileAndDelegate()
46
47
                  return DelegateHelpers.Compile<Func<T, T, T>>(emiter =>
48
49
                       Ensure.Always.IsNumeric<T>();
5.1
                       emiter.LoadArguments(0, 1);
                       emiter.And();
52
                       emiter.Return();
53
                  });
54
             }
55
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
57
             private static Func<T, int, T> CompileShiftLeftDelegate()
58
                  return DelegateHelpers.Compile<Func<T, int, T>>(emiter =>
60
61
                       Ensure.Always.IsNumeric<T>();
62
                       emiter.LoadArguments(0, 1);
                       emiter.ShiftLeft();
64
                       emiter.Return();
65
```

```
});
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, int, T> CompileShiftRightDelegate()
    return DelegateHelpers.Compile<Func<T, int, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        emiter.LoadArguments(0, 1);
        emiter.ShiftRight();
        emiter.Return();
    });
}
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, T, int, int, T> CompilePartialWriteDelegate()
    return DelegateHelpers.Compile<Func<T, T, int, int, T>>(emiter =>
        Ensure.Always.IsNumeric<T>();
        var constants = GetConstants();
        var bitsNumber = constants.Item1;
        var numberFilledWithOnes = constants.Item2;
        ushort shiftArgument = 2;
        ushort limitArgument = 3;
        var checkLimit = emiter.DefineLabel();
        var calculateSourceMask = emiter.DefineLabel();
        // Check shift
        emiter.LoadArgument(shiftArgument);
        emiter.LoadConstant(0);
        emiter.BranchIfGreaterOrEqual(checkLimit); // Skip fix
        // Fix shift
        emiter.LoadConstant(bitsNumber);
        emiter.LoadArgument(shiftArgument);
        emiter.Add();
        emiter.StoreArgument(shiftArgument);
        emiter.MarkLabel(checkLimit);
        // Check limit
        emiter.LoadArgument(limitArgument);
        emiter.LoadConstant(0)
        emiter.BranchIfGreaterOrEqual(calculateSourceMask); // Skip fix
        // Fix limit
        emiter.LoadConstant(bitsNumber);
        emiter.LoadArgument(limitArgument);
        emiter.Add():
        emiter.StoreArgument(limitArgument);
        emiter.MarkLabel(calculateSourceMask);
        var sourceMask = emiter.DeclareLocal<T>();
        var targetMask = emiter.DeclareLocal<T>();
        emiter.LoadConstant(typeof(T), numberFilledWithOnes);
        emiter.LoadArgument(limitArgument);
        emiter.ShiftLeft();
        emiter.Not();
        emiter.LoadConstant(typeof(T), numberFilledWithOnes);
        emiter.And();
        emiter.StoreLocal(sourceMask);
        emiter.LoadLocal(sourceMask);
        emiter.LoadArgument(shiftArgument);
        emiter.ShiftLeft();
        emiter.Not();
        emiter.StoreLocal(targetMask);
        emiter.LoadArgument(0); // target
        emiter.LoadLocal(targetMask);
        emiter.And();
        emiter.LoadArgument(1); // source
        emiter.LoadLocal(sourceMask);
        emiter.And();
        emiter.LoadArgument(shiftArgument);
        emiter.ShiftLeft();
        emiter.Or();
        emiter.Return();
    });
[MethodImpl(MethodImplOptions.AggressiveInlining)]
private static Func<T, int, int, T> CompilePartialReadDelegate()
```

70 71

72 73

74

75

77

78

79 80

81

83

84 85

86

87

89 90

92

93

94

96

97

99

100

101

103

104

105

106

107

108

110

111

114

115

117

118

119

120

121

122

123

124

125

127

128 129

130

131

132 133

135

136

137

138 139 140

141

```
return DelegateHelpers.Compile<Func<T, int, int, T>>(emiter =>
                     Ensure.Always.IsNumeric<T>()
146
                     var constants = GetConstants();
147
                     var bitsNumber = constants.Item1;
148
                      var numberFilledWithOnes = constants.Item2;
149
                     ushort shiftArgument = 1;
150
                     ushort limitArgument = 2;
                     var checkLimit = emiter.DefineLabel();
152
                     var calculateSourceMask = emiter.DefineLabel();
153
154
                      // Check shift
                     emiter.LoadArgument(shiftArgument);
155
                     emiter.LoadConstant(0)
156
                     emiter.BranchIfGreaterOrEqual(checkLimit); // Skip fix
157
                      // Fix shift
158
                     emiter.LoadConstant(bitsNumber);
159
                     emiter.LoadArgument(shiftArgument);
160
161
                     emiter.Add()
                     emiter.StoreArgument(shiftArgument);
162
                     emiter.MarkLabel(checkLimit);
163
                     // Check limit
164
                     emiter.LoadArgument(limitArgument);
                     emiter.LoadConstant(0)
166
                     emiter.BranchIfGreaterOrEqual(calculateSourceMask); // Skip fix
167
                        Fix limit
168
                     emiter.LoadConstant(bitsNumber);
169
                     emiter.LoadArgument(limitArgument);
170
                     emiter.Add();
171
                     emiter.StoreArgument(limitArgument);
173
                     emiter.MarkLabel(calculateSourceMask)
                     var sourceMask = emiter.DeclareLocal<T>();
174
                     var targetMask = emiter.DeclareLocal<T>();
175
                     emiter.LoadConstant(typeof(T), numberFilledWithOnes);
176
                     emiter.LoadArgument(limitArgument); // limit
177
                     emiter.ShiftLeft();
178
                     emiter.Not();
179
                     emiter.LoadConstant(typeof(T), numberFilledWithOnes);
180
                     emiter.And();
181
                      emiter.StoreLocal(sourceMask);
183
                     emiter.LoadLocal(sourceMask)
                     emiter.LoadArgument(shiftArgument);
184
                     emiter.ShiftLeft();
185
                     emiter.StoreLocal(targetMask);
                     emiter.LoadArgument(0); // target
187
                     emiter.LoadLocal(targetMask);
188
                      emiter.And();
                     emiter.LoadArgument(shiftArgument);
190
                     emiter.ShiftRight();
191
                     emiter.Return();
192
                 });
193
             }
194
             [MethodImpl(MethodImplOptions.AggressiveInlining)]
196
             private static Tuple<int, T> GetConstants()
197
198
                 var type = typeof(T);
199
                 if (type == typeof(ulong))
200
201
                     return new Tuple<int, T>(64, (T)(object)ulong.MaxValue);
203
                 if (type == typeof(uint))
204
                     return new Tuple<int, T>(32, (T)(object)uint.MaxValue);
206
207
                    (type == typeof(ushort))
208
                     return new Tuple<int, T>(16, (T)(object)ushort.MaxValue);
210
211
                    (type == typeof(byte))
213
                     return new Tuple<int, T>(8, (T)(object)byte.MaxValue);
214
215
216
                 throw new NotSupportedException();
             }
217
        }
218
    }
219
```

```
./csharp/Platform.Numbers/Math.cs
   using System;
   using System.Runtime.CompilerServices;
2
    #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
   namespace Platform. Numbers
        /// <remarks>
8
        /// Resizable array (FileMappedMemory) for values cache may be used. or cached oeis.org
9
            </remarks>
10
        public static class Math
11
12
             /// <remarks>
13
             /// <para>Source: https://oeis.org/A000142/list </para>
14
             /// <para>Источник: https://oeis.org/A000142/list </para>
15
             /// </remarks>
16
17
             /* factorials */
18
19
             private static readonly ulong[] _factorials =
20
21
                 1, 1, 2, 6, 24, 120, 720, 5040, 40320, 362880, 3628800, 39916800, 479001600, 6227020800, 87178291200, 1307674368000, 20922789888000, 355687428096000, 6402373705728000, 121645100408832000, 2432902008176640000
22
23
24
             };
25
26
             /// <remarks>
             /// <para>Source: https://oeis.org/A000108/list </para>
28
             /// <para>Источник: https://oeis.org/A000108/list </para>
29
             /// </remarks>
30
             private static readonly ulong[] _catalans =
31
32
                 1, 1, 2, 5, 14, 42, 132, 429, 1430, 4862, 16796, 58786, 20 742900, 2674440, 9694845, 35357670, 129644790, 477638700, 176726 6564120420, 24466267020, 91482563640, 343059613650, 1289904147324,
                                                                                               208012,
                                                                            477638700, 1767263190,
34
35
                    4861946401452
                 18367353072152,
                                    69533550916004,
                                                      263747951750360, 1002242216651368,
36
                      3814986502092304
                 14544636039226909, 55534064877048198, 212336130412243110, 812944042149730764,
                  \rightarrow 3116285494907301262, 11959798385860453492
             };
38
39
             public static readonly ulong MaximumFactorialNumber = 20;
40
41
             public static readonly ulong MaximumCatalanIndex = 36;
43
44
             /// <summary>
             /// <para>Returns the product of all positive integers less than or equal to the number
45
                 specified as an argument.</para>
             /// <para>Возвращает произведение всех положительных чисел меньше или равных указанному
46
                 в качестве аргумента числу.</para>
             /// </summary>
47
             /// <param name="n"><para>The maximum positive number that will participate in
             🛶 factorial's product.</para><pаra>Максимальное положительное число, которое будет
                участвовать в произведение факториала.</para></param>
             /// <returns><para>The product of all positive integers less than or equal to the number
             \hookrightarrow specified as an argument.</para>Срага>Произведение всех положительных чисел меньше
                 или равных указанному в качестве аргумента числу.</para></returns>
             public static ulong Factorial(ulong n)
50
51
                 if (n >= 0 && n <= MaximumFactorialNumber)</pre>
                 {
53
                      return _factorials[n];
54
                 }
                 else
56
57
                      throw new ArgumentOutOfRangeException($\"Only numbers from 0 to
                          {MaximumFactorialNumber} are supported by unsigned integer with 64 bits
                          length.");
                 }
59
             }
60
             /// <summary>
62
             /// <para>Returns the Catalan Number with the number specified as an argument.</para>
63
             /// <para>Возвращает Каталановое число с номером указанным в качестве аргумента.</para>
             /// </summary>
65
             /// <param name="n"><para>The number of Catalan number.</para>+Номер Каталанового
66
             числа.</para></param>
```

```
/// <returns><para>The Catalan Number with the number specified as an
67
             → argument.</para>Каталановое число с номером указанным в качестве
                аргумента.</para></returns>
            public static ulong Catalan(ulong n)
69
                if (n >= 0 && n <= MaximumCatalanIndex)</pre>
70
                     return _catalans[n];
72
                }
73
                else
74
                {
75
                     throw new ArgumentOutOfRangeException($"Only numbers from 0 to
76
                        {MaximumCatalanIndex} are supported by unsigned integer with 64 bits
                         length.");
                }
            }
79
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
80
            public static bool IsPowerOfTwo(ulong x) => (x & x - 1) == 0;
82
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public static T Abs<T>(T x) => Math<T>.Abs(x);
84
85
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
86
            public static T Negate<T>(T x) => Math<T>.Negate(x);
87
88
89
     ./csharp/Platform.Numbers/MathExtensions.cs
1.8
   using System.Runtime.CompilerServices;
1
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
3
   namespace Platform. Numbers
5
        public static class MathExtensions
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
9
            public static T Abs<T>(this ref T x) where T : struct => x = Math<T>.Abs(x);
1.0
11
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
12
            public static T Negate<T>(this ref T x) where T : struct => x = Math<T>.Negate(x);
13
        }
   }
15
1.9
    ./csharp/Platform.Numbers/Math[T].cs
   using System;
using System.Runtime.CompilerServices;
2
   using Platform. Exceptions;
   using Platform.Reflection;
   // ReSharper disable StaticFieldInGenericType
6
   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
   namespace Platform.Numbers
   {
10
        public static class Math<T>
11
            public static readonly Func<T, T> Abs = CompileAbsDelegate();
public static readonly Func<T, T> Negate = CompileNegateDelegate();
13
14
15
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
16
            private static Func<T, T> CompileAbsDelegate()
17
                return DelegateHelpers.Compile<Func<T, T>>(emiter =>
19
20
                     Ensure.Always.IsNumeric<T>();
21
                     emiter.LoadArgument(0);
22
                     if (NumericType<T>.IsSigned)
23
24
                         emiter.Call(typeof(System.Math).GetMethod("Abs", Types<T>.Array));
25
26
27
                     emiter.Return();
                });
            }
29
30
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            private static Func<T, T> CompileNegateDelegate()
32
```

```
return DelegateHelpers.Compile<Func<T, T>>(emiter =>
34
                     emiter.LoadArgument(0);
36
                     emiter.Negate();
37
                     emiter.Return();
                });
39
            }
40
        }
41
42
      ./csharp/Platform.Numbers.Tests/ArithmeticExtensionsTests.cs
1.10
   using Xunit;
   namespace Platform.Numbers.Tests
4
5
        public static class ArithmeticExtensionsTests
6
            [Fact]
            public static void IncrementTest()
                var number = OUL;
10
                var returnValue = number.Increment();
11
                Assert.Equal(1UL, returnValue);
12
                Assert.Equal(1UL, number);
13
            }
14
15
            [Fact]
16
            public static void DecrementTest()
                var number = 1UL;
19
                var returnValue = number.Decrement();
20
                Assert.Equal(OUL, returnValue);
21
                Assert.Equal(OUL, number);
22
            }
23
        }
24
   }
25
      ./csharp/Platform.Numbers.Tests/ArithmeticTests.cs
1.11
   using System;
   using Xunit;
3
   namespace Platform.Numbers.Tests
4
5
        public static class ArithmeticTests
            [Fact]
            public static void CompiledOperationsTest()
10
                Assert.Equal(3, Arithmetic.Add(1, 2));
11
                Assert.Equal(1, Arithmetic.Subtract(2, 1));
12
                Assert Equal(8, Arithmetic Multiply(2, 4));
                Assert.Equal(4, Arithmetic.Divide(8, 2));
14
                Assert.Equal(2, Arithmetic.Increment(1))
15
16
                Assert.Equal(1UL, Arithmetic.Decrement(2UL));
                Assert.Throws<NotSupportedException>(() => Arithmetic<string>.Subtract("1", "2"));
17
            }
18
        }
19
   }
1.12
      ./csharp/Platform.Numbers.Tests/BitTests.cs
   using System;
2
   using Xunit;
   namespace Platform.Numbers.Tests
4
        public static class BitTests
6
7
            [Theory]
            [InlineData(00, -1)] // 0000 0000 (none, -1)
            [InlineData(01, 00)] // 0000 0001 (first, 0)
10
            [InlineData(08, 03)] // 0000 1000 (forth, 3)
            [InlineData(88, 03)] // 0101 1000 (forth, 3)
12
            public static void GetLowestBitPositionTest(ulong value, int expectedPosition)
13
14
                Assert.True(Bit.GetLowestPosition(value) == expectedPosition);
16
17
            [Fact]
18
```

```
public static void ByteBitwiseOperationsTest()
    Assert.True(Bit<byte>.Not(2) == unchecked((byte)~2));
    Assert.True(Bit<byte>.Or(1, 2) == (1 | 2));
    Assert.True(Bit\langle byte \rangle.And(1, 2) == (1 & 2));
    Assert.True(Bit<byte>.ShiftLeft(1, 2) == (1 << 2))
    Assert.True(Bit<byte>.ShiftRight(1, 2) == (1 >> 2));
[Fact]
public static void UInt16BitwiseOperationsTest()
    Assert.True(Bit<ushort>.Not(2) == unchecked((ushort)~2));
    Assert.True(Bit<ushort>.Or(1, 2) == (1 | 2));Assert.True(Bit<ushort>.And(1, 2) == (1 & 2));
    Assert.True(Bit<ushort>.ShiftLeft(1, 2) == (1 << 2));
    Assert.True(Bit<ushort>.ShiftRight(1, 2) == (1 >> 2));
}
[Fact]
public static void UInt32BitwiseOperationsTest()
    Assert.True(Bit<uint>.Not(2) == unchecked((uint)~2));
    Assert.True(Bit\langle uint \rangle.Or(1, 2) == (1 | 2));
    Assert.True(Bit<uint>.And(1, 2) == (1 & 2));

Assert.True(Bit<uint>.ShiftLeft(1, 2) == (1 << 2));

Assert.True(Bit<uint>.ShiftRight(1, 2) == (1 >> 2));
}
[Fact]
public static void UInt64BitwiseOperationsTest()
    Assert.True(Bit<ulong>.Not(2) == unchecked((ulong)~2));
    Assert.True(Bit<ulong>.Or(1, 2) == (1 | 2));
    Assert.True(Bit\langle ulong \rangle.And(1, 2) == (1 & 2));
    Assert.True(Bit<ulong>.ShiftLeft(1, 2) == (1 << 2))
    Assert.True(Bit<ulong>.ShiftRight(1, 2) == (1 >> 2));
[Fact]
public static void PartialReadWriteTest()
    {
         uint firstValue = 1;
        uint secondValue = 1543;
         // Pack (join) two values at the same time
        uint value = secondValue << 1 | firstValue;</pre>
        uint unpackagedFirstValue = value & 1;
        uint unpackagedSecondValue = (value & OxFFFFFFFE) >> 1;
         Assert.True(firstValue == unpackagedFirstValue);
         Assert.True(secondValue == unpackagedSecondValue);
         // Using universal functions:
         Assert.True(PartialRead(value, 0, 1) == firstValue);
         Assert.True(PartialRead(value, 1, -1) == secondValue);
        firstValue = 0;
        secondValue = 6892;
        value = PartialWrite(value, firstValue, 0, 1);
         value = PartialWrite(value, secondValue, 1, -1);
         Assert.True(PartialRead(value, 0, 1) == firstValue)
         Assert.True(PartialRead(value, 1, -1) == secondValue);
    }
    {
         uint firstValue = 1;
         uint secondValue = 1543;
         // Pack (join) two values at the same time
        uint value = secondValue << 1 | firstValue;</pre>
         uint unpackagedFirstValue = value & 1;
        uint unpackagedSecondValue = (value & OxFFFFFFFE) >> 1;
         Assert.True(firstValue == unpackagedFirstValue);
```

21

22

24

25 26 27

28

31

32

34

35

37

38

39 40

41

43 44 45

47

49 50 51

52

53

54

56

58

59 60

62

63

65

66 67

68

70

72 73

75

76 77

79 80

81

82 83

84

86

89

90

92

93 94

```
Assert.True(secondValue == unpackagedSecondValue);
        // Using universal functions:
        Assert.True(Bit.PartialRead(value, 0, 1) == firstValue);
        Assert.True(Bit.PartialRead(value, 1, -1) == secondValue);
        firstValue = 0;
        secondValue = 6892;
        value = Bit.PartialWrite(value, firstValue, 0, 1);
        value = Bit.PartialWrite(value, secondValue, 1, -1);
        Assert.True(Bit.PartialRead(value, 0, 1) == firstValue);
        Assert.True(Bit.PartialRead(value, 1, -1) == secondValue);
    {
        uint firstValue = 1;
        uint secondValue = 1543;
        // Pack (join) two values at the same time
        uint value = secondValue << 1 | firstValue;</pre>
        uint unpackagedFirstValue = value & 1;
        uint unpackagedSecondValue = (value & OxFFFFFFFE) >> 1;
        Assert.True(firstValue == unpackagedFirstValue);
        Assert.True(secondValue == unpackagedSecondValue);
        // Using universal functions:
        var readMasksAndShiftForOAnd1 = GetReadMaskAndShift(0, 1);
        var readMasksAndShiftFor1AndMinus1 = GetReadMaskAndShift(1,
        var writeMasksAndShiftForOAnd1 = GetWriteMasksAndShift(0, 1);
        var writeMasksAndShiftFor1AndMinus1 = GetWriteMasksAndShift(1, -1);
        Assert.True(PartialRead(value, readMasksAndShiftForOAnd1) == firstValue);
        Assert.True(PartialRead(value, readMasksAndShiftFor1AndMinus1) == secondValue);
        firstValue = 0:
        secondValue = 6892;
        value = PartialWrite(value, firstValue, writeMasksAndShiftForOAnd1);
        value = PartialWrite(value, secondValue, writeMasksAndShiftFor1AndMinus1);
        Assert.True(PartialRead(value, readMasksAndShiftForOAnd1) == firstValue);
        Assert.True(PartialRead(value, readMasksAndShiftFor1AndMinus1) == secondValue);
    }
}
// TODO: Can be optimized using precalculation of TargetMask and SourceMask
private static uint PartialWrite(uint target, uint source, int shift, int limit)
    if (shift < 0)</pre>
        shift = 32 + shift;
    }
    if (limit < 0)</pre>
    {
        limit = 32 + limit;
    }
    var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;</pre>
    var targetMask = ~(sourceMask << shift);</pre>
    return target & targetMask | (source & sourceMask) << shift;</pre>
private static uint PartialRead(uint target, int shift, int limit)
    if (shift < 0)</pre>
    {
        shift = 32 + shift;
    }
    if (limit < 0)</pre>
    {
        limit = 32 + limit;
    var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;</pre>
    var targetMask = sourceMask << shift;</pre>
    return (target & targetMask) >> shift;
}
```

101

103

104

105

107

108 109

110

111

112 113 114

115

116 117

118

119

120 121

122

123 124

125

126 127

128

130

131 132

133

134

136

137

138 139

140

141 142 143

144

145

146 147

148

150

151 152

153

154

156

157

158

159

160

161 162 163

164 165

167

168

169

170

171

172 173

174

175

176

```
private static Tuple<uint, uint, int> GetWriteMasksAndShift(int shift, int limit)
179
                  if (shift < 0)</pre>
181
                  {
182
                      shift = 32 + shift;
183
184
                  if (limit < 0)</pre>
185
                  {
                      limit = 32 + limit;
187
                  }
188
                 var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;
var targetMask = ~(sourceMask << shift);</pre>
189
190
                  return new Tuple<uint, uint, int>(targetMask, sourceMask, shift);
191
             }
192
193
             private static Tuple<uint, int> GetReadMaskAndShift(int shift, int limit)
195
                  if (shift < 0)</pre>
196
                      shift = 32 + shift:
198
199
                  if (limit < 0)</pre>
                  {
201
                      limit = 32 + limit;
202
                  }
203
                  var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;</pre>
204
                  var targetMask = sourceMask << shift;</pre>
205
206
                  return new Tuple<uint, int>(targetMask, shift);
207
208
             private static uint PartialWrite(uint target, uint targetMask, uint source, uint
209
              → sourceMask, int shift) => target & targetMask | (source & sourceMask) << shift;</p>
210
             private static uint PartialWrite(uint target, uint source, Tuple<uint, uint, int>
211
              masksAndShift) => PartialWrite(target, masksAndShift.Item1, source,
                 masksAndShift.Item2, masksAndShift.Item3);
             private static uint PartialRead(uint target, uint targetMask, int shift) => (target &
213

    targetMask) >> shift;

             private static uint PartialRead(uint target, Tuple<uint, int> masksAndShift) =>
              PartialRead(target, masksAndShift.Item1, masksAndShift.Item2);
216
             [Fact]
217
             public static void BugWithLoadingConstantOf8Test()
218
219
                  Bit<byte>.PartialWrite(0, 1, 5, -5);
             }
221
         }
222
223
1.13
       ./csharp/Platform.Numbers.Tests/MathExtensionsTests.cs
    using Xunit;
 2
    namespace Platform.Numbers.Tests
 3
 4
         public static class MathExtensionsTests
 6
             [Fact]
             public static void AbsTest()
                  var number = -1L;
10
                  var returnValue = number.Abs();
                  Assert.Equal(1L, returnValue);
12
                  Assert.Equal(1L, number);
13
             }
15
             [Fact]
16
             public static void NegateTest()
17
18
                 var number = 2L;
19
                  var returnValue = number.Negate();
20
                  Assert.Equal(-2L, returnValue);
21
                  Assert.Equal(-2L, number);
22
             }
23
             [Fact]
             public static void UnsignedNegateTest()
26
```

```
var number = 2UL;
28
                var returnValue = number.Negate();
                Assert.Equal(18446744073709551614, returnValue);
30
                Assert.Equal(18446744073709551614, number);
31
            }
       }
33
34
     ./csharp/Platform.Numbers.Tests/MathTests.cs
1.14
  using Xunit;
   namespace Platform.Numbers.Tests
3
        public static class MathTests
5
6
            [Fact]
            public static void CompiledOperationsTest()
                Assert.True(Math.Abs(Arithmetic<double>.Subtract(3D, 2D) - 1D) < 0.01);
10
            }
11
       }
12
13
     ./csharp/Platform.Numbers.Tests/SystemTests.cs
1.15
  using Xunit;
   namespace Platform.Numbers.Tests
3
        public static class SystemTests
5
6
            [Fact]
            public static void PossiblePackTwoValuesIntoOneTest()
                uint value = 0;
11
                // Set one to first bit
12
                value |= 1;
13
14
                Assert.True(value == 1);
16
                // Set zero to first bit
17
                value &= OxFFFFFFE;
18
19
                // Get first bit
20
                uint read = value & 1;
21
                Assert.True(read == 0);
23
24
                uint firstValue = 1;
25
                uint secondValue = 1543;
27
                // Pack (join) two values at the same time
                value = (secondValue << 1) | firstValue;</pre>
29
                uint unpackagedFirstValue = value & 1;
31
                uint unpackagedSecondValue = (value & 0xFFFFFFFE) >> 1;
32
33
                Assert.True(firstValue == unpackagedFirstValue);
34
                Assert.True(secondValue == unpackagedSecondValue);
36
                // Using universal functions:
38
                Assert.True(PartialRead(value, 0, 1) == firstValue);
39
                Assert.True(PartialRead(value, 1, -1) == secondValue);
41
                firstValue = 0;
42
                secondValue = 6892;
43
44
                value = PartialWrite(value, firstValue, 0, 1);
45
                value = PartialWrite(value, secondValue, 1, -1);
47
                Assert.True(PartialRead(value, 0, 1) == firstValue);
                Assert.True(PartialRead(value, 1, -1) == secondValue);
49
            }
50
51
            private static uint PartialWrite(uint target, uint source, int shift, int limit)
52
                if (shift < 0)</pre>
55
                    shift = 32 + shift;
```

```
57
                     if (limit < 0)</pre>
59
                           limit = 32 + limit;
                     }
61
                     var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;
var targetMask = ~(sourceMask << shift);
return (target & targetMask) | ((source & sourceMask) << shift);</pre>
62
63
64
65
66
               private static uint PartialRead(uint target, int shift, int limit)
67
68
69
                     if (shift < 0)</pre>
                     {
70
                           shift = 32 + shift;
71
                     if (limit < 0)
{</pre>
73
74
                           limit = 32 + limit;
75
                     }
76
                     var sourceMask = ~(uint.MaxValue << limit) & uint.MaxValue;</pre>
77
                     var targetMask = sourceMask << shift;</pre>
78
                     return (target & targetMask) >> shift;
79
               }
80
          }
81
   }
82
```

Index

```
./csharp/Platform.Numbers.Tests/ArithmeticExtensionsTests.cs, 9
./csharp/Platform.Numbers.Tests/ArithmeticTests.cs, 9
./csharp/Platform.Numbers.Tests/BitTests.cs, 9
./csharp/Platform.Numbers.Tests/MathExtensionsTests.cs, 12
./csharp/Platform.Numbers.Tests/MathTests.cs, 13
./csharp/Platform.Numbers.Tests/SystemTests.cs, 13
./csharp/Platform.Numbers/Arithmetic.cs, 1
./csharp/Platform.Numbers/ArithmeticExtensions.cs, 1
./csharp/Platform.Numbers/Arithmetic[T].cs, 1
./csharp/Platform.Numbers/Bit.cs, 3
./csharp/Platform.Numbers/BitExtensions.cs, 3
./csharp/Platform.Numbers/Bit[T].cs, 4
./csharp/Platform.Numbers/Math.cs, 6
./csharp/Platform.Numbers/Math.cs, 6
./csharp/Platform.Numbers/MathExtensions.cs, 8
```

./csharp/Platform.Numbers/Math[T].cs, 8